Journal of Applied Polymer Science

Subject Index to Volumes 42 and 43

Please note that A refers to Volume 42 and B refers to Volume 43

Accelerated sulfur vulcanization, 2643A, 2651A, 2669A
Acetylene terminated sulfone (ATS), chemical characterization, 665A
Acetylene terminated sulfone (ATS) resin, thermal, 679A
Acid anhydrides, 2871A
Acids, 885A, 3223A
Acid–base interactions, 427A, 2825A
Acoustic emission (AE), 1997A
Acoustic emission (AE) techniques. 2631A
Acrylate comonomers, 3039A
Acrylate copolymers, 489B
Acrylatemethacrylates, 1391B
Acrylic copolymers, 1521B
Acrylic monomers, 1551A
Acrylonitrile (AN) grafting, 553B
Acrylonitrile (AN)-grafted polyethylene (PE), thermal stability, 221B
Additives, 213B
Adenosine triphosphate (ATP), 825B
Adhesion, 609A, 1551A, 1721A, 1959A, 2045A, 2825A
—, guidelines, 1319A
—, unified theory, 1319A
Adhesion testing, 1287B
Adhesives, 2099A, 3147A, 251B, 2033B
Adsorption, 985A, 2483A, 1293B, 1327B
Adsorption chromatography, 595A
Agar–agar hydrogel, 2713A
AIBN, as initiator, 2207B
Air-drying binders, 1709B
Alfrey–Goldfinger equation, 2987A
Alfrey–Price scheme, 1485A
Aliphatic polyesters, 2365A
Alkali metal ions, 1845A
Alkaline earth metal ions, 1845A
Alkali-treated cellulose, 1147B
Alkenes, epoxidation, 807A
Allyl diglycol carbonate (CR-39), laser-induced irreversible surface softening, 115A
Amine–copper (II) complex, 1925B
Amine-cored epoxy systems, 2465A
Amine modifiers, 2997A
Amines, 813A
Amines release, 1837B
Amino acids, 1167A, 2349A
Ammonolysis, 1041A
Amorphous phase, 1711A
Amphipathic graft copolymers, 1577B
Amphipathic materials, 1423A
Aniline-modified epoxy resins, 1465A
Anionic bulk polymerization, 2933A
Anionic polyelectrolytes, application in wastewater treatments, 225A
Anisotropy, 1351A, 2337A
Annealing, 575A
Anodic oxidation, 1271A
Antifouling resin, 1007B
Antistatic acrylics, 1307B
Aqueous alkaline hydrolysis, 2149A
Aqueous dispersion of polyurethanes (PU)s, 393B
Aqueous dispersions, 1391B
Aqueous electropolymerization, 2237B
Aqueous polymerization, 2005A
Aqueous salt solutions, 1297A
Aqueous solutions, cooling power, 2151B, 2161B
Aqueous systems, 947A
Argon glow discharge, 2067B
Aromatic amine/epoxy system, 2453A
Aromatic amines, 2349A
Aromatic biscyanamides, and novel polymers, 943B
Aromatic diamines, 2013B, 2091B
Aromatic glycidylamines, 791A, 795A
Aromatic polyesters, 463B
Aromatic polyimides, 1071B
Aromatic polysulfones, 3215A
Aromatic rings, 1801A
Arrhenius parameters, 791A, 2329A
Arylidene polymers, 461A
AS-4 graphite fibers, 2237B
Asymmetric materials, preparation, 1107A
Asymmetric polysulfone membranes, 1491B
Atomic oxygen (AO) exposure, 2631A
Attenuation, 1357B
Attenuation loss, of FMA–POFs, 3195A
Avrami equation, 779B
Axial compressive strength, 1467B
Azo initiator, 3075A
Azobenzene derivatives, 1233B

Backbone chains, 2403A
Bacteriocides, 2329B
Bailly's theorem, 1343B
Bartenev's theory, 1343B
Base-lubricating oil, 3083A
Batch-reaction processes, 45A
Bead-spring macromolecules, 2337A
BFE complexes, 1459B
Biaxially oriented polypropylene (BOPP) films, 159A
Bifunctional initiators, 629A
Bilirubin adsorption, 2483A
Binary graft copolymer blends, 2107B
Binder mechanical properties, 753A
Biodegradation, 1091B
Biomedical polymers, 2329B, 2333B
Bismaleimide, and novel polymers, 943B
Bismaleimide (BMI) resin, 1849B, 1865B
BIS–GMA synthesis, 561A
Bitumen–polymer ionomers, thermal stability, 227B
Bleaching, 2187B
Blending temperature, 329B

Block copolymers, 207A, 281A, 325A, 595A
Bonded elastomer discs, 1997A
Bonding strength, 591A
Bromelain, 2223B
Bulk ring-opening polymerization, 2099B
Bulk styrene polymerization, 629A
Butadiene polymerization, 3019A
Butyl acrylate homopolymerization, 2137B
Butyl rubber (IIR), electrical conductivity, 1081A
—, physicomechanical properties, 1081A

Cable sheathing compounds, 1673B
Cadmium removal, 317A
Calibration, 1969A
Cane sugar muds, flocculation, 837A
Carbazole polymers, 1989A
Carbon black, 137A, 1081A
Carbon black filler, 2773A
Carbon fiber, 3039A, 3045A, 679B, 1467B
Carbon fiber composites, 1289A
Carbon fibers, 2525A, 1117B
Carbon spectra, 2509A
Carbonization, 1949A, 589B
Carboxylated polysulfones, 3215A
Carboxylic membranes, 1727B
Carboxyl-terminated polybutadiene (CTPB), lifetime prediction, 153A
—, thermal aging, 153A
Castor oil, 2249B
Castor oil polyester network, 993B
Catalase, immobilization, 2219B
Catalyst concentration, 637B
Catalyst system, 3019A
Catalytic chain transfer, 1565B
Cation effect, 1391B
Cation exchange resins, 2499A
Cation-exchange resins, 2303B
Cation-exchange starches, 2303B
Cationic polyelectrolytes, 2857A
Cationic resins, 1097A
—, electrodeposition properties, 1465A
—, emulsion properties, 1465A
^{13}C CP/MAS NMR, 489B
Cellulose, 767A, 985A, 1751A, 3051A
—, carbanilation with phenylisocyanate, 813A, 821A
Cellulose acetate films, 1361A
Cellulose-based compounds, 1659A
Cellulose ethylation, 3263A
Cellulose fibers, 609A
Cellulose–inorganic salts admixtures, 737B
Cellulose matrices, 1821B
Cellulosic copolymers, 3205A
Cellulosic fibers, 3013A
Cellulosic materials, dielectric behavior, 737B
Ceramics, 851A
Ceric ion-initiated grafting, 1017B
Chain flexibility, 1205B
Chain transfer, 93A
Characterization, 2551A
Charge density, 2483A
Charlesby–Pinner Equation, 1939A
Chelating resins, 1159B
Chelating tertiary diamines, 533A
Chemical amplification systems, 877A
Chemical crosslinking, 391A, 511A
Chemical degradation, 1041A
Chemical modification, 185A
Chemical networks, 107A
Chemical sensor devices, 793B
Chemically initiated liquid-phase grafting polymerization, 729B
Chemically-induced free-radical copolymerization, 2761A
Chiroptical techniques, 1701A
Chitin, 495A, 2885A
Chitosan films, 3035A
Chlorinated polyethylene (CPE) resins, translucent blends, 1205A
Chlorine, 1369B
Chlorine-containing polymers, 437B
Cholesteryl additives, 1701B
^{13}C-NMR, 753A
^{13}C-NMR spectroscopy, 399A
CO gas sensor device, 793B
Coated alginate/polycation microencapsulation, 2123B
Coatings, 1709B
Cocatalyst-to-catalyst ratio, 637B
Coextrusion, 429B
Cohesive energy density (ced), 2279B
Coil expansion, 205B
Cold rolling, 29B
Cold vulcanizing rubber cement, curing, 591A
Collagen, thermal denaturation, 2975A
Collagenous fibers, 3013A
Column chromatography, 665A
Combustion, 2819A
Commercial plastics, 1773B
Commercial polymer films, 1589B
Commercial wire insulation, 601B
Compensating hot wire method, 1179A
Composite films, 1615A
Composite latex particle morphology, 1049A
Composite matrix material, 1721A
Composites, 2563A
Composition, 329B
Compression-molded poly(L-lactic acid) (PLLA), 83B
Concentrated emulsion polymerization method, 2429A
Condensation behavior, 2073A
Condensed polyphenols, 2499A
Conductive polymers, 439A, 2237A, 2267A
Conductivity, 925A, 2489A, 399B, 1307B
Conductivity behavior, 1989A
Conjugated polymers, 461A
Contact angle measurements, 1959A, 145B
Continuous graft copolymerization, 621B
Continuous heating transformation (CHT) cure diagram, 2453A
Continuous stabilization, 1949A
Continuous stirred tank reactor (CSTR), 2111A
Controlled release additives (CRAs), 2355A
Conveyer belt splicing, rubber cement and, 591A
Cooling, 1335B
Copolyimides, 873A
Copolymer formation, 1577B
Copolymer gels, 901B
Copolymerization, 1607A, 341B, 1941B
Copolymers, heat stability, 977B
Copolyureas, 1023A
Core-shell morphology, 1103B
Corona discharge treatment, 2099A
Corrosion inhibitors, 2435A
Cotton cellulose, 2163A, 1717B
Cotton fabrics, 1609B
—, durable press (DP) agents, 511A
Cotton fibers, 3051A, 445B, 915B
—, crystallization of, cellulose in, 1751A
CPDA esters, 2933A
Creep resistance, 1385A
Critical dissolution time (CDT) technique, 2703A
Critical end-to-end distance, 1965A
Crosslinked copolymers, 1645B
Crosslinked cotton yarn, 2051B
Crosslinked nitrile rubber films, 1107A

Crosslinked polymer, hydrophobic character, 35A
Crosslinked polymer composites, 1259A
Crosslinked polymer supports, 583A
Crosslinking, 107A, 179A, 391A, 891A, 1009A, 1125A, 1185A, 1193A, 1465A, 1537A, 1579A, 1727A, 1931A, 1939A, 1979A, 2013A, 2371A, 2517A, 2681A, 2713A, 2717A, 2933A, 3065A, 23B, 305B, 347B, 475B, 481B, 535B, 993B, 1323B, 1585B, 1605B, 1609B, 1645B, 1717B, 1933B, 1953B, 2051B
Crystal morphology, 2703A
Crystal orientation, 9A
Crystalline cellulose, dilute acid hydrolysis, 417A
Crystalline polymer morphology, 535B
Crystalline polymers, turbidity, 1451A
Crystallinity, 2767A, 3051A, 835B, 1727B
Crystallization, 1671A, 1751A, 1879A, 1943A, 2727A, 191B, 445B, 1087B, 2043B
—, polymer blends, 297A
—, solvent-induced, 1289A
Crystallization kinetics, 3111A, 521B, 779B
Crystallization nucleators, 2739A, 2749A
Crystallization temperatures (T_c), 1607A
Crystals, 1779A
Curative interaction, 2643A
Curative interactions, 2651A, 2661A, 2669A
Cure behavior, 1011B
Cure kinetics, 1459B
Cure schedule, 701A
Cured epoxy resins, 1459A
Cured resins, 305B
Curing, 1087A, 1371A, 2535A, 2013B
Curing behavior, 829B
Curing kinetics, 1087A
Curing properties, 2681A
Curing reaction, 1865B
Curing temperature, 1307A
Cyclohexane–decalin solvent system, 1887A

Deformation, 877B
Degradation, 1979A, 2365A, 2691A, 405B, 601B, 825B
—, weather-induced, 651B
Dehydrochlorination, 2233A
Dental restorative resin, 561A
Depolymerization products, 1501A
Desorption, 543A, 1991B
Desorption experiments, 2989A
Dessicator method, 1759A
Dextrans, 1037B
Diagnostics, 3073A
Dialdehyde celluloses, 169A
Dialysis, 1795B
Diamines, 2893A, 2899A
Diblock copolymers, 281A
Dielectric, 2489A
Dielectric analysis, 1333A
Dielectric behavior, 1989A
—, cellulosic materials, 737B
Diepoxide curing, 967B
Differential scanning calorimetry (DSC), 273A, 373A, 863A, 1433A, 1639A, 2053A, 2255A, 2453A, 2643A, 2651A, 2661A, 2669A, 3205A, 11B, 83B, 305B, 437B, 567B, 643B, 1459B, 1521B, 2115B
Differential scanning calorimetry (DSC) analysis, 679A, 3073A
Differential thermal analysis (DTA), 2233A
Diffusion, 2321A, 2329A
Diffusion coefficients, 1969A, 3035A, 3165A, 2169B
Diffusion-controlled sorption, 1519A
Diglycidyl ether of bisphenol A (DGEBA) resins, evaluation, 1891A
Dilvents, 3263A
Dioxane byproduct formation, 1875B
Direct dyes, 3035A
Discoloration, 2105A
Disk cavities, 39B
Disperse dyes, diffusion, 1745A
Dispersed anisotropic phase, 929B
Dispersion systems, 1665A
Dissolution, 1533B
Dissolved carbon dioxide, permeation, 383A
Dopants, 2121A
Doping, 3025A
Drag-reduction efficiency, 1091B
Draw ratios, 543B
Draw resonance, 143A
Drawing behavior, 2311B
Drawing process, 49B
Drawn PET yarn, 693A
Drawn poly(ethylene terephthalate) (PET) fibers, shrinkage force measurements, 1921A
Drawn tapes, 1399B
Drug delivery, 2123B
Dry phase inversion, 1491B
Dry/wet phase inversion, 1491B
Ductile-brittle transition behavior, 1025B
Durable press reactants, 1717B
Dye molecules, 925B
Dyes, 1745A
Dynamic mechanical analysis, 1459A, 1999B
Dynamic mechanical analysis (DMA), 693A
Dynamic mechanical behavior, 1647A
Dynamic mechanical measurement, 3065A
Dynamic mechanical properties, 1879A, 1943A, 835B
Dynamic mechanical thermal analysis (DMTA), 273A, 83B, 379B
Dynamic swelling behavior, 2409A
Dynamic thermogravimetry, 373A
Dynamic torsional vibration method, 1011B

EAA polymer, electrodeposition, 3123A
EC–DCA solution, 1693B
EDTA method, 829A
Elastomeric matrix, 1805B
Elastomers, 779A, 911A, 1727A, 1739A, 1959A, 3241A, 451B
Electrical conductivity, 1665A, 1793A, 2879A, 1625B
Electrochemical oxidation, 2129A
Electrochemical polymerization, 1271A
Electrodeposition, 1097A, 3123A
Electron acceptor dopants, 1793A
Electron acceptors, 1793A
Electron beam crosslinking, 221B
Electron beam irradiation, 207A
Electron beam radiation, 1107A, 1045B
Electron spectroscopy for chemical analysis (ESCA), 609A
Electron-beam irradiation-induced grafting, 553B
Electronic packaging, 1315B
Electropolymerization, 2237B
Elongational flow method, 2975A
Elution volume, 1987B
EMA–AA copolymer systems, 1521B
Empirical modeling, 1631A
Emulsifier-free emulsion polymerization, 2205A

Emulsifiers, 1451B
Emulsion cast films, 393B, 2295B
Emulsion copolymerization, 1065A, 3133A
Emulsion copolymerization kinetics, 1213A
Emulsion films, 2205A
Emulsion polymerization, 891A, 1239A, 1423A, 1869A, 3075A
Emulsion polymerization method, 1451B
Emulsions, 659A, 1209B
Encapsulants, 1815A
Engineering thermoplastics, 839B
Enhanced oil recovery (EOR), 2063A
Entanglement behavior, 1965A
Enthalpy of fusion, 1433A
Entry rate coefficients, 1869A
Enzymatic hydrolysis, 2223B
Enzyme immobilization, 583A
Enzymes, diagnostic, 3073A
Epichlorhydrin rubber (ECO) vulcanizates, 1327B
Epoxide prepolymers, dielectric properties, 1333A
Epoxide resins, 2013B
Epoxides, 643B
Epoxidized natural rubber (ENR), scorch behavior, 1407A
Epoxies, 2267B
Epoxy, rubber-modified, 701A, 717A
Epoxy adhesive, for elevated temperature service environment, 743A
Epoxy content, 2773A
Epoxy–copper powder composites, 1459A
Epoxy equivalent weight, 1891A
Epoxy–imide resins, 783B
Epoxy–imide resins, adhesive properties, 783B
Epoxy–lignin (EP–L) polyblends, 1307A
Epoxy–lignin polyblends, 1537A
Epoxy network morphology, 1421B
Epoxy resin, 1721A, 2091B
—, gelation reaction, 643A
Epoxy resin adhesives, 2141A, 829B
Epoxy resin–BF_3–MEA system, cure behavior, 1011B
Epoxy resins, 69A, 791A, 795A, 1905A, 2045A, 463B, 1315B, 1459B, 1685B, 1827B
—, fracture toughness (K_{IC}), 463B
Epoxy systems, 1421B
Epoxy-novolac thermosetting compounds, 1815A
Epoxy–phenol resins, 1557A
Epoxy-terminated poly(ethylene glycol) (PEG), ring-opening copolymerization, 2871A
Equilibrium, 2409A, 2417A
Equilibrium binodal decomposition, 845B
Equilibrium metal adsorption, 829A
Equivalent weight, and thermal stability, 699B
ESCA spectroscopy, 1901B
ESCA techniques, 233A
Escherichia coli, removal from water, 1369B
ESR spectroscopy, 1197B, 2169B
ESR spectrum, 2197A
Ester interchange reaction, 341B
Esterification, 1875B
Esterification kinetics, 2223A
Estimated fractional free volume, 1711A
Etch rate, 1379B
Ethanol permselectivity, 1227B
Ethyl-cyanethyl cellulose (ECC), 19B
Ethylene, propylene, ethylidene norborene (EPDM rubber), 1395A
Ethylene–methacrylic acid copolymer (EMAA), 621A
Ethylene polymerization, 533A, 637B
Ethylene–propylene (EP) copolymers, photooxidation, 21A
Ethylene/propylene/diene monomer (EPDM) copolymers, photooxidation, 21A
Ethylene vinyltrimethoxy silane (EVS) copolymer, crosslinking reactions, 1185A
Ethylene vinyltrimethoxy silane (EVS) copolymers, crosslinking reactions, 1193A
Eudragit RL, 1837B
Evaporative light scattering detection, 595A
Exit rate coefficients, 1869A
Extenders, 273A
Extrusion, 1335B

Fiber–elastomer composites, 1805B
Fiber orientation, 839B
Fiber reinforced polyester composites, 601A
Fiber strength, 915B
Fiber-matrix adhesion. 1721A
Fiber-optic sensors, 925B
Fiber-reinforced composites, 801A
Fibers, 1721A, 1779A, 2035A, 2915A, 49B
—, dynamic mechanical analysis (DMA), 693A
—, ultrahigh speed spinning, 1509A
Fickian model, 2321A
Filled polymers, 543B
Filled polyurethane (PU) rubber, 2193B
—, aging behavior, 2175B
Fillers, 273A, 427A
Filling, 1171B
Film formation, 2197A
Film thickness, 1451A
Finely porous model (FPM), 1143A
Fineman–Ross method, 1485A, 251B
Finite baths, 1519A
Fire retardants, 1673B
Fire-retardant additive, 2095A
Flame resistancy, 2717A
Flame retardance, 373B
Flame-retardant fillers, 373B
Flexible polymers, dilute solution properties, 217A
Flocculants, 837A
Flocculation, 225A
Flory's melting point depression theory, 1155A
Flory–Huggins interaction parameters, 1759A
Flory–Rehner equations, 2837A
Flow injection analysis (FIA) estimation, 1969A
Fluidized electrode bed reactor (FEBR), 3123A
Fluorocarbon elastomer seals, 1739A
Fluoroepoxy resins, blend applications, 69A
Food packaging, 1219B
Forced-feed oscillations, 2903A
Formation mechanisms, 1845A
Forming limit diagram (FLD), 29B
Fourier transform infrared (FT-IR) method, 1377A
Fourier transform infrared (FTIR) spectroscopy, 609A, 643A, 1861A, 2287A, 2297A, 2309A
Fourier transform infrared spectroscopy (FTIR), 2691A, 2083B
FPM-3, 1143A
FPM-4, 1143A
Fracture behavior, 1905A
Fracture properties, 1259A

Fracture toughness, 601A
Free radical copolymerization, 251B
Free radical initiator, 2761A
Free radical photopolymerization, 2209A
Free radicals, 2035A
Free volume theory, 629A, 1411B
Free-radical copolymerization, 1485A
Free-radical polymerization, 2903A
Free-volume theory of transport, 1931A
Friedel–Crafts alkylation, 2435A
Friedel–Crafts conditions, 1801A
Friedel–Crafts reaction, 1685B
FTIR spectroscopy, 2267B, 2283B
Fumarate isomerization, 1605B

Gallium ions, in acidic solution, 737A
Gamma irradiation, 1385A, 2255A, 1393B
Gamma radiation induced graft copolymerization, 3223A
Gamma radiation shields, 1073A
Gas chromatography (GC) analysis, 533A
Gas fractionation, 687B
Gas permeability, 529B, 1977B
Gas permeation, 1711A, 2403A, 2613A
Gas permselectivity, 1977B
Gas plasmas, 1589B
Gas separation membranes, 1491B
Gas sorption, 2613A
Gas transport, 2959A
Gas transport properties, 891B
Gas–liquid chromatography (GLC), 873A
Gel fraction, 535B
Gel particles, 2201B
Gel permeation chromatography (GPC), 1169A, 1589A, 1887A, 2149A, 2233A, 1B
Gel point, 1557A
Gelatin, 2825A, 23B, 1789B
Gels, 283B, 901B, 929B, 1527B
GE–MMA composites, 2057B
GE–STAN composites, 1999B, 2057B
Glass beads, as model fillers, 427A
Glass fiber (GF) reinforced polypropylene (PP)/EPDM blends, 451B
Glass fiber composites, thermal conductivity, 1179A
Glass transition, 11B
Glass transition temperature, 967B
Glass transition temperature (T_g), 679A, 801A, 1333A, 197B, 1087B, 1205B
Glass/mica/epoxy composites, 2631A
Glass-fiber-reinforced polypropylene (FRPP), 1335B
Glassy polymers, 2409A, 2317B
Glow discharge, 423B
Glow-discharge-induced graft polymerization, 423B
Glycol chitosan (GC) membranes, permeability properties, 495A
Glycol dimercapto acetate, 93A
Gordon–Taylor equation, 183B
Graft copolymer distribution, 729B
Graft copolymerization, 1001A, 2163A, 2371A, 2391A, 2885A, 3051A, 3223A, 621B, 1197B, 2083B
Graft copolymers, 1493A, 379B, 1091B, 1577B
—, preparation, 883B
Graft polyesters, 2871A
Graft polymerization, 3255A, 423B, 729B, 1017B, 1147B, 2115B
Graft tercopolymers, 1007B
Grafting, 1007B, 1789B, 1901B
Graphite fibers, 2237B
Gravimetric analysis, 891A
Gravimetric measurements, 75A
Gravimetry, 2137B
Group transfer polymerization (GTP) techniques, 595A

Halogen-containing polycarbonates, 1977B
Hansen space, 99A
Hard segment–soft segment interaction, 3241A
Hard–soft–hard blocks, 2039A
HD PE-dispersed filler system, 1171B
Heat stability, 341B, 977B
Heat-curable silicone rubber, 1323B
Heat-distortion temperature (HDT), 357B
Heavy metals removal, 317A
Helium flow rates, 2361A
Hemodialysis, 1431B
Henequen fibers, 749B
Heterogeneous catalysis, 1387B
High conversion–reactor dynamics, 1259B
High density polyethylene (HDPE), drawability, 543B
High modulus/low shrinkage (HMLS), 1807A
High molecular weight polyethylene (HMWPE), forming properties, 29B
High performance liquid chromatography (HPLC), 795A
High-density polyethylene (HDPE), α relaxation region, 723B
Higher-order structures, 2749A, 57B, 97B
Highly drawn nylons, 575A
Highly drawn polyesters, 575A
Highly oriented polyethylene (HOPE), gamma irradiation, 1385A
High-modulus/strength PE fibers, preparation, 863A
High-performance size exclusion chromatography (HPSEC), 821A
High-speed melt spinning, 1511B
^{1}H-NMR spectroscopy, 1165B
Homopolymer, 365B
Hoy's G value, 2261A
Hybrid fibers, 1443A
Hydrocarbon solutions, 659A
Hydrogel matrices, 1879B
Hydrogels, 325A, 2833A, 3173A, 1165B, 2333B
Hydrogen bonding, 2279A, 817B
Hydrogenated polymers, 3083A
Hydrogenation, 3083A
Hydrogen-peroxide-treated poly(vinyl alcohol) (PVA) samples, 3077A
Hydrolysis, 417A, 1041A, 2149A, 2543A, 1379B, 1925B
Hydrolytic degradation, 2365A, 825B
Hydrolytic stability, 2833A
Hydrolyzable chlorine content, 1391A
Hydroperoxidation, 1395A
Hydrophilic copolymers, 1579A
Hydrophobic bonding, 947A
Hydrophobic polymer films, 581B
Hydrophobicity, 581B
Hydrostatic pressure, 2063A
Hydroxyl value, 1891A
Hydroxypropyl cellulose (HPC), photoinitiated crosslinking, 2517A
Hydroxypropyl guar (HPG) solutions, 2191A
Hydroxypropylcellulose–indomethacin (HPC–IND) grafts, 2247A

Hydroxypropylmethylcellulose (HPMC)–anionic surfactant interactions, 947A
Hydroxystyrene-based polymers, 877A
Hygroscopic stress, 857B

Imidazoles, 1557A
Impact behavior, polymer blends, 297A
In situ analysis, 1861A
in situ scanning electron microscopy (SEM), 2563A
In vitro degradation tests, 2099B
Indium ions, in acidic solution, 737A
Inert components, 2219B
Inert gas flow rate, 1623A
Information storage systems, 2013A
Infrared (IR) absorption, 1751A
Infrared (IR) dichroism, 801B
Infrared (IR) spectroscopy, 679A, 1001A, 2943A, 2115B
Infrared (IR) study, 2767A
Infrared spectroscopy, 1609B
Injection molding, 9A, 39B, 57B, 97B, 129B, 157B, 521B
Injection moldings, 2739A, 2749A
Inorganic salts, 767A
Insoluble polymers, 1369B
Intercept method, 2005A
Interchain spacing, 183B
Interchange reactions, 1639A
Interfacial adhesion, 311B
Interfacial polycondensation, 2213B
Interfacial polyfunctional condensation, 2535A, 2543A
Interfacial polymerization, 1773A
Interfacial shear strength (IFSS), 2525A
Intermolecular interactions, 1205B
Internal stress, 1779A, 2013B
Interpenetrating networks (IPN)s, 2249B
Interpenetrating polymer network (IPN), 1133B
Interpenetrating polymer networks (IPN)s, 475B, 481B, 993B, 2207B
Intramolecular force, 2337A
Intrinsic viscosity, 2405A
Inverse gas chromatography (IGC), 427A
Iodine, 1625B, 1633B
Iodine doping, 3025A
Ion pair–ion pair interactions, 1695A
Ion transport, 901B
Ion-containing polymers, 1503B
Ion-exchange copolymers, 1607A
Ion-exchange membranes, 2551A
Ion-exchange properties, 2303B
Ion–ion interactions, 227B
Ionic aggregations, 351A
Ionic domains, 951B
Ionic transport, 1567A
Ionically-terminated polytetrahydrofuran polymers, 1503B
Ionization, 205B
Ionomers, 621A, 199A, 351A, 1845A, 951B
Ions, 3013A
Iosipescu shear test, 2033B
IPDI-based polyurethane (PU) ionomer dispersions, 2295B
IR absorption spectra, 169A, 2255A
IR spectra, 2261A
Iron oxide suspensions, 1767A
Irradiation, 1979A, 2713A, 201B
Isocyanate groups, 2443A
Isotactic polypropylene (iPP), 567B
Isothermal crystallization, 1943A
Isothermal time-temperature-transformation (TTT) cure diagram, 2267B
Itaconic acid, 1065A

Jute fiber, 2943A
Jute fibers, 2391A
—, chemical modification, 1001A
Jute stick, bleached, 2187B
—, infrared (IR) spectra, 2943A

Kaolin, 1171B
Kelen–Tudos method, 251B
Kelen–Tüdös method, 1485A
Keratin, crosslinking structure, 1125A
Ketalization reaction, 1341A
Kevlar 29, water sorption, 2417A
Kevlar fiber-reinforced thermoplastic polyurethane (TPU), 1835A
Kevlar fibers, 1647A
Kinetic parameters, 2095A
Kinetics, 985A, 1023A, 2005A, 2013A, 2391A, 2417A, 1565B

Lamination, 979A
Langmuir equation, 817B
Large molecular weight polymers, 1987B
Laser videodisc (LVD) applications, 2013A
Latex blends, 23B
Latex interpenetrating polymer networks (LIPN)s, 891A
Latex particle nucleation, 1065A
Latex technology, 2287A, 2297A, 2309A
Latices, 2845A
Lattice deformation, 1779A
Light-induced yellowing, 2105A
Lignin, 2073A, 2767A
—, oxidation, 2187B
Limiting viscosity, 1533B
Linear loss modulus-temperature curves, area under (LA), 1617B
Linear low density polyethylene (LDPE) copolymers, composition, 399A
Linear polyesters, 2213B
Liquid crystal polymer (LCP)/poly(ethylene terephthalate) (PET) blends, 157B
Liquid crystal polymers, 1683A
Liquid crystalline polymer laminates, 979A
Liquid crystalline polymers (LCPs), 839B
Liquid crystals, 1701B
Liquid natural rubber (NR), 325A
Liquid precursors, 1549B
Liquid rubber toughened thermosets, 1905A
Liquid separation, 185A
Liquid-crystalline (LC) polymers, 363A
Liquid-phase photografting, 2029A
"Living" anionic polymerization, 3181A
Long-chain branches, 1859B
Low temperature plasma treatment, 2035A
Low-density polyethylene (LDPE) films, 2379A, 201B
Lundberg–Zimm clustering function, 1759A

Macromer purification, 1565B
Macromolecular entanglements, 1155A
Macromolecular matrix, 583A
Macromolecule dimensions, 213B
Macromolecules, controlled delivery, 2123B
Macroreticular chelating resin, 737A
Macroreticulation, 347A
Magnetic suspension, 1767A
Marine degradable materials, 405B
Markov's first-order statistics, 2857A
Mark–Houwink equations, 2081A
Mathematical modeling, 1671A
Mathematical models, weathering, 651B

Mechanical relaxations, 127A
Melamine–formaldehyde resins, pyrolysis, 3147A
Melt blends, 357B
Melt flow index values, 1773B
Melt mixing, 1475A
Melt rheology, 2595A, 1891B
Melt spinning, 143A, 973A, 1511B
Melt spinning process, 1671A
Melt viscometry, 845A
Melt viscosity, 1539B
Melt-blending, 311B, 329B
Melting, 567B
Melting behavior, 1155A, 2851A
Melting temperature, 2761A
Melting temperatures (T_m), 1607A
Membrane preparation, 559B
Membrane separation techniques, 1417A
Membranes, 2005B
—, development of, 2021B
—, formation, 957A
Mesomorphic states, 1683A
Metal cations, 351A
Metal dithizonates, 2121A
Metal ion extractions, 1159B
Metal ion removal, 829A
Metal ions, 829A
Metallized plastics, 439A
Metallized polymer films, 2267A
Methacrylic acid (MAA), partially neutralized, 1239A
Methacrylic acid-grafted chains, 2029A
Methacrylonitrile (MAN) monomer, 757B
Methyl methacrylate (MMA), bulk polymerization, 93A
Microdomains, 775B
Microelectronic packaging, 857B
Microgels, 1103B, 1451B
Microheterogeneity, 1111B
Microporous membranes, 2951A
Microsensor coatings, 1659B
Microvoids, 1997A
Millable polyurethane (PU) elastomer, 1953B
Mineral acids, 885A
Miniemulsions, 2019A, 1059B
Minimum film formation temperature (MFT), 2845A
Miscibility, 1525A, 437B, 475B, 481B
—, of polymer blends, 1301B
Miscibility enhancement, 1695A
Mixed gas apparatus simulator (MIGAS), 2613A
Modified air quenches, 1511B
Modified polyacrylonitrile (PAN) membrane, 1829A
Moduli, 1779A
Moisture transport, 1219B
Moisture vapor permeability, 3091A
Moisture vapor transmission test, 3091A
Molar mass, 2321A
Mold, 1777B
Molecular interaction, 1659B
Molecular orbital calculations, 461A
Molecular orientation, 57B, 97B
Molecular size, 3271A
Molecular transport, 2837A
Molecular weight, 659A, 1965A, 2247A, 3045A, 3271A, 1025B, 1761B, 1773B, 1849B, 1859B
Molecular weight characterization, 2081A
Molecular weight distribution, 629A, 1887A
Molecular weight distribution (MWD), 813A, 821A, 1659A, 2787A, 2903A, 2965A
Monodisperse particles, 1549B
Monomer addition, 3133A
Monomer composition, 2987A
Monomer concentration, 2787A
Monomer feed impurities, 3181A
Monomer reactivity ratios, 1485A
Monomer-droplet nucleation, 2019A
Monomers, 55A, 1133A, 1259A, 2019A, 2111A, 2349A, 1037B, 1059B, 1133B, 1549B, 1727B
—, water-soluble, 1213A
Mooney Shearing Disk Viscometer, 1407A
Mooney–Rivlin equation, 613B
Morphology, 701A, 717A, 779A, 1807A, 1905A, 293B, 311B, 521B
—, polymer blends, 363A
Mortars, 993A
Motor oil, interaction with polychloroprene rubber, 137A
Multiblock copolyamides, 259B
Multifilaments, 1343B
Multifunctional acrylate systems, 2681A
Multifunctional monomers, 55A
Multilayer thin film structures, 709B
Multiphase systems, 2595A
Multiple adsorption bonding, 2435A

Nafions, interaction with poly(methyl methacrylate) (PMMA), 901A
n-alkyl esters, 919B
Natural rubber (NR), 883B, 1253B, 1385B
Natural rubber (NR) films, 529B
Natural rubber (NR) latex, 2965A
Natural rubber latex, 2207B
Near-infrared (NIR) diffuse reflectance spectroscopy, 2169A
Never-dried cotton fibers, 445B
Newtonian flow, 1067B
Newtonian fluid, 39B
Newtonian liquid, 2579A
Nickel compounds, 3019A
Nitrogen gas, 757B
Nitrogen-containing derivatives, from dialdehyde celluloses, 169A
Nonionic surfactants, 2053A
Nonionic water-soluble initiator, 3075A
Non-Newtonian flow, 1067B
Nonpolar solvents, 523A
Nonrandom thermal polymerization, 1167A
Nonsolvent blends, 1533B
Nonsolvents, 3A
Novolac, 365B
Novolac epoxy resin, 829B
Nuclear magnetic resonance (NMR) spectroscopy, 1399A, 2857A, 417B
Nucleators, 2739A, 2749A
Nylon, 357B
Nylon 4, 1431B, 1795B
Nylon 6, 1671A
Nylon-6, 259B, 1533B
Nylon 6,6 polymerization, 1009A
Nylon 66, water sorption, 2417A
Nylon fabric, 1745A
Nylon-6 films, 191B, 197B
Nylon–polyurea block copolymers, mechanical relaxations, 127A

Ohmic conduction, 1615A
1-Olefins, 977B
Olefins, 1271B, 1387B
Oligomeric ethers, 35A
Oligomers, 2385A, 2435A, 1849B
Onset of precipitation, 1533B
Open end yarns, swelling behavior, 1275A
Optical adhesives, 2141A
Optical birefringence, 1351A
Optical birefringence (LB) measurement, 767B
Optical communications devices, 2141A
Optical emission spectroscopy, 271B

Optical rotation, 2063A
Optical-disk substrates, 767B
Optically controlled ligand delivery, 1241B
Optimization, 49B
Organic acids, 885A
Organic amine type, 621A
Organic liquids, 2321A, 2329A
Organic solvents, 2201B
Organic surface coating, 1961B, 1969B
Organic vapor separation, 1071B
Organic vapors, 1815A
Orientation development, 159A
Oxidation, 813A, 2385A, 1197B
Oxidation reactions, 233A
Oxidized carbon black, 1253B
Oxidized lignosulfonate, self-condensation, 2073A
Oxidized moiety, 417B
Oxidizing agents, 2385A
Oxygen, 1711A
Oxygen index (OI) value, 2717A
Oxygen permeability, 3077A
Oxygen permeability coefficient, 2361A
Oxygen permeation, 2361A
Oxygen plasma-treated polypropylene interfaces, 2045A

Papain, immobilization, 583A
Paperboard, plybond strength, 2099A
Partial least squares (PLS) regression, 2169A
Particle ignition, 1387B
Particle morphology, 1271B
Particle size, 2845A
Particle size control, 659A
Particle size distribution (PSD), 2787A
Particle stabilization, 1423A
PBAM terpolymer, characterization, 753A
PBT melts, 575A
Peel strength, 591A
PEK-C/PEO, phase behavior, 2851A
Pendant chain-linked active ingredients, 1879B
Pendant maleimido groups, 373A
Penta-membered imides, 2349A
Peracid-type polymeric initiator, 1899A
Perchlorate-doped conductive polymers, 573B
Performic acid, 2965A
Periodate-oxidized cellulose, oxidized moiety, 417B
Permeability, 383A, 687B
Permeants, 1417A
Permeation, 495A, 2429A, 3165A, 1037B
Permeation parameters, 2989A
Persulphate ions, thermal decomposition, 757B
Pervaporation, 185A, 1417A, 3229A, 3255A, 3255A, 1227B, 2005B, 2021B
Pervaporation separation, 1829A
Petroleum crude oils, 935A
Petroleum oils, 191A
pH, 1527B
pH measurements, 925B
Phase behavior, 2851A
Phase morphology, 475B
Phase separation, 3215A, 845B, 877B, 2259B
Phase separation model, 717A
Phase stability, 1683A
Phase transition, 1693B
Phase-sensitive technique, 767B
Phase-separation process, 293B
Phenolic resins, 365B
Phenol–formaldehyde (PF) resin bonding, 237B
Phenol–formaldehyde (PF) resin curing, 237B
Phenol–formaldehyde (PF) resol, 3271A
Phenol–formaldehyde resin, cure properties, 273A
Phenyl isocyanate (PI) side-reaction products, 2443A
Phenylethynlsilicon compounds, 1323B
Phenyl–ether linkage, 305B
Photochemistry, 1169A
Photocleavage, 1241B
Photocuring, 409A, 699B
Photodegradation, 21A, 2105A, 1B, 11B, 489B
Photografting, 2029A, 621B, 1001B
Photograft-polymerization, 1037B
Photoinitiated crosslinking, 2517A
Photoinitiated graft copolymerization, 2163A
Photolytic degradation, 489B
Photometers, 217A
Photopolymerization, 1169A, 1861A
Photoresponsive ionic conductivity, 1233B
Photosensitive resin, photocuring, 409A
Physical annealing, 2465A
Physical networks, 107A
Pineapple leaf fiber (PALF), 2767A
Pineapple leaf fiber (PALF) (*Annanus comosus*), infrared (IR) spectra, 1885B
PLA microspheres, 2099B
Plasma, 2035A
Plasma deposition, 145B, 1431B
Plasma irradiation, 19B
Plasma polymerization, 233A, 581B, 793B
Plasma surface treatment, 2525A
Plasma treatment, 2717A, 1625B
Plasma treatments, 551A, 2045A, 271B
Plastic optical fibers (POFs), 2811A, 3195A
—, attenuation loss, 2811A
Plasticized PVC, crosslinking, 107A
Plasticizer migration, 191A
Plasticizers, 2259B
PLGA microspheres, 2099B
Plug flow behavior, 1565B
PMMA–phenoxy blends, phase behavior, 279A
Polarization modulation method, 767B
Poloxamer polyols, 283B
Poly(acrylic acid) (PAA)–polyacrylamide (PAAm) interpolymer association, 867A
Poly(aryl-ether-ether-ketone) (PEEK) resin systems, 543A
Poly(ethylene terephthalate) (PET) fibers, 1807A, 2149A
Poly(ethylene terephthalate) (PET) films, adhesion, 2825A
—, wettability, 2067B
Poly(ethylene terephthalate) (PET) resin, depolymerization, 1501A
Poly(ethylene terephthalate) (PET) tire cords, deterioration, 1041A
Poly(ethylene terephthalate) (PET), tensile drawing behavior, 1911A
—, ultrahigh speed spun fibers, 1509A
Poly(ethylene terephthalate) (PET)/polyarylate (PAr) blends, influence on poly(ethylene terephthalate) (PET), 489A
Poly(methyl methacrylate), doped, 2121A
Poly(methyl methacrylate) (PMMA), dissolution rates, 3A
—, interaction with nafions, 901A
—, thermal degradation, 1133A
Poly(vinyl acrylate) (PVA) blend, 1795B
Poly(vinyl alcohol) (PVA), ketalization reaction, 1341A

Poly(vinyl alcohol) (PVA) solutions, 1393B
Poly(vinyl chloride) (PVC), thermal stability, 2233A
Poly(vinyl chloride) (PVC) films, 191A
Poly(vinyl chloride) (PVC)–poly(caprolactone) (PCL) blends, 335A
Polyacrylamide solutions, 1527B
Polyacrylonitrile (PAN) fibers, 589B
Polyacrylonitrile (PAN) precursor, 3039A, 3045A
Polyacrylonitrile (PAN) precursor fibers, 679B
Polyacrylonitrile (PAN)-based carbon fibers, 1949A
Polyamic acid fibers, 501B
—, microporosity, 501B
Polyamide films, 1567A
Polyamide metal chelate films, 439A
Polyamide-imides, 2267A
Polyamides, 1525A
Polyanhydrides, surface chemical structure, 1597A
Polyaniline, 1307B
Polyaniline perchlorate (PAP) film, 2129A
Polyblends, 259B
Polycarbonate (PC), fracture behavior, 453A
—, thermal pretreatment, 453A
Polycarbonate injection molding, 129B
Polycarbonates, 2105A
Polycarboxylic acids, as durable press (DP) agents, 511A
Polychloroprene rubber, interaction with motor oil, 137A
Polycondensations, 2091B
Polycyclic aromatic hydrocarbons (PAHs), 2819A
Polyelectrolyte copolymers, 205B
—, acid strength, 1399A
Polyelectrolyte trunks, 2107B
Polyester composite systems, 601A
Polyester fabrics, 207A
Polyester melts, hydrolysis, 845A
—, thermal degradation, 845A
Polyester resin analysis, 1377A
Polyester resin film, 175B
Polyester resins, chemically modified, 1623A
Polyesterification, 1631A, 2223A
Polyesterification reaction rate, 1623A
Polyesters, 1585B
—, unsaturated, 1377A
Polyetherimide (PEI) thermoplastics, 1289A
Polyethylene (PE) membranes, sulfonation, 1285A
Polyethylene film, 2029A
Polyimide (PI) films, moisture uptake, 75A
Polyimide films, 857B, 1379B
Polyimides, 2535A, 2543A, 1B, 11B
Polyion complex, 2219B
Polyion complexes (PIC), 3229A
Polymer additives, 1187B
Polymer adsorption, 837A
Polymer blend compositions, 845B
Polymer blends, 279A, 281A, 297A, 335A, 363A, 489A, 779A, 1205A, 1475A, 1525A, 1537A, 1639A, 1695A, 1879A, 1943A, 2279A, 2379A, 2595A, 2691A, 2923A, 3059A, 311B, 451B, 1111B, 1133B, 1399B, 1411B, 1673B, 1701B, 1795B, 2107B
—, capillary flow properties, 467A
—, emulsification, 1593B
—, mechanical performance, 1593B
—, melt viscoelasticity, 481A
—, miscibility behavior, 1301B
Polymer colloids, 2845A
Polymer composites, 925A, 1647A
—, impact behavior, 3101A
—, tensile behavior, 3101A
Polymer concentration, 213B
Polymer degradation, 2111A, 2191A, 2223B
Polymer emulsions, 2205A
Polymer films, 2267A, 2379A, 2535A, 2543A, 1001B, 1219B, 1633B, 1709B
Polymer fluids, 143A
Polymer matrix, 2355A
Polymer melts, 983B
Polymer membranes, 2321A, 2329A
Polymer metal chelate films, 2237A
Polymer mixing, 1125B
Polymer pendant sulfones, 2489A
Polymer surface treatment, 1589B
Polymer/carbon black composites, 2259B
Polymer-dispersed liquid crystals (PDLC), 175B
Polymeric additives, 935A
Polymeric containers, 1475B
Polymeric microspheres, 1045B
Polymerization kinetics, 1423A
Polymer-modified mortars, 993A
Polymer-supported molybdenum, 807A
Polymer–metal complexes, 3025A
Polymer–polymer miscibility, 127A
Polymer–surfactant interactions, 1493A
Polymer–water solute partitioning, 1475B
Polyols, 3241A
Polypeptide spheres, 347A
Polyphenol-based resins, 2499A
Polyphenylene sulfide (PPS) composites, 801A
Polypropylene (PP), 57B
Polypropylene (PP) blends, 379B
Polypropylene (PP) fibers, 49B
Polypropylene (PP) film, 429B
Polypropylene (PP) films, physicochemical changes, 243A
Polypropylene (PP) surfaces, oxygen plasma treatment, 551A
Polypropylene (PP)/EPDM blends, 451B
Polypropylene (PP)/high-density polyethylene (HDPE) blend melts, rheological properties, 467A, 481A
Polypropylene molding, crystallization behavior, 2043B
Polypropylene–calcite interface, 2727A
Polypropylene–starch blends, 405B
Polypyromellitimides, properties, 373A
Polypyrrole, 925A
Polypyrrole (Ppy), protein-binding, 399B
Polysaccharides, 2279A
Polystyrene (PS), shear modified plasticized, 973A
Polystyrene (PS) network crosslink density, 481B
Polystyrene foam, 1589A
Polystyrene orientation, 1351A
Polystyrene/engineering resin blends, 281A
Polystyrene–polyurethane blends, dynamic mechanical properties, 3059A
Polysulfone (PSU), 2951A
Polysulfones, 559B, 1865B
Polyurea-amide membranes, 1773A
Polyurethane (PU) membranes, 687B
Polyurethane (PU) network crosslink density, 481B
Polyurethane (PU) rubber, filled, 2193B
—, filled, aging behavior, 2175B
—, thermal aging, 2193B
Polyurethane (PU)–polypropylene (PP) blends, 779A

Polyurethane elastomers, 3241A, 613B
—, effect of crosslinking, 391A
Polyurethane film, swelling, 3267A
Polyurethane hydrogels, 2833A
—, for opthalmic applications, 3173A
Polyurethane systems, 911A
Polyurethanes (PU)s, aqueous dispersion, 393B
Polyvinylalcohol (PVA) fibers, drawing behavior, 2311B
Porous chitosan beads, 85A
Positive photoresists, 877A
Pour point depressants, 935A
Pour-point depression, 919B
PP/glass fiber system, crystallization kinetics, 3111A
PPO/PS blends, 1111B
PP–SAN blend, 1891B
Preceramic polymers, 851A
Precrack hysteresis energy, 1025B
Precursor fibers, 679B
Preextension, 1081A
Prefailure damage mechanisms, 2631A
Prefailure damage processes, 2563A
Prepolymers, thermal behavior, 943B
Primary crystallization (PC), 779B
Principal components analysis (PCA), 2169A
Printed circuit board, 1315B
Processing–crystallization kinetics–morphology relationships, 521B
Product bulk density, 1271B
Protease immobilization, 85A
Proteases, 85A
Protein, 399B
Protein-binding, 399B
Pulse NMR, 1253B
PVT scaling parameters, 983B
Pyrolysis, 3147A, 589B
Pyrolysis-GC, 753A
Pyrrole composites, 1209B

Quenchant media, 2151B, 2161B
Quenched amorphous phase (T_c), 1087B
Quinazolone–imide block copolymer, dynamic mechanical properties, 3065A
Quinone–amine polymers, 2893A, 2899A

Radiation grafting, 883B
Radiation intensity, 2209A
Radiation-curable coatings, 699B
Radiation-induced graft polymerization, 885A
Radiation-induced grafting, 553B
Radical crosslinking, 1585B
Radical polymerization, 1899A
Radical recombination, 233A
Radical scavenging inhibitors, 2209A
Radioluminescence, 1801A
Radius of gyration, 1533B
Rate constants, 791A
Reactants, 2111A
Reaction injection molding (RIM), 1023A, 2169A
Reaction kinetics, 2453A
Reaction rates, 2223A
Reactive extrusion processing, 45A
Real time Fourier transform infrared spectroscopy (RTFTIR), 1169A
Recycled high density polyethylene (HDPE), 2147B
Recycled polypropylene (PP) film, 1451A
Refractive index measurement, 643B
Refractive index measurements, 2795A
Reinforcing agents, 749B
α relaxation, multifrequency analysis, 723B
—, thermal history, 723B
Reptation concept, 1965A
Reservoir profile modification, 1527B
Resin, 561A, 2997A, 1007B
Resin copolymers, 2261A
Resin finishing, of cotton fabrics, 2051B
Resins, 1377A, 305B, 365B, 2329B
—, unsaturated, 1371A
Response time measurements, 175B
Retarded polymerization, 2005A
Retroplating-out method, 2237A
Reverse osmosis transport, 1143A
Reverse osmosis/ultrafiltration, 1773A
RF glow discharge technique, 19B
Rh complex, reactivities in the polymer matrix, 1361A
Rheology, 467A, 481A
—, polymer blends, 363A
Rheometers, 2405A
Rheovibron, 197B
Rigid rod molecules, 157B
Ring spun yarns, swelling behavior, 1275A
Road bitumens, 227B
Roll extrusion, 2259B
Roll-drawing, 1559B
Rolling, 1559B
Room temperature curing epoxy adhesive, 743A
Rotating substrates, 1067B
Rubber, mill mixed blends, 2283B
—, vulcanization, 1777B
Rubber blends, 2773A, 347B, 1441B
Rubber-modified epoxy, 701A, 717A, 293B
Rubber-modified epoxy adhesive, 743A
Rubber poker chips, effects of voids, 1081B
Rubber vulcanizates, 2879A

Sag length equation, 1067B
2n(II) salts, 621A
Saturated polyesters, 1585B
Saudi Basic Industries Corporation (SABIC) products, 2233A
Sawdust/glass fibers, 1443A
Scale-up, 1623A, 1631A
Scanning electron microscopy (SEC), 2067B
Scanning electron microscopy (SEM), 925A, 993A, 2129A, 2237A, 3101A, 23B
Schiff bases polymers, 1837B
Schulz–Flory distributions, 3181A
Scission, 1939A
Scorch behavior, 1407A
Secondary crystallization (SC), 779B
Secondary ion mass spectrometry (SIMS) technique, 2355A
Seeded emulsion polymerization, 1049A, 2019A
Segmental orientation behavior, 801B
Segmented thermoplastic ionene cationomer, 951B
Self crosslinking cationic electrodepositable resins, 1097A
Self-catalyst, 1933B
Self-vulcanizable rubber blends, 347B
Semipermeable membranes, 957A
Separation, 2005B
Separation processes, 559B
Sepiolite, 1327B
Sharples' model, 417A
Shear modification, 973A
Shear modulus, 2033B
Shear rate, 2405A, 329B
Shear stability, 1091B
Shear strength, 591A

Shear stress–strain properties, 2033B
Shear-dependent intrinsic viscosity, 2405A
Short Kevlar fiber–thermoplastic polyurethane (TPU) composites, 1913B
Short-fiber composites, 1913B
Side chains, 1493A, 891B, 919B
Side group structure, 1747B
Side reactions, 2443A
Sign reversal, 3013A
Silicon substrates, 1287B
Silicone polyimides, 1539B
Silicone polymers, 2403A
Silicone release coatings, 2355A
Silicone rubbers, hydrosilylation crosslinking, 179A
Silk fibers, 2115B
—, epoxide treatment, 643B
Siloxanes, 1539B
Single stress radiation tests, 1739A
Single yarns, 2915A
Size exclusion chromatography (SEC), 263A, 665A
Size-exclusion chromatography (SEC), 1659A, 2247A, 3271A, 1987B
Size exclusion chromatography (SEC) analysis, 533A
Size exclusion chromatography/low-angle laser light-scattering (SEC/LALLS), determination of molecular weight, 503A
Small-angle X-ray scattering (SAXS), 1023A
Small's *G* value, 2261A
Sn(II) complexes, 2231B
Soap-free emulsion polymerization, 2787A
Soil burial, 2691A
Soil release finishes, 207A
Sol fraction, 535B
Solid-state photochemistry, 409A
Solid–liquid interface, 1241B
Sol-to-gel transition, 283B
Solubility, 2279B
Solubility parameters, 99A
Solute–polymer systems, 3165A
Solution, 1701A
Solution polymerization reactors, 2795A
Solutions, 2975A
Solvent blends, 1533B
Solvent extraction, 1639A
Solvent penetration, 2169B
Solvent self-diffusion, 1931A
Solvent transport, 709B
Solvent-induced crystallization, 1289A
Solvents, 3A, 523A, 2337A, 2795A, 2837A, 2893A, 2899A, 3215A, 3267A, 213B
Solvent–water partition coefficients, 1475B
Sonar encapsulants, 911A
Soot, 2819A
Sorbed penetrants, 2317B
Sorption, 543A, 1297A, 1759A, 2321A, 2329A, 2837A, 817B, 1991B
Sorption experiments, 2989A
Sorption kinetics, 901B
Sorption systems, 1519A
Spandex polymers, 1991B
Spherical beads, 347A
Spherical particles, 1549B
Spherulites, 3111A
Spun yarns, 1921A
Starch, 2279A
Starch, incorporation into plastics, 1701A
Starch xanthates, and cadmium removal, 317A
Steam-injection pressing, 237B
Stepwise stabilization, 1949A
Steric interaction, 1605B
Stirring, 1421B
Streaming potential measurements, 2951A
Stress, 1483B, 2013B
—, swelling-induced, 709B
Stress analysis, 1081B
Stress relaxation behavior, 1835A
Stress–optical behavior, 1921A
Stress–strain curves, 1911A
Stress–strain measurements, 613B
Stress–strain tensile elongation curve, 1727A
Structural reversals, 915B
Structure-property relationships, 2039A, 2739A, 801B
Styrene copolymers, 1181B
Styrene diffusion, 1125B
Styrene–acrylic acid copolymers, 1525A
Styrene–butadiene rubber (SBR), 1357B
Styrene–butadiene rubber/lead oxide composites, as shielding material, 1073A
Styrene–isoprene block copolymers, 3083A
Substrate surface tension, 2309A
Sulfonation, 1285A
Surface acoustic wave (SAW) device, 1659B
Surface active pyrrole, 1209B
Surface fluorination, 2509A
Surface morphology, of PET films, 2067B
Surface wettability, 3077A
Surfactant mobility, 2297A, 2309A
Surfactants, 2297A, 2309A
Surfactant–copolymer compatibility, 2297A
Surfactant–copolymer interactions, 2287A
Suspension poly(vinyl chloride) (PVC), solution process, 775B
Suspension viscosity, 1767A
Suspensions, 2579A
Swelling, 2429A, 2915A, 3267A, 1805B, 2201B, 2279B, 2333B
Swelling behavior, 1155A, 1275A, 1579A, 1103B
Swelling-induced stress, 709B
Swollen fibers, 1125A
Synthesis, 1989A, 2385A, 2551A
Synthetic membranes, 383A
Synthetic polymer membranes, 2021B
Synthetic resins, 2261A
System pulp–water–L-1, 985A

Talc-filled polypropylene, 9A
Tall oil, 1961B, 1969B
Tall oil varnishes, 1969B
Tall oil/indene–coumarone copolymers, 1961B
Tannins, 2499A
^{99m}Tc radiopharmaceuticals, 2231B
Teflon–PFA tubing, 2361A
Telechelic dithiol polysulfide oligomers, 3091A
Telechelic ionomers, 523A
TEM particle morphology, 1049A
Temperature gradient conditioning, 129B
Temperature tests, 1739A
Tensile drawing behavior, 1911A
Tensile formation, 2879A
Tensile lap shear adhesive strength, of epoxy–imide resins, 783B
Tensile properties, polymer blends, 297A
Tensile retraction measurements, 1727A
Tensile strength distribution, 1467B
Tensile tests, 453A
Ternary PBT–PC/phenoxy blends, 1475A
Ternary polymer blends, 1475A
Terpolymerization, 1121A, 1239A
Terpolymerization equation, 2987A

Terpolymers, 199A, 753A, 1181B
—, adhesive properties, 1121A
Tertiary amines, 967B
TGDDM/DDS epoxy resin, 643A
Thermal aging, 601B
Thermal behavior, 1087A
Thermal *cis–trans* isomerization, 1821B
Thermal conductivity, 1179A, 1665A, 1117B
Thermal decomposition, 1395A
—, persulphate ions, 757B
Thermal degradation, 901A, 1009A, 1133A, 1815A, 2811A, 3205A, 573B, 1737B, 1747B, 1761B
Thermal expansion, 1411B
Thermal histories, 835B
Thermal oxidation, 243A
Thermal oxidative degradation, 601B
Thermal stability, 1989A, 2053A, 2489A, 221B, 227B, 699B
Thermal treatments, 83B
Thermally initiated bulk copolymerization, 2111A
Thermodynamics, 2161B
Thermograms, 2643A, 2661A
Thermogravimetric analysis (TGA), 1001A, 2053A, 2349A, 2213B
Thermogravimetry, 2091B
Thermolysis, 2095A
Thermo-oxidative degradation, 1185A
Thermoplastic elastomers, 199A
Thermoplastic elastomers (TPEs), 877B, 883B
Thermoplastic polyurethane (PU), crosslinking, 1979A
—, degradation, 1979A
Thermoplastic recovery, 2147B
Thermoplastics, 451B
Thermoresponsive ionic conductivity, 1233B
Thermoset polymer, 115A
Thermoset polyurethanes, 1385B
Thermotropic liquid crystalline polymer (LCP), 2923A
Thermotropic liquid-crystalline polyesters, 2959A
Thermotropic–thermoplastic blending system, 2923A
Thin layer chromatography (TLC), 665A
Thin polymer films, 1287B
Three-stage relaxation mechanism, 1835A
Time-lag method, 891B
Time-of-flight secondary ion mass spectrometry (ToF-SIMS), 1597A
Toluene, effect on cellulose ethylation, 3263A
Torsional braid analysis (TBA) torsion pendulum technique, 2465A
Transcrystalline morphology, 801A
Transient length dilation, 529B
Transition metal ions, 1845A
Transition metals, 1361A
Transition temperature, 817B
Transmission electron microscopy (TEM), 1551A, 2727A, 1421B
Transport, 1297A
Transport behavior, 2959A
Treated hybrid fiber reinforced-thermoplastic composites, 1443A
Triblock copolymers, 1759A
Turbidity, 1451A
Turkish tall oil specimens, 1961B, 1969B
Twin-screw extruders, 45A
Two-ply yarns, 2915A
Two-roll coater, 1187B
Two-step relaxation mechanism, 1835A

UF-bonded wood products, 1483B
UHMW PE materials, crystallinity, 863A
UHMWPE reactor powders, 1559B
Ultracentrifugal techniques, 2191A
Ultrasonic absorption techniques, 1441B
Ultrasonic attenuation, 1357B
Ultraviolet irradiation, 191A
Ultraviolet (UV) irradiation, 423B
Ultraviolet (UV) irradiations, 1827B
Ultraviolet (UV) radiation, 2121A
Ultraviolet (UV) spectrophotometry, 2483A
Ultraviolet (UV) spectroscopy, 1589A, 1181B
Ultraviolet (UV) stabilizer moieties, 263A
Ultraviolet (UV)-curable coatings, 1551A
Underwater sonar devices, 911A
Uniaxial orientation, 567B
Universal calibration, 1659A
Unplasticized poly(vinyl chloride) (PVC), enthalpies of fusion, 1433A
Unsaturated polyester resins, 2589A
Unsaturated polyesters, 1605B
—, flame-retardant filler, 373B
Unsaturated resins, curing, 1371A
Unsaturation, 1747B
Urea-formaldehyde (UF)-bonded wood products, 2997A
Urea–formaldehyde (UF) resins, 1483B
Urea–formaldehyde resins, pyrolysis, 3147A
Urethane prepolymers, 2039A

Vanadium catalysts, 807A
Vapor deposition polymerization, 2197A
Vapor phase technique, 1615A
Vapor-phase photografting, 1001B
83 : 17 VDC–BMA latexes, 3133A
Vinyl acetate (VAc)–methyl acrylate (MA), grafting onto cellulose, 767A
Vinyl chloride polymerization, 1259B
Vinyl monomers, 1899A, 1001B, 1147B, 1941B
—, graft copolymerization, 2885A
Vinyl-terminated oligomeric ethers, crosslinking, 35A
Viscoelastic behavior, epoxy resins, 1685B
Viscoelasticity, 357B
Viscometer, 775B
Viscometry, 2081A
Viscosity, 2579A
Viscosity measurements, 775B
Voids, 1081B
Volatile decomposition products, 1737B
Volatile organic compounds, 2681A
Vulcanization, 2773A, 347B, 1777B, 2283B

Wastewater treatments, 225A
Wastewaters, heavy metals removal, 317A
Water absorption, 2365A, 129B
Water diffusion, 857B
Water sorption, 1567A, 2417A, 901B
Water transport, 1579A
Water-permselective membranes, 2429A
Water-soluble polymers, 1293B
Water-soluble random copolypeptides, 2223B
Water–alcohol separation, 1829A, 2005B

Water–ethanol separation, 3229A, 3255A
Weather-induced degradation, 651B
Weathering, 1589A
Wet phase inversion, 1491B
Wetspinning, 501B
Wettability, 271B
Wholly aromatic polyamide-hydrazides, 957A
Wide angle X-ray (WAXS) technique, 2703A
Wide-angle X-ray diffraction analysis, 191B
Wide-angle X-ray scattering (WAXS), 1351A, 183B, 201B
Wipe ratio, 1187B
Wood, thermal behavior, 2057B
Wood fibers, 1901B
Wood impregnation, 2589A
Wood property improvement, 55A
Wood–plastic combinations, 2589A
Wood–polymer composites (WPC), 1999B, 2057B, 2083B
Wool fibers, 2371A, 3223A

Xantham gum, 929B
Xanthan, 2063A
X-ray analysis, 2237A, 445B
X-ray diffraction, 1751A, 2727A, 839B
X-ray diffraction (XRD) studies, 1001A
X-ray diffraction study, 2767A
X-ray photoelectron spectroscopy, 573B
X-ray photoelectron spectroscopy (XPS), 1597A, 2509A, 145B

Yarn geometry, 2915A
Yarns, 1807A

Zhurkov's theory, 1343B
Zinc–borate complex, 373B
Zone-annealing, 429B
Zwitterionic surfactants, 1493A

Journal of Applied Polymer Science

Author Index to Volumes 42 and 43

Please note that A refers to Volume 42 and B refers to Volume 43

Abd-Alla, M. A.
—; El-Shahawy, A. S.: Arylidene Polymers III. A New Route for the Synthesis of Conjugated Polymers and Copolymers of Arylidenecycloalkanones, Characterization, and Some Molecular Orbital Studies of Its Model, 461A
—; Mahfouz, R. M.: Arylidene Polymers. VI. Gamma Irradiation Effects on the Electrical Conductivity Behavior, IR Absorption Spectra, and DSC Measurements of Some New Synthesized Poly (arylidenecycloalkanones), 2255A
Abdel Moteleb, M. M.
—; Shinouda, H. G.: Relation Between Low-Frequency Dielectric Behavior of Cellulosic Materials and Their Inorganic Contaminations, 737B
Abdel-Aziz, M. M.
—; Badran, A. S.; Abdel-Hakem, A. A.; Helaly, F. M.; Moustafa, A. B.: Styrene–Butadiene Rubber/Lead Oxide Composites as Gamma Radiation Shields, 1073A
Abdel-Hakem, A. A. See Abdel-Aziz, M. M., 1073A
Abdel-Moneim, H. M. See Hassan, H. H., 2879A
Abidine, N. See Asfardjani, K., 271B
Abu-Isa, I. A.
Interpenetrating Polymer Network of Poly(vinyl Chloride) and Polymethacrylates, 1133B
Achary, P. S.
—; Gouri, C.; Ramaswamy, R.: Carboxyl-Terminated Poly(propylene Glycol) Adipate-Modified Room Temperature Curing Epoxy Adhesive for Elevated Temperature Service Environment, 743A
Acierno, D. See Carfagna, C., 839B
Adams, M. See Tang, P. L., 2019A
Adhinarayanan, K.
—; Packirisamy, S.; George, R. S.; Lakshmana Rao, V.; Ramaswamy, R.: Epoxy–Imide Resins Based on Bis(carboxyphthalimide)s, 783B
Adnot, A. See Kamdem, D. P., 1901B
Agari, Y.
—; Ueda, A.; Nagai, S.: Thermal Conductivities of Composites in Several Types of Dispersion Systems, 1665A
—; Ueda, A.; Nagai, S.: Thermal Conductivity of a Polyethylene Filled with Disoriented Short-Cut Carbon Fibers, 1117B
Agarwal, V. See Maiti, S. N., 1891B
Agrawal, J. P.
—; Gupta, D. C.; Khare, Y.; Satpute, R. S.: Zinc–Borate Complex as Flame-Retardant Filler, 373B
Aguilar-Vega, M. See Cazaurang-Martinez, M. N., 749B
Aithal, U. S.
—; Aminabhavi, T. M.: Molecular Transport of Some Industrial Solvents Through a Polyurethane Membrane, 2837A
—; See Harogoppad, S. B., 3267A
Ajji, A.
—; Renaud, M. C.: Mechanical Properties of Oriented Poly(Vinyl Chloride)–Poly(Caprolactone) Blends, 335A
Akovali, G.
—; Takrouri, F.: Studies on Modification of Some Flammability Characteristics by Plasma. II. Polyester Fabric, 2717A
Albertsson, A.-C. See Mathisen, T., 2365A
Albonico, P. See Lockhart, T. P., 1527B
Al-Diab, S. S.
—; Al-Ghamdi, A. M. S.: Comparative Studies on the Thermal Stability of Commercial Poly(Vinyl Chloride), 2233A
Alexandrov, V. See Velichkova, R., 3083A
Alexandru, L.
—; Zamin, J.; Sundararajan, P. R.: Morphological Studies on Roll Extruded, Plasticized Composites, 2259B
Al-Ghamdi, A. M. S. See Al-Diab, S. S., 2233A
Ali, S. A. M.
—; Hourston, D. J.: Physical Studies of Ionically-Terminated Polytetrahydrofuran Polymers. I. Dilute Solution Behavior, 1503B
All, N. S. Abd el See Sidkey, M. A., 1441B
Allen, N. S.
—; Hardy, S. J.; Jacobine, A. F.; Glaser, D. M.; Yang, B.; Wolf, D.; Catalina, F.; Navaratnam, S.; Parsons, B. J.: Photochemistry and Photopolymerization Activity of Perester Derivatives of Benzophenone, 1169A
Alli, D.
—; Bolton, S.; Gaylord, N. G.: Hydroxypropylmethylcellulose–Anionic Surfactant

Journal of Applied Polymer Science, Vols. 42–43, 2393–2423 (1991)

Interactions in Aqueous Systems, 947A
Amendola, E. See Carfagna, C., 839B
Amin Sanayei, R. See Suddaby, K. G., 1565B
Aminabhavi, T. M. See Aithal, U. S., 2837A; Harogoppad, S. B., 1297A, 2329A, 3267A; Khinnavar, R. S., 2321A
Andrade, J. D. See Yen, H.-R., 1241B
Andrady, A. L.
—; Fueki, K.; Torikai, A.: Spectral Sensitivity of Polycarbonate to Light-Induced Yellowing, 2105A
—; Pegram, J. E.: Weathering of Polystyrene Foam on Exposure in Air and in Seawater, 1589A
Andrews, B. A. K. See Trask-Morrell, B. J., 511A; Yang, C. Q., 1609B
Angelovici, M. M.
—; Kohn, D. H.: Terpolymerization Studies: IV. Terpolymerization of Ethyl Acrylate, Ethyl α-Cyanocinnamate, and Styrene, 1121A
Ankleshwaria, B. V. See Murthy, C. N., 993B
Antipov, E. M. See Kulichikhin, V. G., 363A
Antón, J. J. S. See Ribelles, J. L. G., 1647A
Antonov, C. See Velichkova, R., 3083A
Anzures, E. T. See Hoyle, C. E., 1B, 11B
Aoki, Y. See Ito, Y., 409A
Arai, K.
—; Ma, G.; Hirata, T.: Crosslinking Structure of Keratin: III. Rubberlike Elasticity Originating from Non-Uniform Structures of the Swollen Hair and Wool Fibers, 1125A
Arimatsu, Y. See Matsui, T., 2443A
Arita, A. See Hirotsu, T., 3255A
Asai, S.
—; Kaneki, H.; Sumita, M.; Miyasaka, K.: Effect of Oxidized Carbon Black on the Mechanical Properties and Molecular Motions of Natural Rubber Studied by Pulse NMR, 1253B
Asano, H. See Takezawa, Y., 2811A, 3195A
Asfardjani, K.
—; Segui, Y.; Aurelle, Y.; Abidine, N.: Effect of Plasma Treatments on Wettability of Polysulfone and Poly-etherimide, 271B
Asua, J. M.
—; De La Cal, J. C.: Entry and Exit Rate Coefficients in Emulsion Polymerization of Styrene, 1869A
—; See Tang, P. L., 2019A
Atanasov, A. N. See Kostov, G. K., 1607A
Athalye, A. R. See Shukla, S. R., 2163A
Atkins, E. D. T. See Sasaki, N., 2975A
Attari, S. See Pasch, H., 263A
Auerbach, I.
—; Carnicom, M. L.: Sorption of Water by Nylon 66 and Kevlar 29. Equilibria and Kinetics, 2417A
Aurelle, Y. See Asfardjani, K., 271B
Avramova, N.
—; Fakirov, S.: Liquid Crystalline Polymer Laminates, 979A
Aziz, A. W.
—; Younan, A. F.; Eid, A. M.: Effect of New Additives on the Ultrasonic Attenuation and Mechanical Properties of Styrene–Butadiene Rubber, 1357B

Bac, N. V.
—; Terlemezyan, L.; Mihailov, M.: On the Stability and *In Situ* Epoxidation of Natural Rubber in Latex by Performic Acid, 2965A
Baccei, L. J. See Lai, Y.-C., 2039A, 3173A
Bacskai, R.
—; Schroeder, A. H.; Young, D. C.: Hydrocarbon-Soluble Alkylaniline/Formaldehyde Oligomers as Corrosion Inhibitors, 2435A
Badran, A. S. See Abdel-Aziz, M. M., 1073A
Baer, E.
Editorial, 1A
—; See Regola, M., 2631A, 2563A; Silverstein, M. S., 157B; Tse, A., 1205A
Bag, S. C. See Roy, A. K., 2943A, 2187B
Bahr, D.
—; Pinto, J. C.: Refractive Index of Solutions Containing Poly(vinyl Acetate) and Poly(methyl Methacrylate), 2795A
Bajpai, A. K. See Bajpai, U. D. N., 2005A, 2279B
Bajpai, J. See Bajpai, U. D. N., 2005A
Bajpai, U. D. N.
—; Bajpai, A. K.: Determination of Cohesive Energy Density of Polyacrylamide by Swelling Measurements, 2279B
—; Bajpai, A. K.; Bajpai, J.: Peroxydiphosphate/Bisulfite-Initiated Polymerization of Acrylamide and Its Retardation Kinetics, 2005A
Balundgi, R. H. See Harogoppad, S. B., 1297A
Banerjee, M. See Guchhait, S., 757B
Banerjee, R. S. See Mitra, N. C., 2499A
Banjanin, B. See Petrović, Z. S., 391A
Banu, D. See Feldman, D., 1307A, 1537A
Barry, D. B. See Sangster, D. F., 1385A
Bartko, J.
—; Siemon, J. T., Jr.: Synergistic Effects in Fluorocarbon Elastomer Seals Produced by a Combined Temperature and Radiation Environment, 1739A
Barton, S. J.
—; Ghotra, J. S.; Matthews, A. E.; Pritchard, G.: Vinyl-Terminated Oligomeric Ethers: A Study of the Crosslinking Process, 35A
Basora, N. See Vidal, P. F., 1659A
Basta, A. H. See Mansour, O. Y., 1147B
Bastiaansen, C. See Schellekens, R., 2311B
Basu, C. See Deshpande, D. D., 1701B
Bell, J. P. See Iroh, J. O., 2237B
Bellucci, F. See Schussler, A.,

Catalina, F. See Allen, N. S., 1169A
Cazaurang-Martinez, M. N.
—; Herrera-Franco, P. J.; Gonzalez-Chi, P. I.; Aguilar-Vega, M.: Physical and Mechanical Properties of Henequen Fibers, 749B
Cha, G. S. See Goldberg, H. D., 1287B
Chafi, N.
—; Kolli, M.; Vergnaud, J.-M.; Montheard, J.-P.: Amines Release from Schiff Bases Polymers and Diffusion from Dosage Forms with Eudragit RL in Acidic Medium, 1837B
Chakrabarti, S. See Budd, P. M., 2191A
Chălykh, A. E. See Rŭbtsov, A. E., 729B
Chamorro, C. See Ibarra, L., 1805B
Chan, H. S. O. See Yap, M. G. S., 2057B
Chan, S.-C. See Chiang, W.-Y., 1827B
Chang, C.-L. See Chiu, W.-Y., 1335B
Chang, E. Y. See Stack, G. M., 911A
Chang, F.-C.
—; Hsu, H.-C.: Effect of Polycarbonate Molecular Weight on Precrack Hysteresis Energy in Determining its Ductile-Brittle Transition, 1025B
Chang, M. See Wheatley, M. A., 2123B
Chang, S. H.
—; Ryan, M. E.; Gupta, R. K.: Competitive Adsorption of Water-Soluble Polymers on Attapulgite Clay, 1293B
Chang, T.-C. See Huang, C.-J., 2237A, 2267A; Yen, C.-C., 439A
Chang, W. V. See Kakavas, P. A., 1997A
Chauhan, G. S. See Misra, B. N., 3223A
Chee, K. K.
Dependence of Glass Transition Temperature on Chain Flexibility and Intermolecular Interactions in Polymers (Note), 1205B
Chen, C. See Ding, J., 1459A
Chen, C.-C.
—; Chiu, W.-Y.: A New Model for the Shear Viscosity of Carbon Black–Polybutadiene, Styrene Suspensions, 2579A
—; See Chiu, W.-Y., 2787A, 2175B
Chen, H. H. See Ruckenstein, E., 2429A
Chen, J. See Wang, D., 233A
Chen, J. R.
Free Radicals of Fibers Treated with Low Temperature Plasma, 2035A
Chen, J. Y.
—; Ou, C. F.; Hu, Y. C.; Lin, C. C.: Depolymerization of Poly(Ethylene Terephthalate) Resin Under Pressure, 1501A
Chen, J.-H. See Ruckenstein, E., 1209B
Chen, L.-W. See Chern, Y.-T., 2535A, 2543A; Chiu, W.-Y., 2787A, 39B, 521B; Tai, H.-J., 3111A
Chen, R.
—; Wu, G.: Self-Condensation of Oxidized Lignosulfonate. II. Condensation Behaviors, 2073A
Chen, T. S. See Hsu, M.-T. S., 851A
Chen, X. See Gonsalves, K. E., 405B
Chen, Y. C. See Lai, J. Y., 1795B
Chen, Y.-C.
—; Dimonie, V.; El-Aasser, M. S.: Interfacial Phenomena Controlling Particle Morphology of Composite Latexes, 1049A
—; See Yang, C.-P., 1097A
Chern, Y.-T.
—; Chen, L.-W.: Interfacial Polyfunctional Condensation: Curing Reaction, 2535A
—; Chen, L.-W.: Interfacial Polyfunctional Condensation: Effect of the Reaction Conditions, 2543A
Chertok, F. See Nithianandam, V. S., 2893A, 2899A
Cheung, W. See Kwei, T. K., 1939A
Chew, C. H. See Gan, L. M., 225A
Chia, L. H. L. See Yap, M. G. S., 1999B, 2057B, 2083B
Chiang, W.-Y.
—; Chan, S.-C.: Preparation and Properties of UV-Autocurable BTDA-Based Epoxy-Multiacrylate Resins. Effects of the Degree of Polymerization and the Epoxy Type, 1827B
—; Hu, C.-M.: Separation of Liquid Mixtures by Using Polymer Membranes. I. Water–Alcohol Separation by Pervaporation through PVA-g-MMA/MA Membrane, 2005B
—; See Hu, C.-M., 1829A
Chiavacci, P. See Bianchi, R., 1087B
Chidambareswaran, P. K. See Iyer, P. B., 1751A
Chien, J. C. W. See Li, S., 1111B
Chin, W.-K. See Ho, B.-C., 99A
Chiou, J. S.
—; Paul, D. R.: Phase Behavior of PMMA–Phenoxy Blends (Note), 279A
Chiu, W.-Y.
—; Chen, L.-W.; Wang, C.; Wang, D.-C.: Analysis of Filling, Packing, and Cooling Stages in Injection Molding of Disk Cavities, 39B
—; Ding, D.-K.; Chen, C.-C.: Hygroscopic-Aging Behavior of Pure and NaCl-filled Polyurethane Rubber, 2175B
—; Lai, S.-M.; Chen, L.-W.; Chen, C.-C.: Particle Size Distribution and Molecular Size Distribution of Polymers in Soap-Free Emulsion Polymerization of Styrene, 2787A
—; Lu, H.-C.; Chang, C.-L.: Relationship between Extrusion Condition and Mechanical Properties of FRPP, 1335B
—; Tai, H.-J.; Chen, L.-W.; Chu, L.-H.: Processing–Crystallization Kinetics–Morphology Relationships in Injection Molding of PP and GFRPP, 521B
—; See Chen, C.-C., 2579A; Don, T.-M., 2193B; Tai, H.-J., 3111A
Choi, K. M.
—; Lee, E. J.; Park, J. W.; Kim, K. H.: The Chemical and Physical Properties of Electrochemically Prepared Polyaniline Perchlorate (PAP), 2129A
Choi, S. K. See Gal, Y. S., 1793A
Chong, Y. F.
—; Goh, S. H.: Erratum to "Miscibility of Poly(tetrahydrofurfuryl methacrylate) and Poly(tetrahydropyranyl-2-methacrylate) with Some

1567A
Beltrame, P. L. See Seves, A., 1821B
Benedetto, M. A. See Falk, J. C., 659A
Bennett, K. F. See De Pooter, M., 399A
Bentaleb, D. See Vazquez, A., 967B
Berger, A. E. See Hartmann, B., 983B
Bergstrom, T. B. See Ryan, A. J., 1023A
Berman, J. R. See Wang, C.-S., 1315B
Bhadani, S. N.
Electrochemical Polymerization of *N*-Vinylcarbazole, 1271A
Bhama Iyer, P.
—; Sreenivasan, S.; Patel, G. S.; Krishna Iyer, K. R.; Patil, N. B.: Effect of Yarn Geometry and Fiber Properties on Tensile Behavior of Cotton Yarns Swollen and Stretched in Aqueous Zinc Chloride, 2915A
Bhat, N. V.
—; Sundaresan, E.: Structural and Electrical Behavior of Polyacrylonitrile–Polypyrrole Composite Film, 1615A
—; See Kelkar, D. S., 191B, 197B
Bhattacharya, A. S. See Sen, A. K., 1673B
Bhaumik, K. See Mahajan, S. J., 49B
Bheda, J. H. See Patel, R. M., 1671A
Bhide, B. D.
—; Stern, S. A.: Permeability of Silicone Polymers to Hydrogen, 2403A
Bhowmick, A. K. See Sen, A. K., 1673B
Bianchi, F. See Pegoraro, M., 687B
Bianchi, R.
—; Chiavacci, P.; Vosa, R.; Guerra, G.: Effect of Moisture on the Crystallization Behavior of PET from the Quenched Amorphous Phase, 1087B
Bilda, D. See Hofmann, D., 863A
Bilgin, F.
—; Sage, T.; Orbey, N.; Guven, O.: Lifetime Prediction of Carboxyl-Terminated Polybutadiene (CTPB), 153A
Binder, M. See Wade, W. L. Jr., 1589B
Biswas, M.
—; Mitra, P.: Synthesis and Thermal Stability, Dielectric and Conductivity Characteristics of Some Aromatic Anhydride-Modified Carbazole Polymers, 1989A
Blatz, P. J. See Kakavas, P. A., 1081B
Bogdanova, V. V. See Vyazovkin, S. V., 2095A
Bohdanecký, M. See Petřík, S., 1759A
Bolton, S. See Alli, D., 947A
Bontoux, L. See Park, J. K., 2989A
Bortel, K. See Szewczyk, P., 775B
Botros, S. H. See Lawandy, S. N., 137A
Boutevin, B. See Elmidaoui, A., 2551A
Bowman, C. N.
—; Peppas, N. A.: Polymers for Information Storage Systems. II. Polymerization Kinetics for Preparation of Highly Crosslinked Polydimethacrylates, 2013A
Boyle, W. A.
—; Buchholz, R. F.; Neal, J. A.; McCarthy, J. L.: Flow Injection Analysis Estimation of Diffusion Coefficients of Pauci- and Polydisperse Polymers Such as Polystyrene Sulfonates, 1969A
Bozveliev, L. G.
—; Kosfeld, R.; Uhlenbroich, Th.: The Relationship between the Physico-Mechanical Properties and the Filler Concentration in the HD Polyethylene-Dispersed Filler System, 1171B
Breitbach, L. See Staude, E., 559B
Bremner, T.
—; Cook, D. G.; Rudin, A.: Further Comments on the Relations between Melt Flow Index Values and Molecular Weight Distributions of Commercial Plastics (Note), 1773B
Brewbaker, J. L. See Marshall, W. B., 533A
Broas, J. E., Jr. See DeRosa, T. F., 1395A
Brossas, J. See Pujol, J. M., 3091A
Brown, R. B. See Goldberg, H. D., 1287B
Buchholz, R. F. See Boyle, W. A., 1969A
Budd, P. M.
—; Chakrabarti, S.: Ultracentrifugal Studies of the Degradation of a Fracturing Fluid Polymer: Hydroxypropyl Guar, 2191A
Budinski-Simendić, J. See Petrović, Z. S., 779A
Budziak, C. J.
—; Vargha-Butler, E. I.; Neumann, A. W.: Temperature Dependence of Contact Angles on Elastomers, 1959A
Burrafato, G. See Lockhart, T. P., 1527B

Cabestany, J. See Vu, C., 2857A
Calvé, L. See Riedl, B., 3271A
Cao, N. See Pegoraro, M., 687B
Čapka, M. See Heidingsfeldová, M., 179A
Capodanno, V. See De Candia, F., 2959A
Carfagna, C.
—; Amendola, E.; Nicolais, L.; Acierno, D.; Francescangeli, O.; Yang, B.; Rustichelli, F.: Blends of a Polyetherimide and a Liquid Crystalline Polymer: Fiber Orientation and Mechanical Properties, 839B
Carlough, M.
—; Hudson, S.; Smith, B.; Spadgenske, D.: Diffusion Coefficients of Direct Dyes in Chitosan, 3035A
Carnali, J. O.
A Dispersed Anisotropic Phase as the Origin of the Weak-Gel Properties of Aqueous Xanthan Gum, 929B
Carnicom, M. L. See Auerbach, I., 2417A
Carr, M. E.
Starch-Derived Glycol and Glycerol Glucosides Prepared by Reactive Extrusion Processing, 45A
Carreau, P. J. See Malik, T. M., 543B; Zang, Y.-H., 1965A
Casinos, I. See Fernandez, M. J., 767A
Catala, J. M. See Pujol, J. M., 3091A

Chlorine-Containing Polymers", 1775B
—; Goh, S. H.: Miscibility of Poly(tetrahydrofurfuryl methacrylate) and Poly(tetrahydropyranyl-2-methacrylate) with Some Chlorine-Containing Polymers, 437B
Chornet, E. See Vidal, P. F., 1659A
Christiansen, A. W. See Myers, G. E., 237B
Chu, L.-H. See Chiu, W.-Y., 521B; Tai, H.-J., 3111A
Chu, N.-J. See Lin, Y.-S., 1767A
Chun, S.-W. See Groele, R. J., 3A
Chune, L. See Pingsheng, H., 1011B
Chung, F. H.
Unified Theory and Guidelines on Adhesion, 1319A
Civelekoğlu, H. See Ütstün, G., 1961B, 1969B
Cloyd, J. D. See Seo, K. S., 845A
Cohn, D. See Migliaresi, C., 83B
Cole-Clarke, P. See George, G. A., 643A
Collins, M. J.
—; Zeronian, S. H.; Semmelmeyer, M.: The Use of Aqueous Alkaline Hydrolysis to Reveal the Fine Structure of Poly(ethylene Terephthalate) Fibers, 2149A
Conner, A. H. See Lin, C.-H., 417A
Connor, T. J. See Homan, J. G., 2249B
Cook, D. G. See Bremner, T., 1773B
Cook, W. D.
Fracture and Structure of Highly Crosslinked Polymer Composites, 1259A
—; Kinetics and Properties of a Photopolymerized Dimethacrylate Oligomer, 2209A
Coolbaugh, D. D. See Pawlowski, W. P., 1379B
Cooney, D. See Yoshikawa, M., 1417A
Cooper, S. L. See Giroux, T. A., 145B; Homan, J. G., 2249B
Cortázar, M. See Eguiazábal, J. I., 489A
Cote, G. See Shogren, R. L., 2279A
Cotts, P. M. See Kim, S. H., 217A
Couso, D. A. See Gugliotta, L. M., 2903A
Crees, O. L.
—; Senogles, E.; Whayman, E.: The Flocculation of Cane Sugar Muds with Acrylamide–Sodium Acrylate Copolymers, 837A
Cuculo, J. A. See Hotter, J. F., 1511B
Czakoová, M. See Heidingsfeldová, M., 179A

Dahl, R. See Hjertberg, T., 107A
Dairanieh, I. S.
—; Khraishi, N.: Empirical Modelling and Scale-up of a Semi-batch Polyestrification Process, 1631A
—; Rasoul, F. A.: Bench-Scale and Pilot Plant Preparation of Chemically Modified Polyester Resins, 1623A
Dakroury, A. Z. See Kenawy, M. A., 1393B
Danusso, F. See Tanzi, M. C., 1371A
Das, B. K. See Saha, S. C., 1885B
Das, H. K. See Nayak, N. C., 2391A
Davidson, C. See Harris, R. F., 3241A
Davies, M. C.
—; Khan, M. A.; Domb, A.; Langer, R.; Watts, J. F.; Paul, A. J.: The Analysis of the Surface Chemical Structure of Biomedical Aliphatic Polyanhydrides Using XPS and ToF-SIMS, 1597A
De Candia, F.
—; Capodanno, V.; Renzulli, A.; Vittoria, V.: Permeation of Carbon Dioxide in a Thermotropic Liquid-Crystalline Polyester, 2959A
De La Cal, J. C. See Asua, J. M., 1869A
De Lollis, A. See Migliaresi, C., 83B
De, P. P. See Mukhopadhyay, S., 347B; Sen, A. K., 1673B
De Pooter, M.
—; Smith, P. B.; Dohrer, K. K.; Bennett, K. F.; Meadows, M. D.; Smith, C. G.; Schouwenaars, H. P.; Geerards, R. A.: Determination of the Composition of Common Linear Low Density Polyethylene Copolymers by ^{13}C-NMR Spectroscopy, 399A
De, S. K. See Mukhopadhyay, S., 2773A, 347B, 2283B
Deb, P. C.
—; Sankholkar, S. C.: Grafting. IV. Graft Tercopolymers as Antifouling Resin, 1007B
Delaney, M. S. See Marshall, W. B., 533A
Demir, Y. See Pekcan, Ö, 2169B
Denchev, Z. Z.
—; Kabaivanov, V. S.: On the Synthesis and Properties of Some Saturated and Unsaturated Esters of 2-Cyano-2,4-Pentadienoic Acid, 2933A
Denton, D. D. See Pranjoto, H., 75A
Deopura, B. L. See Mahajan, S. J., 49B
Deporter, C. D. See Harris, R. F., 3241A
DeRosa, T. F.
—; Kaufman, B. J.; Broas, J. E., Jr.: Hydroperoxidation of EPDM Rubber Using Singlet Oxygen: Synthesis and Grafting Studies, 1395A
Desai, V. M.
—; Mahalingam, R.; Subramanian, R. V.: Parametric Study of EAA Polymer Thin Film Deposition on Carbon Substrates in a Fluidized Electrode Bed Reactor, 3123A
Deshmukh, S. R.
—; Sudhakar, K.; Singh, R. P.: Drag-Reduction Efficiency, Shear Stability, and Biodegradation Resistance of Carboxymethyl Cellulose-Based and Starch-Based Graft Copolymers, 1091B
Deshpande, D. D.
—; Basu, C.; Panday, M.: Effect of Cholesteryl Additive on Poly(ethyl Methacrylated)–Poly(vinyl Acetate) Blend, 1701B
—; See Murthy, C. N., 993B; Raghavan, D., 2483A
Desio, G. P. See Rebenfeld, L., 801A
Destruel, P.
—; Taufer, M.; Granel, C.: Modeling the Bulk Polymerization of Methyl Methacrylate with Glycol Dimercapto Acetate as Chain Transfer Agent, 93A

Dharmarajan, N.
—; Vipulanandan, C.: Fracture Toughness of Particle Filled Fiber Reinforced Polyester Composites, 601A
Di Serio, M. See Santacesaria, E., 2053A
Dickinson, L. C. See Li, S., 1111B
Dickson, J. M. See Mehdizadeh, H., 1143A
Dimonie, V. See Chen, Y.-C., 1049A
Dimov, A.
—; Islam, M. A.: Sulfonation of Polyethylene Membranes, 1285A
Ding, D.-K. See Chiu, W.-Y., 2175B
Ding, J.
—; Chen, C.; Xue, G.: The Dynamic Mechanical Analysis of Epoxy–Copper Powder Composites Using Azole Compounds as Coupling Agents, 1459A
Divjaković, V. See Petrović, Z. S., 779A
Dobáš, I. See Podzimek, Š., 791A, 795A
Doherty, M. F. See Steppan, D. D., 1009A
Dohrer, K. K. See De Pooter, M., 399A
Domb, A. See Davies, M. C., 1597A
Don, T.-M.
—; Chiu, W.-Y.; Hsieh, K.-H.: The Thermal Aging of Filled Polyurethane, 2193B
Dorogy, W. E., Jr.
—; St. Clair, A. K.: Wet Spinning of Solid Polyamic Acid Fibers, 501B
Doshak, J. M. See Hergenrother, W. L., 1727A
Doss, N. L.
—; Elawady, M. M.; Elawady, N. I.; Mansour, S. H.: Impregnation of White Pine Wood with Unsaturated Polyesters to Produce Wood–Plastic Combinations, 2589A
D'Souza, J. A. See Horrocks, A. R., 243A
Du, Z. See Feng, S., 1323B
Dube, M. A.
—; Rilling, K.; Penlidis, A.: A Kinetic Investigation of Butyl Acrylate Polymerization, 2137B
Dubini-Paglia, E. See Seves, A., 1821B
Dubrovina, L. See Velichkova, R., 3083A
Durning, C. J. See Fu, T. Z., 709B
Dušek, K. See Petrović, Z. S., 391A
Duvis, T.
—; Karles, G.; Papaspyrides, C. D.: Plasticized PVC Films/ Petroleum Oils: The Effect of Ultraviolet Irradiation on Plasticizer Migration, 191A
Dvornic, P. R.
Wholly Aromatic Polyamide-Hydrazides. V. Preparation and Properties of Semipermeable Membranes from Poly[4-(terephthaloylamino) Benzoic Acid Hydrazide], 957A

Eatah, A. I. See Hashem, A. A., 1081A
Ebewele, R. O.
—; Myers, G. E.; River, B. H.; Koutsky, J. A.: Polyamine-Modified Urea-Formaldehyde Resins. I. Synthesis, Structure, and Properties, 2997A
—; River, B. H.; Myers, G. E.; Koutsky, J. A.: Polyamine-Modified Urea–Formaldehyde Resins. II. Resistance to Stress Induced by Moisture Cycling of Solid Wood Joints and Particleboard, 1483B
Egawa, H. See Maeda, H., 737A; Nakayama, M., 2231B
Eguchi, W. See Yoshikawa, M., 2021B
Eguiazábal, J. I.
—; Cortázar, M.; Iruin, J. J.: Poly(ethylene Terephthalate)/ Polyarylate Blends: Influence of Interchange Reactions on the Melting Behavior of Poly(ethylene Terephthalate), 489A
Eichinger, B. E. See Miller, C. E., 2169A
Eichler, J. See Podzimek, Š., 791A
Eid, A. M. See Aziz, A. W., 1357B
Eisenberg, A. See Rutowska, M., 1695A
El-Aasser, M. S. See Chen, Y.-C., 1049A; Lee, K.-C., 3133A; Lock, M. R., 1065A; Tang, P. L., 1059B, 2019A
El-Assy, N. B.
Effect of Mineral and Organic Acids on Radiation Grafting of Styrene onto Polyethylene, 885A
Elawady, M. M. See Doss, N. L., 2589A
Elawady, N. I. See Doss, N. L., 2589A
Elder, T. J. See Waage, S. K., 273A
Elgsaeter, A. See Stokke, B. T., 2063A
El-Guiziri, S. B. See Hassan, H. H., 2879A
El-Hamouly, W. S. See Moharram, M. A., 3025A
El-Hemaly, S. A. S. See Ismail, M. R., 993A
Elmidaoui, A.
—; Sarraf, T.; Gavach, C.; Boutevin, B.: Synthesis and Characterization of New Ion-Exchange Membranes, 2551A
El-Naggar, A. M. See Kim, H.-C., 1107A
Elomaa, M.
—; Saharinen, E.: Polycyclic Aromatic Hydrocarbons (PAHs) in Soot Produced by Combustion of Polystyrene, Polypropylene, and Wood, 2819A
El-Shahawy, A. S. See Abd-Alla, M. A., 461A
Endo, T. See Tagoshi, H., 1933B
Engel, R.
—; Vidal, A.; Papirer, E.; Grosmangin, J.: Synthesis and Thermal Stability of Bitumen–Polymer Ionomers, 227B
Erhan, S. See Nithianandam, V. S., 2385A, 2893A, 2899A
Etoh, S. See Fukami, A., 3065A
Etters, J. N.
Isothermal Sorption from Finite Baths: Effect of the Boundary Layer on Sorption of Diffusants by Solids of Various Geometrical Shapes, 1519A
Evans, R.
—; Wearne, R. H.; Wallis, A. F. A.: Effect of Amines on the Carbanilation of Cellulose with Phenylisocyanate, 813A
—; Wearne, R. H.; Wallis, A. F. A.: Pyridine-Catalyzed Depolymerization of Cellulose during Carbanilation with Phenylisocyanate in Dimethylsulfoxide, 821A

Evanson, K. W.
—; Thorstenson, T. A.; Urban, M. W.: Surface and Interfacial FTIR Spectroscopic Studies of Latexes. II. Surfactant–Copolymer Compatibility and Mobility of Surfactants, 2297A
—; Urban, M. W.: Surface and Interfacial FTIR Spectroscopic Studies of Latexes. I. Surfactant–Copolymer Interactions, 2287A
—; Urban, M. W.: Surface and Interfacial FTIR Spectroscopic Studies of Latexes. III. The Effects of Substrate Surface Tension and Elongation on Exudation of Surfactants, 2309A
Evstatiev, M. See Fakirov, S., 575A

Fakirov, S.
—; Evstatiev, M.; Schultz, J. M.: Polyamides and Polyesters with Improved Mechanical Properties, 575A
—; See Avramova, N., 979A
Falk, J. C.
—; Benedetto, M. A.: Particle Size Control in Emulsions of Hydrocarbon Soluble Polymers, 659A
Fambri, L. See Migliaresi, C., 83B
Fan, J.-L.
—; Wang, G.-M.; Ku, W. H.: Nitrile-Containing Imidazole Cured of Novolac Epoxy Resin, 829B
Fanter, D. See Hofmann, D., 863A
Farag, S. See Khalil, M. I., 2303B
Fattah, A. M. Abd el. See Sidkey, M. A., 1441B
Fay, J. J.
—; Thomas, D. A.; Sperling, L. H.: Evaluation of the Area under Linear Loss Modulus-Temperature Curves, 1617B
Feldman, D.
—; Banu, D.; Luchian, C.; Wang, J.: Epoxy–Lignin Polyblends: Correlation between Polymer Interaction and Curing Temperature, 1307A
—; Banu, D.; Natansohn, A.; Wang, J.: Structure–Properties Relations of Thermally Cured Epoxy–Lignin Polyblends, 1537A
Felipe del Castillo, L. See Pérez-Cárdenas, F. C., 779B
Felix, J. M.
—; Gatenholm, P.: The Nature of Adhesion in Composites of Modified Cellulose Fibers and Polypropylene, 609A
Feng, S.
—; Du, Z.: Effects of Some Phenylethynylsilicon Compounds on Heat-Curable Silicone Rubber. I. 1,3-Bis(methylphenylethynylvinyl) disiloxane, 1323B
Feng, X.
—; Sourirajan, S.; Tezel, H.; Matsuura, T.: Separation of Organic Vapor from Air by Aromatic Polyimide Membranes, 1071B
Fernandez, M. J.
—; Casinos, I.; Guzman, G. M.: Grafting of Vinyl Acetate–Methyl Acrylate Mixture onto Cellulose. Effect of Inorganic Salts, 767A
Fewell, L. L.
Erratum to "Atomic Oxygen Induced Structural Changes in Polyphosphazene Films and Coatings", 2627A
Firestone, B. A.
—; Siegel, R. A.: Kinetics and Mechanisms of Water Sorption in Hydrophobic, Ionizable Copolymer Gels, 901B
Flaqué, C.
—; Montserrat, S.: Vinylic Graft Copolymers of Cellulose. I. Effects of Monomer Concentrations and Crystallinity Index of Cellulosic Substrate on Grafting Vinyl Acetate onto Cotton, 3051A
—; Montserrat, S.: Vinylic Graft Copolymers of Cellulose. II. Thermal Degradation of Cellulose and Its Vinylic Copolymers and Blends by Differential Scanning Calorimetry, 3205A
Flodin, P. See Jönsson, K., 1777B
Focke, W. W.
—; Van Eeden, G. S.: Prediction of Cure Time for a Rubber Cement Used for Conveyer Belt Splicing, 591A
Follensbee, R. A. See Myers, G. E., 237B
Fornes, R. E. See Schadt, R. J., 489B
Forster, J. S. See Hammond, P. S., 1925B
Francescangeli, O. See Carfagna, C., 839B
Francis, D. J. See Ravindran, T., 325A
Francis, J. D. See Rajalingam, P., 1385B
Francois, J. See Louai, A., 2151B, 2161B
Freddi, G. See Tsukada, M., 2115B
Frerking, H. W., Jr. See Perkins, W. G., 329B
Friend, G. See George, G. A., 643A
Frisch, H. L.
—; Scopazzi, C.: Sag Equation for Coatings on Rotating Substrates, 1067B
—; Wang, L.; Huang, W.; Hua, Y. H.; Xiao, H. X.; Frisch, K. C.: Interpenetrating Polymer Networks from Polyurethanes and Poly(methyl Acrylate), 475B
Frisch, K. C. See Frisch, H. L., 475B
Frontini, G. L. See Vega, J. R., 3181A
Fry, C. G. See Morelli, J. J., 601B
Frydrych, I. See Zurek, W., 1343B
Fu, T. Z.
—; Durning, C. J.; Tong, H. M.: Simple Model for Swelling-Induced Stresses in a Supported Polymer Thin Film, 709B
Fueki, K. See Andrady, A. L., 2105A
Fuhrmann, H. See Hofmann, D., 863A
Fujii, N. See Kobayashi, T., 1037B
Fujimoto, K.
—; Iohara, K.; Ohwaki, S.; Murase, Y.: Superstructure in Ultrahigh Speed Spun Fibers of Poly-(Ethylene Terephthalate), 1509A
Fujiyama, M.
—; Kawasaki, Y.: Rheological Properties of Polypropylene/High-Density Polyethylene

Blend Melts. I. Capillary Flow Properties, 467A
—; Kawasaki, Y.: Rheological Properties of Polypropylene/High-Density Polyethylene Blend Melts. II. Dynamic Viscoelastic Properties, 481A
—; Wakino, T.: Crystal Orientation in Injection Molding of Talc-Filled Polypropylene, 9A
—; Wakino, T.: Distribution of Higher-Order Structures in Injection Moldings of Particulate-Filled Polypropylenes, 97B
—; Wakino, T.: Distribution of Higher-Order Structures in Injection-Molded Polypropylenes, 57B
—; Wakino, T.: Structures and Properties of Injection Moldings of Crystallization Nucleator-Added Polypropylenes. I. Structure–Property Relationships, 2739A
—; Wakino, T.: Structures and Properties of Injection Moldings of Crystallization Nucleator-Added Polypropylenes. II. Distribution of Higher-Order Structures, 2749A
Fukami, A.
—; Iisaka, K.; Kubota, S.; Etoh, S.: Dynamic Mechanical Properties of Quinazolone–Imide Block Copolymer, 3065A
Fukuda, A. See Matsumoto, A., 365B
Fukuda, T.
—; Kohara, N.; Onogi, Y.; Inagaki, H.: Swelling of Poly(glycidyl Methacrylate) Gel Particles by Organic Solvents, 2201B
Fukutomi, T. See Ishizu, K., 2107B; Ma, G. H., 1451B; Saito, R., 1103B
Fulton, W. S. See Sasaki, N., 2975A
Furuichi, H. See Sakata, I., 2099A
Furusawa, H. See Ihara, H., 347A

Gabrielyan, G. A. See Rŭbtsov, A. E., 729B
Gal, Y. S.
—; Jung, B.; Choi, S. K.: Electrical Conductivity of Poly(2-ethynylthiophene) and Poly(2-ethynylfuran) Doped with Electron Acceptors, 1793A
Gal'Braikh, L. S. See Rŭbtsov, A. E., 729B
Gallagher, G. A.
—; Jakeways, R.; Ward, I. M.: The Structure and Properties of Drawn Blends of Polyethylene and Polypropylene, 1399B
Gan, L. M.
—; Yeoh, K. W.; Chew, C. H.; Koh, L. L.; Tan, T. L.: Poly(sodium Acrylamidoalkanoate)s: Syntheses and Solution Properties in Relation to Flocculation Study in Water Treatment, 225A
Garbassi, F. See Occhiello, E., 551A, 2045A
Gardlund, Z. G.
Mechanical Relaxations of Nylon–Polyurea Block Copolymers, 127A
Gardner, D. J. See Waage, S. K., 273A
Gatenholm, P. See Felix, J. M., 609A; Jensen, E. S., 2681A
Gavach, C. See Elmidaoui, A., 2551A
Gaylord, N. G. See Alli, D., 947A
Gedam, P. H. See Kishanprasad, V. S., 1709B
Geerards, R. A. See De Pooter, M., 399A
Gehrke, S. H. See Kabra, B. G., 2409A
Geil, P. H. See Twardowski, T. E., 69A, 1721A
Geimer, R. L. See Myers, G. E., 237B
Gelosa, D. See Santacesaria, E., 2053A
George, B. K. See Latha, A. G., 1159B
George, G. A.
—; Cole-Clarke, P.; St. John, N.; Friend, G.: Real-Time Monitoring of the Cure Reaction of a TGDDM/DDS Epoxy Resin Using Fiber Optic FT-IR, 643A
George, R. S. See Adhinarayanan, K., 783B
Ghani, A. A. See Hashem, A. A., 1081A
Ghotra, J. S. See Barton, S. J., 35A
Giacobbe, F. W.
Oxygen Permeation Through Teflon–PFA Tubing into Flowing Helium, 2361A
Gilbert, R. D. See Schadt, R. J., 489B
Gillham, J. K. See Wang, X., 2267B; Wisanrakkit, G., 2453A, 2465A
Giri, G.
—; Samal, R. K.: Grafting onto Wool Fibers: Graft Copolymerization of Methyl Methacrylate onto Wool Fibers Initiated by $KHSO_5$/Fe(III) Couple, 2371A
Giroux, T. A.
—; Cooper, S. L.: Surface Characterization of Plasma-Derivatized Polyurethanes, 145B
Gladkova, E. See Velichkova, R., 3083A
Glaser, D. M. See Allen, N. S., 1169A
Goh, S. H. See Chong, Y. F., 437B, 1775B; Neo, M. K., 1301B
Goheen, S. M.
—; Wool, R. P.: Degradation of Polyethylene–Starch Blends in Soil, 2691A
Goldberg, H. D.
—; Cha, G. S.; Brown, R. B.: A Quantitative Adhesion Test for Thin Polymer Films on Silicon Substrates, 1287B
Goldfarb, I. J. See Stevenson, W. T. K., 665A, 679A
Goldman, G. W. See Gou, M. M., 1991B
Gonsalves, K. E.
—; Patel, S. H.; Chen, X.: Development of Potentially Degradable Materials for Marine Applications. II. Polypropylene–Starch Blends, 405B
González, L.
—; Rodríguez, A.; Ibarra, L.: Reinforcing Effect of a Magnesium Silicate Treated with a 4-Amino Methyl Pyridine in Epichlorhydrin Rubber (ECO) Vulcanizates, 1327B
Gonzalez Orozco, J. A.
—; Rego, J. M.; Katime, I.: Multifrequency Analysis of the α Relaxation Region of High-Density Polyethylenes:

Influence of Thermal History, 723B
Gonzalez-Chi, P. I. See Cazaurang-Martinez, M. N., 749B
Gopinathan Nayar, M. R. See Ravindran, T., 325A
Gordon, S. H. See Shogren, R. L., 2279A
Goswami, K. See Saha, S. C., 2767A, 1885B
Gotoh, Y. See Usami, T., 1859B
Gotro, J. T. See Heise, M. S., 1557A
Gou, M. M.
—; Koros, W. J.; Goldman, G. W.: Dimethyl Acetamide Sorption Equilibria in a Urethane/Urea/Ether Block Copolymer, 1991B
Gouri, C. See Achary, P. S., 743A
Grabovac, I.
—; Morris, C. E. M.: The Application of the Iosipescu Shear Test to Structural Adhesives, 2033B
Granel, C. See Destruel, P., 93A
Grate, J. W. See Snow, A. W., 1659B
Graves, E. E. See Trask-Morrell, B. J., 1717B
Grayson, M. A.
—; Wolf, C. J.: Transport of Methylene Chloride in Poly(aryl-Ether-Ether-Ketone) (PEEK) Resin and Composite During Alternate Sorption/Desorption Cycles, 543A
—; See Morelli, J. J., 601B
Greene, R. V. See Shogren, R. L., 1701A, 2279A
Greus, A. R. See Ribelles, J. L. G., 1647A
Grisafi, S.
Bead-Spring Macromolecules That Perturb the Solvent: Scleronomic, Monogenic, Molecular Forces, 2337A
Groele, R. J.
—; Krasicky, P. D.; Chun, S.-W.; Sullivan, J.; Rodriguez, F.: Dissolution Rates of Poly(methyl Methacrylate) in Mixtures of Nonsolvents, 3A
Grosmangin, J. See Engel, R., 227B
Gruszka, M. See Szewczyk, P., 775B
Guchhait, S.
—; Banerjee, M.; Singha Konar, R.: Kinetics and Mechanism of the Thermal Decomposition of Potassium Persulphate Ions in Aqueous Solutions at 50°C in the Presence of Nitrogen Gas and Methacrylonitrile Monomer, 757B
Guerra, G. See Bianchi, R., 1087B
Gugliotta, L. M.
—; Couso, D. A.; Meira, G. R.: MWD Control in Continuous Free-Radical Polymerizations through Forced Oscillations of the Transfer Agent Feed, 2903A
Guiver, M. D. See Lau, W. W. Y., 3215A
Gupta, A. K.
—; Kumar, P. K.; Ratnam, B. K.: Glass-Fiber-Reinforced Polypropylene/EPDM Blend. I. Melt Rheological Properties, 2595A
—; Ratnam, B. K.: Crystallization, Tensile, and Impact Behavior of Polypropylene/Polybutadiene Blend, 297A
—; Srinivasan, K. R.; Krishna Kumar, P.: Glass Fiber Reinforced Polypropylene/EPDM Blends. II. Mechanical Properties and Morphology, 451B
—; See Maiti, S. N., 1891B
Gupta, D. C. See Agrawal, J. P., 373B
Gupta, R. K. See Chang, S. H., 1293B
Guven, O. See Bilgin, F., 153A
Guzman, G. M. See Fernandez, M. J., 767A

Hadobaš, F. See Petřík, S., 1759A
Halasa, A. F.
—; Wathen, G. D.; Hsu, W. L.; Matrana, B. A.; Massie, J. M.: Relationship between Interchain Spacing of Amorphous Polymers and Blend Miscibility as Determined by Wide-Angle X-Ray Scattering, 183B
Hamazaki, H. See Hirasawa, E., 621A
Hamid, S. H.
—; Prichard, W. H.: Mathematical Modeling of Weather-Induced Degradation of Polymer Properties, 651B
Hamielec, A. E. See Spychaj, T., 2111A; Villalobos, M. A., 629A; Wu, X. Y., 2081A; Xie, T. Y., 1259B
Hammond, P. S.
—; Forster, J. S.: A Polymeric Amine–Copper(II) Complex as Catalyst for the Hydrolysis of 1,2,2-Trimethylpropyl Methylphosphonofluoridate (Soman) and Bis(1-methylethyl)phosphorofluoridate (DFP), 1925B
Han, K.
—; Williams, H. L.: Ionomers: Two Formation Mechanisms and Models, 1845A
Harada, K. See Nakayama, M., 2231B
Hardy, S. J. See Allen, N. S., 1169A
Harogoppad, S. B.
—; Aithal, U. S.; Aminabhavi, T. M.: Diffusion of Organic Solvents into Polyurethane Network from Swelling Measurements, 3267A
—; Aminabhavi, T. M.: Diffusion and Sorption of Organic Liquids Through Polymer Membranes. II. Neoprene, SBR, EPDM, NBR, and Natural Rubber versus *n*-Alkanes, 2329A
—; Aminabhavi, T. M.; Balundgi, R. H.: Sorption and Transport of Aqueous Salt Solutions in Polyurethane Membrane at 25, 44, and 60°C, 1297A
Harris, R. F.
—; Joseph, M. D.; Davidson, C.; Deporter, C. D.: Polyurethane Elastomers Based on Molecular Weight Advanced Poly(Ethylene Ether Carbonate) Polyols. III. Effects of Diisocyanate Modified Diols, 3241A
Hartmann, B.
—; Simha, R.; Berger, A. E.: *PVT* Scaling Parameters for Polymer Melts. II. Error in All Variables, 983B
Hasegawa, H. See Shindo, Y., 767B
Hasegawa, K. See Matsumoto, A., 365B
Hashem, A. A.
—; Ghani, A. A.; Eatah, A. I.: Effect

of Preextension on Electrical Conductivity and Physico-mechanical Properties of Butyl Rubber (IIR) Loaded with Different Types of Carbon Black, 1081A

Hassan, H. H.
—; Khairy, S. A.; El-Guiziri, S. B.; Abdel-Moneim, H. M.: Effect of Tensile Deformation on the Electrical Conductivity of SRF Black-Loaded SBR Blend, 2879A

Hata, Y. See Kubota, H., 2029A

Hattori, K. See Matsui, T., 2443A

Hayashi, N. See Hesp, S. A. M., 877A

Hayashi, T.
—; Iizuka, Y.; Oya, M.; Iwatsuki, M.: Enzymatic Hydrolysis of Water-Soluble Random Copolypeptides, 2223B
—; Ikada, Y.: Protease Immobilization onto Porous Chitosan Beads, 85A

Hayward, D. S. See Jenke, D. R., 1475B

He, Y. See Okubo, M., 2205A

Hebeish, A. See Khalil, M. I., 2303B

Heidingsfeldová, M.
—; Schätz, M.; Czakoová, M.; Čapka, M.: Hydrosilylation Crosslinking of Silicone Rubber Catalyzed by Bis(1,5-cyclooctadiene)di-μ,μ'-chlorodirhodium, 179A

Heise, M. S.
—; Martin, G. C.; Gotro, J. T.: Characterization of Imidazole-Cured Epoxy–Phenol Resins, 1557A

Helaly, F. M. See Abdel-Aziz, M. M., 1073A

Hellums, M. W.
—; Koros, W. J.; Husk, G. R.; Paul, D. R.: Gas Transport in Halogen-Containing Aromatic Polycarbonates, 1977B

Hergenrother, W. L.
—; Doshak, J. M.: Tensile Retraction Measurements. IV. Determination of Loose End Pullout in Gum Vulcanizates, 1727A

Herrera-Franco, P. J. See Cazaurang-Martinez, M. N., 749B

Hesp, S. A. M.
—; Hayashi, N.; Ueno, T.: Tetrahydropyranyl- and Furanyl-Protected Polyhydroxystyrene in Chemical Amplification Systems, 877A

Hester, R. D. See Safieddine, A. M., 1987B

Higashimura, T. See Masuda, T., 423B

Higuchi, A. See Nakagawa, T., 383A

Hill, C. G., Jr. See Lin, C.-H., 417A

Hiltner, A. See Regola, M., 2563A, 2631A; Silverstein, M. S., 157B; Tse, A., 1205A

Hinke, E.
—; Staude, E.: Streaming Potential of Microporous Membranes Made from Homogeneously Functionalized Polysulfone, 2951A

Hirasawa, E.
—; Hamazaki, H.; Tadano, K.; Yano, S.: Effect of Organic Amine Type on the Structure and Properties of the Complex Zn(II) Salts of Ethylene–Methacrylic Acid Copolymer with Organic Amines, 621A
—; Yamamoto, Y.; Tadano, K.; Yano, S.: Effect of Metal Cation Type on the Structure and Properties of Ethylene Ionomers, 351A

Hirata, T.
—; Kawamoto, S.; Okuro, A.: Pyrolysis of Melamine–Formaldehyde and Urea–Formaldehyde Resins, 3147A
—; See Arai, K., 1125A

Hirayama, C. See Ihara, H., 347A

Hirose, T.
—; Mizoguchi, K.: Gas Transport in Poly(alkoxyphosphazenes), 891B

Hirotsu, T.
—; Arita, A.: Plasma Graft Polymerization of *N,N*-Dimethylaminoethyl Methacrylate and Water–Ethanol Separation by Pervaporation Through the Grafted Membranes, 3255A

Hjertberg, T.
—; Dahl, R.: Cooperation between Chemical and Physical Networks in Crosslinked and Plasticized PVC, 107A
—; Palmlöf, M.; Sultan, B.-Å.: Chemical Reactions in Crosslinking of Copolymers of Ethylene and Vinyltrimethoxy Silane, 1185A
—; See Palmlöf, M., 1193A

Ho, B.-C.
—; Chin, W.-K.; Lee, Y.-D.: Solubility Parameters of Polymethacrylonitrile, Poly(Methacrylic Acid) and Methacrylonitrile/Methacrylic Acid Copolymer, 99A

Hofmann, D.
—; Schulz, E.; Fanter, D.; Fuhrmann, H.; Bilda, D.: Crystallinity and Lateral Crystallite Size of Different UHMW PE Materials, 863A

Homan, J. G.
—; Yu, X.-H.; Connor, T. J.; Cooper, S. L.: Castor Oil Based UV-Curable Polyurethane-Acrylate Interpenetrating Networks, 2249B

Honda, Z. See Karakane, H., 3229A

Honma, Y. See Sasaki, H., 1745A

Hoppenberg, H. B. See Osborne, J. L., 2317B

Horrocks, A. R.
—; D'Souza, J. A.: Physicochemical Changes in Stabilized, Orientated Polypropylene Films during the Initial Stages of Thermal Oxidation, 243A

Hotter, J. F.
—; Cuculo, J. A.; Tucker, P. A.: Effects of Modified Air Quenches on the High-Speed Melt Spinning Process, 1511B

Hourston, D. J.
—; Romaine, J.: Modification of Natural Rubber Latex. III. Natural Rubber–Polystyrene Composite Latexes Synthesized Using Azobisisobutyronitrile as Initiator, 2207B
—; See Ali, S. A. M., 1503B

Houtz, M. J. See Stevenson, W. T. K., 679A

Hoyle, C. E.
—; Anzures, E. T.: Photodegradation of Polyimides. I. A Spectral, Viscometric, Chromatographic, and Weight Loss Investigation

of Polyimides Based on a Hexafluorinated Dianhydride, 1B
—; Anzures, E. T.: Photodegradation of Polyimides. II. Thermal Property Changes of Polyimides Based on a Hexafluorinated Dianhydride, 11B
Hsieh, K. H. See Yen, C. L., 1179A
Hsieh, K.-H. See Don, T.-M., 2193B
Hsieh, Y.-L.
—; Wu, M.: Residual Reactivity for Surface Grafting of Acrylic Acid on Argon Glow-Discharged Poly(ethylene terephthalate) (PET) Films, 2067B
Hsiue, G.-H.
—; Perng, T.-L.; Yang, J.-M.: New Peracid-Type Polymeric Initiator for Radical Polymerization, 1899A
Hsu, H.-C. See Chang, F.-C., 1025B
Hsu, K. Y. See Lai, J. Y., 1795B
Hsu, M.-T. S.
—; Chen, T. S.; Riccitiello, S. R.: Preceramic Organoboron-Silicon Polymers, 851A
Hsu, W. L. See Halasa, A. F., 183B
Hu, C.-M.
—; Chiang, W.-Y.: Separation of Liquid Mixtures by Using Polymer Membranes. III. Water–Alcohol Separation by Pervaporation through Modified PAN Membrane, 1829A
—; See Chiang, W.-Y., 2005B
Hu, J.
—; Kao, K. C.: Photoelectronic Properties of Iodine-Incorporated Poly(*N*-Vinylcarbazole) Films, 1633B
Hu, P. See Qian, B., 1155A
Hu, Y. C. See Chen, J. Y., 1501A
Hua, Y. H. See Frisch, H. L., 475B
Huang, C.-J.
—; Yen, C.-C.; Chang, T.-C.: Studies on the Preparation and Properties of Conductive Polymers. III. Metallized Polymer Films by Retroplating Out, 2237A
—; Yen, C.-C.; Chang, T.-C.: Studies on the Preparation and Properties of Conductive Polymers. IV. Novel Method to Prepare Metallized Plastics from Metal Chelates of Polyamides–Imides, 2267A
—; See Yen, C.-C., 439A
Huang, P.-T. See Jou, J.-H., 857B
Huang, R. See Jou, J.-H., 857B
Huang, W. See Frisch, H. L., 475B
Huang, Y.
—; Zhou, J. Y.: Textures of Ethyl Cellulose–Dichloroacetic Acid Mesomorphic Solution, 1693B
Hudson, S. See Carlough, M., 3035A
Huiyang, Z.
—; Weibang, Z.; Zhuomei, L.: Synthesis of Polymers with Long Side Chain of *N*-Alkyl Esters and Their Effects on Pour-Point Depression of Oil, 919B
Humphrey, P. See Occhiello, E., 551A
Hunkeler, D. See Wu, X. Y., 2081A
Husk, G. R. See Hellums, M. W., 1977B
Hutchinson, R. A.
—; Ray, W. H.: Polymerization of Olefins through Heterogeneous Catalysis. IX. Experimental Study of Propylene Polymerization over a High Activity $MgCl_2$-Supported Ti Catalyst, 1271B
—; Ray, W. H.: Polymerization of Olefins through Heterogeneous Catalysis—the Effect of Condensation Cooling on Particle Ignition (Note), 1387B
Hwang, S. T. See Kabra, B. G., 2409A

Ibarra, L.
—; Chamorro, C.: Short Fiber–Elastomer Composites. Effects of Matrix and Fiber Level on Swelling and Mechanical and Dynamic Properties, 1805B
—; See González, L., 1327B
Ibhadon, A. O.
Effect of Orientation on Melting of Isotactic Polypropylene, 567B
—; Gel Permeation Chromatography of Isotactic Polypropylene Using the Cyclohexane–Decalin Solvent System, 1887A
Ihara, H.
—; Furusawa, H.; Li, X.; Hirayama, C.: Polypeptide Spheres. VII. Macroreticulation of Spherical Poly(γ-methyl-L-glutamate) Beads, 347A
Iijima, M.
—; Takahashi, Y.; Ueda, H.: An ESR Study of The Film Formation Steps of Vapor Deposition Polymerization of Polyamic Acid, 2197A
Iijima, T.
—; Tochimoto, T.; Tomoi, M.: Modification of Epoxy Resins with Poly(aryl ether ketone)s, 1685B
—; Tomoi, M.; Tochimoto, T.; Kakiuchi, H.: Toughening of Epoxy Resins by Modification with Aromatic Polyesters, 463B
Iisaka, K. See Fukami, A., 3065A
Iizuka, Y. See Hayashi, T., 2223B
Ikada, Y. See Hayashi, T., 85A
Ikeda, I.
—; Simazaki, Y.; Suzuki, K.: Synthesis of Graft Polyesters by Ring-Opening Copolymerization of Epoxy-Terminated Poly(ethylene Glycol) with Acid Anhydrides, 2871A
Ikemoto, K. See Yamauchi, J., 1197B
Ilavský, M. See Petrović, Z. S., 391A
Imamura, K.-I. See Shibayama, M., 1451A
Inagaki, H. See Fukuda, T., 2201B
Inagaki, N.
—; Ohkubo, J.: Plasma Polymer Deposition from Indium Acetylacetonate and Its Application to Chemical Sensor Devices, 793B
—; Tasaka, S.; Mori, K.: Hydrophobic Polymer Films Plasma-Polymerized from CF_4/Hydrocarbon and Hexafluroacetone/Hydrocarbon Mixtures, 581B
Iohara, K. See Fujimoto, K., 1509A
Iroh, J. O.
—; Bell, J. P.; Scola, D. A.: Aqueous Electropolymerization of Polyacrylamide onto AS-4 Graphite Fibers, 2237B
Iruin, J. J. See Eguiazábal, J. I., 489A

Isayev, A. I. See Limtasiri, T., 2923A
Ishaq, A.
—; Peacock, N.: The Structure of Never-Dried Cotton Fibers, 445B
Ishigaki, I. See Razzak, M. T., 883B
Ishikawa, H. See Tsukada, M., 643B, 2115B
Ishizu, K.
—; Minematsu, S.; Fukutomi, T.: Synthesis and Blend Morphology of BA/BC-Type Binary Graft Copolymers Composed of Polyelectrolyte Trunks, 2107B
—; See Saito, R., 1103B
Islam, M. A. See Dimov, A., 1285A
Ismail, M. R.
—; El-Hemaly, S. A. S.: Durability Properties of γ-Radiation-Induced Polymer-Modified Mortar. I. Effect of Sodium Sulfate, 993A
Ito, Y.
—; Aoki, Y.; Matsuura, T.; Kawatsuki, N.; Uetsuki, M.: Mechanistic Study on Photocuring of a Methacrylates Copolymer by Benzophenones, 409A
Ivanov, G. D. See Kostov, G. K., 2761A
Ivanov, S. K. See Stamenova, R. T., 807A
Iwatsuka, Y. See Shindo, Y., 767B
Iwatsuki, M. See Hayashi, T., 2223B
Iyer, P. B.
—; Sreenivasan, S.; Chidambareswaran, P. K.; Patil, N. B.; Sundaram, V.: Induced Crystallization of Cellulose in Never-Dried Cotton Fibers, 1751A

Jacobine, A. F. See Allen, N. S., 1169A
Jagadeesh, K. S.
—; Siddaramaiah: Effect of Catalyst on the Curing of Tetrafunctional Epoxy Resin Formulations, 1459B
Jagur-Grodzinski, J. See Pope, D. S., 529B
Jakeways, R. See Gallagher, G. A., 1399B
Jakubczyk, J. See Zurek, W., 1343B
Jasińska, A. See Zurek, W., 1343B
Javni, I. See Petrović, Z. S., 391A
Jawed, M.
—; Tare, V.: Application of Starch Xanthates for Cadmium Removal: A Comparative Evaluation, 317A
Jayabalan, M. See Sreenivasan, K., 825B
Jayakumari, V. G.
—; Pillai, V. N. R.: Immobilization of Papain on Crosslinked Polymer Supports: Role of the Macromolecular Matrix on Enzymic Activity, 583A
Jenke, D. R.
—; Kenley, R. A.; Hayward, D. S.: Interactions Between Polymeric Containers and Their Contained Solution: Modeling of Polymer–Water Solute Partitioning Via Coupled Solvent–Water Partition Coefficients, 1475B
Jensen, D. P.
—; Morgan, L. W.: Particle Size as it Relates to the Minimum Film Formation Temperature of Latices, 2845A
Jensen, E. S.
—; Gatenholm, P.; Nanguneri, S. R.; Mathias, L. J.: Effect of Chemical Structure of Allyl Ethers on Polymerization and Properties of Multifunctional Acrylate Systems, 2681A
Jensen, G. A. See Nelson, D. A., 1801A
Jeyanthi, R.
—; Panduranga Rao, K.: Equilibrium Swelling Behavior of Collagen-Poly(HEMA) Copolymeric Hydrogels (Note), 2333B
Jialanella, G. L.
—; Piirma, I.: Emulsion Polymerization of Methyl Methacrylate Using Poly(Methyl Methacrylate-co-2-Hydroxypropyl Methacrylate)-Graft-Polyoxyethylene as the Stabilizer, 1423A
—; Piirma, I.: Synthesis and Characterization of Poly(methyl methacrylate-*co*-2-hydroxypropyl methacrylate)–Graft–Polyoxyethylene, 1577B
Jianan, C.
—; Yifang, H.; Jinyue, Y.; Shufang, L.; Shaogong, Y.: Effect of Toluene on Cellulose Ethylation, 3263A
Jiang, H. See Zhang, A., 1779A
Jin, S.
—; Yee, A. F.: Curing Reaction and Product Properties of Polysulfones Terminated with Active Functional Groups, 1865B
—; Yee, A. F.: Preparation and Characterization of Maleimide-Terminated Poly(arylene Ether Sulfone) Oligomers of Various Molecular Weights, 1849B
Jinan, C.
Studies on the Mechanism of Draw Resonance in Melt Spinning, 143A
Jinyu, H. See Qipeng, G., 2851A
Jinyue, Y. See Jianan, C., 3263A
Johnson, A.
—; Popoola, A. V.: Comparative Crystal Morphology Study Using WAXS and CDT Techniques, 2703A
Johnson, C. J. See Pawlowski, W. P., 1379B
Johnson, D. See Occhiello, E., 2045A
Johnson, J. F. See Meyer, G. A., 2247A
Johnston, T. P. See Wang, P., 283B
Jönsson, K.
—; Flodin, P.: Vulcanization of Rubber. Kinetic Parameters for SBR and Simulations of Vulcanization in a Mold, 1777B
Joseph, M. D. See Harris, R. F., 3241A
Joshi, M.
—; Misra, A.; Maiti, S. N.: Polybutylene Terephthalate/High-Density Polyethylene Alloys. I. Morphological Studies, 311B
Joshi, S. V.
—; Rao, A. V.: Studies on Polyurea-Amide Membranes, 1773A
Jou, J.-H.
—; Huang, R.; Huang, P.-T.; Shen, W.-P.: Structure Effect on Water Diffusion and

Hygroscopic Stress in Polyimide Films, 857B
Jung, B. See Gal, Y. S., 1793A

Kabaivanov, V. S. See Denchev, Z. Z., 2933A
Kabra, B. G.
—; Gehrke, S. H.; Hwang, S. T.; Ritschel, W. A.: Modification of the Dynamic Swelling Behavior of Poly(2-hydroxyethyl methacrylate) in Water, 2409A
Kaji, A. See Matsui, T., 2443A
Kakavas, P. A.
—; Blatz, P. J.: Effects of Voids on the Response of a Rubber Poker Chip Sample. III, 1081B
—; Chang, W. V.: Acoustic Emission in Bonded Elastomer Discs Subjected to Uniform Tension. II, 1997A
Kakiuchi, H. See Iijima, T., 463B
Kale, L. See Malik, T. M., 543B
Kaleem, K. See Nithianandam, V. S., 2893A
Kaliaguine, S. See Kamdem, D. P., 1901B
Kalliyanakrishnan, V. See Tamareselvy, K., 1891A
Kalyon, D. M. See Suwardie, H., 1087A
Kamatani, H. See Matsui, T., 2443A
Kamdem, D. P.
—; Riedl, B.; Adnot, A.; Kaliaguine, S.: ESCA Spectroscopy of Poly(methyl methacrylate) Grafted onto Wood Fibers, 1901B
Kamiyama, K. See Sawada, S., 1041A
Kaneki, H. See Asai, S., 1253B
Kang, E. T. See Neoh, K. G., 573B
Kang, Y.-T.
—; Lee, K.-Y.; Liu, T.-J.: The Effect of Polymer Additives on the Performance of a Two-Roll Coater, 1187B
Kannan, K. G. See Latha, A. G., 1159B
Kao, K. C. See Hu, J., 1633B; Tu, D. M., 1625B
Karakane, H.
—; Tsuyumoto, M.; Maeda, Y.; Honda, Z.: Separation of Water–Ethanol by Pervaporation Through Polyion Complex Composite Membrane, 3229A
Karasawa, M. See Sasaki, H., 1745A
Karles, G. See Duvis, T., 191A
Katime, I. See Gonzalez Orozco, J. A., 723B; Orozco, J. A. G., 1879A, 1943A
Katoh, K. See Shibayama, M., 1451A
Katsamberis, D. See Lewis, L. N., 1551A
Kaufman, B. J. See DeRosa, T. F., 1395A
Kawaguchi, Y. See Sakata, I., 2099A
Kawamoto, S. See Hirata, T., 3147A
Kawasaki, H. See Mitsuishi, K., 2043B
Kawasaki, Y. See Fujiyama, M., 467A, 481A
Kawata, M. See Kurita, K., 2885A
Kawatsuki, N. See Ito, Y., 409A
Kefalas, V. See Theocaris, P. S., 3059A
Kelkar, D. S.
—; Bhat, N. V.: Investigation of Structural and Mechanical Properties of Copper-Chloride-Doped Nylon-6 Films. I. Structure, 191B
—; Bhat, N. V.: Investigation of Structural and Mechanical Properties of Copper-Chloride-Doped Nylon-6 Films. II. Elastic and Viscoelastic Studies, 197B
Keller, A.
—; Ungar, G.: A Scheme for Phase Stability in Liquid Crystal Polymers, 1683A
Kenawy, M. A.
—; Dakroury, A. Z.; Osman, M. B. S.: Effect of Gamma Irradiation on Thermal Properties of Poly(Vinyl Alcohol) Solutions (Note), 1393B
Kenley, R. A. See Jenke, D. R., 1475B
Kennamer, J. E.
—; Usmani, A. M.: DSC Analysis of Select Diagnostic Enzymes, 3073A
Kennedy, J. P. See Tant, M. R., 523A
Khafagi, M. G. See Moharram M. A., 2121A
Khairy, S. A. See Hassan, H. H., 2879A
Khalil, M. I.
—; Waly, A.; Farag, S.; Hebeish, A.: Preparation of Cation-Exchange Starches Containing Phosphoric Acid Groups, 2303B
Khan, M. A. See Davies, M. C., 1597A
Khanna, Y. P.
—; Taylor, T. J.; Kumar, R.: Dynamic Mechanical Analysis of Fibers. II. Estimation of Fiber Orientation and Characterization of Heat Set PET Yarns, 693A
Khare, Y. See Agrawal, J. P., 373B
Khinnavar, R. S.
—; Aminabhavi, T. M.: Diffusion and Sorption of Organic Liquids Through Polymer Membranes. I. Polyurethane versus *n*-Alkanes, 2321A
Khraishi, N. See Dairanieh, I. S., 1631A
Kidoh, H. See Sasaki, H., 1745A
Kim, B. K.
—; Kim, T. K.: Aqueous Dispersion of Polyurethanes from H_{12}MDI, PTAd/PPG, and DMPA: Particle Size of Dispersion and Physical Properties of Emulsion Cast Films, 393B
—; Park, S. J.: Reactive Melt Blends of Nylon with Poly(styrene-*co*-maleic anhydride), 357B
—; See Kim, C. K., 2295B
Kim, C. K.
—; Kim, B. K.: IPDI-Based Polyurethane Ionomer Dispersions: Effects of Ionic, Nonionic Hydrophilic Segments, and Extender on Particle Size and Physical Properties of Emulsion Cast Film, 2295B
Kim, H.-C.
—; El-Naggar, A. M.; Wilkes, G. L.: Electron Beam Effects on Polymers: V. Symmetric and Asymmetric Materials Based on the Controlled Distribution of bis-GMA into Crosslinked Nitrile Rubber Films Prior to Curing by Electron Beam Radiation, 1107A
Kim, K. H. See Choi, K. M., 2129A

Kim, S. H.
—; Cotts, P. M.: Dilute Solution Properties of Flexible Polymers in Toluene: A Comparison of Commercially Available Photometers, 217A
Kim, T. K. See Kim, B. K., 393B
Kim, Y. K. See Park, Y. H., 1307B
Kimura, K.
—; Morooka, H.; Yokoyama, M.: Material Design for Polymer/Azobenzene Liquid Crystal/Metal Salt Composite Films Possessing Thermo- and Photoresponsive Ionic Conductivity, 1233B
Kishanprasad, V. S.
—; Gedam, P. H.: *N*-(Carboxymethyl) Trimellitimide-Based Polyesterimides as Film Formers for Air-Drying Protective Coatings, 1709B
Klein, A. See Lock, M. R., 1065A
Klimovtsova, I. A. See Vyazovkin, S. V., 2095A
Knani, D.
—; Kohn, D. H.: Copolymerization of Styrene with Vinyl Monomers Substituted by Nitrile and Sulfonyl Groups, 1941B
Knowles, C. J. See Smith, A. B., 399B
Knudsen, K. D. See Stokke, B. T., 2063A
Ko, T.-H.
Influence of Continuous Stabilization on the Physical Properties and Microstructure of PAN-Based Carbon Fibers, 1949A
The Influence of Pyrolysis on Physical Properties and Microstructure of Modified PAN Fibers during Carbonization, 589B
Kobayashi, T.
—; Kumagai, K.; Nosaka, Y.; Miyama, H.; Fujii, N.; Tanzawa, H.: Permeation Behavior of Dextrans by Charged Ultrafiltration Membranes of Polyacrylonitrile Photografted with Ionic Monomers, 1037B
Kodama, S. See Mitsuishi, K., 2043B
Koh, L. L. See Gan, L. M., 225A
Kohara, N. See Fukuda, T., 2201B
Kohjiya, S.
—; Maeda, K.; Yamashita, S.: Immobilization of Catalase by Polyion Complex, 2219B
Kohn, D. H. See Angelovici, M. M., 1121A; Knani, D., 1941B
Koike, T.
—; Tanaka, R.: Dielectric Properties above the Glass Transition for a Series of Epoxide Prepolymers, 1333A
Kokta, B. V. See Maldas, D., 1443A
Kolli, M. See Chafi, N., 1837B
Kopeček, J. See Yen, H.-R., 1241B
Koros, W. J. See Gou, M. M., 1991B; Hellums, M. W., 1977B; Osborne, J. L., 2317B; Pinnau, I., 1491B; Pope, D. S., 529B; Story, B. J., 2613A
Kosfeld, R. See Bozveliev, L. G., 1171B
Koshiishi, K. See Mori, K., 221B, 553B
Koshijima, T. See Maekawa, E., 169A
Kostov, G. K.
—; Atanasov, A. N.: Ion-Exchange Copolymers Based on Tetrafluoroethylene, Hexafluoropropylene, and Acrylic Acid, 1607A
—; Ivanov, G. D.; Kotov, ST. V.: Synthesis of a Copolymer of Tetrafluoroethylene and 1-Fluorosulfonyl–Difluoroacetylfluoride, 2761A
Kothandaraman, H. See Sivakumar, M., 1789B
Kotoura, M. See Masuda, T., 423B
Kotov, ST. V. See Kostov, G. K., 2761A
Kottes Andrews, B. A. See Trask-Morrell, B. J., 1717B
Koutsky, J. A. See Ebewele, R. O., 2997A, 1483B; Myers, G. E., 237B
Kovenklioglu, S. See Suwardie, H., 1087A
Koyama, Y. See Kurita, K., 2885A
Krasicky, P. D. See Groele, R. J., 3A
Krishna Iyer, K. R. See Bhama Iyer, P., 2915A; Patel, G. S., 915B
Krishna Kumar, P. See Gupta, A. K., 451B
Krishnan, V. K. See Sheela, M. S., 561A
Krishnasamy, V. See Subramaniam, V., 1275A
Kruger, F. W. H.
—; McGill, W. J.: A DSC Study of Curative Interactions. I. The Interaction of ZnO, Sulfur, and Stearic Acid, 2643A
—; McGill, W. J.: A DSC Study of Curative Interactions. II. The Interaction of 2,2′-Dibenzothiazole with ZnO, Sulfur, and Stearic Acid, 2651A
—; McGill, W. J.: A DSC Study of Curative Interactions. III. The Interaction of TMTM with ZnO, Sulfur, and Stearic Acid, 2661A
—; McGill, W. J.: A DSC Study of Curative Interactions. IV. The Interaction of Tetramethylthiuram Disulfide with ZnO, Sulfur, and Stearic Acid, 2669A
Kryszewski, M. See Trznadel, M., 1125B
Ku, W. H. See Fan, J.-L., 829B
Kubín, M. See Podzimek, Š., 791A, 795A
Kubota, H.
—; Hata, Y.: Effect of Hydroquinone on Location of Methacrylic Acid-Grafted Chains Introduced into Polyethylene Film by Photografting, 2029A
—; Ogiwara, Y.: Effect of Water in Vapor-Phase Photografting of Vinyl Monomers on Polymer Films, 1001B
Kubota, N.
—; Ohga, K.; Moriguchi, M.: Permeability Properties of Glycol Chitosan Membrane Modified with Thiol Groups, 495A
Kubota, S. See Fukami, A., 3065A
Kudchadker, A. P. See Murthy, C. N., 993B
Kukreja, L. M.
Studies on Laser-Induced Irreversible Surface Softening in a Thermoset Polymer of Allyl Diglycol Carbonate (CR-39), 115A
Kulichikhin, V. G.
—; Vasil'eva, O. V.; Litvinov, I. A.; Antipov, E. M.; Parsamyan, I. L.; Platé, N. A.: Rheology and

Morphology of Polymer Blends Containing Liquid-Crystalline Component in Melt and Solid State, 363A
Kulkarni, M. G. See Shah, S. S., 1879B
Kumagai, K. See Kobayashi, T., 1037B
Kumar, P. K. See Gupta, A. K., 2595A
Kumar, R. See Khanna, Y. P., 693A; Varma, I. K., 373A
Kunugi, T.
—; Yoneyama, Y.; Suzuki, A.; Porter, R. S.: Combined Processing of Polypropylene Film by Coextrusion and Zone-Annealing, 429B
Kuphal, J. A.
—; Sperling, L. H.; Robeson, L. M.: Miscible Blends of Styrene–Acrylic Acid Copolymers with Aliphatic, Crystalline Polyamides, 1525A
Kurita, K.
—; Kawata, M.; Koyama, Y.; Nishimura, S.-I.: Graft Copolymerization of Vinyl Monomers onto Chitin with Cerium (IV) Ion, 2885A
Kutty, S. K. N.
—; Nando, G. B.: Short Kevlar Fiber-Thermoplastic Polyurethane Composite, 1913B
—; Nando, G. B.: Stress Relaxation Behavior of Short Kevlar Fiber-Reinforced Thermoplastic Polyurethane, 1835A
Kwei, T. K.
—; Pearce, E. M.; Schlecht, M. F.; Cheung, W.: Crosslinking and Scission in Radical-Promoted Functionalization of Polyethylene, 1939A

Laakso, R. See Tse, A., 1205A
Lagow, R. J. See Mohr, J. M., 2509A
Lai, C. See Pattanakul, C., 2147B
Lai, J. Y.
—; Chen, Y. C.; Hsu, K. Y.: Nylon 4/PVA Blend Membrane for Dialysis, 1795B
—; Shih, C. Y.; Tsai, S. M.: Plasma Deposition Modified Nylon 4 Membranes for Hemodialysis, 1431B
—; See Yuan, L. Y., 2525A
Lai, S.-M. See Chiu, W.-Y., 2787A
Lai, Y.-C.
Hydrolytic Stabilities of Some Polyurethane Hydrogels, 2833A
—; Baccei, L. J.: Novel Polyurethane Hydrogels for Biomedical Applications, 3173A
—; Baccei, L. J.: Synthesis and Structure–Property Relationships of UV-Curable Urethane Prepolymers with Hard–Soft–Hard Blocks, 2039A
Lakshmana Rao, V. See Adhinarayanan, K., 783B
Langer, R. See Davies, M. C., 1597A; Wheatley, M. A., 2123B
Larez, C. J.
—; Mendoza, G. A. P.: Unsaturated Polyesters. III. Polyester from Maleic Anhydride and 1,4-Butylene Glycol, 1605B
Lata, K. V. See Pandya, M. V., 637B
Latanision, R. M. See Schussler, A., 1567A
Latha, A. G.
—; George, B. K.; Kannan, K. G.; Ninan, K. N.: Synthesis of a Polyacrylamide Chelating Resin and Applications in Metal Ion Extractions, 1159B
Lau, W. W. Y.
—; Guiver, M. D.; Matsuura, T.: Phase Separation in Carboxylated Polysulfone/Solvent/Water Systems, 3215A
Lavielle, L.
—; Schultz, J.; Nakajima, K.: Acid–Base Surface Properties of Modified Poly(ethylene Terephthalate) Films and Gelatin: Relationship to Adhesion, 2825A
Lawandy, S. N.
—; Botros, S. H.: The Effect of Type and Amount of Carbon Black on the Interaction between Polychloroprene Rubber and Motor Oil, 137A
Lee, D. S.
—; Park, T. S.: Polyurethane–Polystyrene Interpenetrating Polymer Networks Synthesized at Low Temperature: Effect of Crosslinking Level, 481B
Lee, E. J. See Choi, K. M., 2129A
Lee, K.-C.
—; El-Aasser, M. S.; Vanderhoff, J. W.: Emulsion Copolymerization of Vinylidene Chloride and Butyl Methacrylate, 83 : 17 in Mol %, 3133A
Lee, K.-Y. See Kang, Y.-T., 1187B
Lee, L.-T. See Yang, C.-P., 1465A
Lee, P. I.
Swelling Effect of Semicrystalline Poly(vinyl Alcohol) in Hydrogen Peroxide, 3077A
Lee, S.
—; Mackay, D.; Rudin, A.: A Moderately Water-Soluble Azo Initiator for Emulsion Polymerizations, 3075A
—; See Mathias, L. J., 55A
Lee, S. Y. See Neo, M. K., 1301B
Lee, Y. W.
The Forming Properties of High Molecular Weight Polyethylene, 29B
Lee, Y.-D. See Ho, B.-C., 99A
Leir, C. E. See Venkateshwaran, L. N., 951B
Lenka, S. See Mohanty, P. K., 2261A; Nayak, P. K., 2329B
Leonard, T. M. See Stein, J., 2355A
Leone, J. T. See Wilkie, C. A., 1133A
Lesnikovich, A. I. See Vyazovkin, S. V., 2095A
Levendis, Y. A. See Panagiotou, T., 1549B
Levi, M. See Tanzi, M. C., 1371A
Lewis, L. N.
—; Katsamberis, D.: Ultraviolet-Curable, Abrasion-Resistant, and Weatherable Coatings with Improved Adhesion, 1551A
Lewis, M. See Mathisen, T., 2365A
Li, S.
—; Dickinson, L. C.; Chien, J. C. W.: Microheterogeneity in PPO/PS Blends, 1111B
Li, X. See Ihara, H., 347A; Zhang, L., 891A
Liang, Z.
—; Williams, H. L.: Interfacing Polypropylene/Poly(BPA carbonate) Blend Phases with Graft Copolymers: Thermal and Dynamic Mechanical Analyses, 379B
Limtasiri, T.
—; Isayev, A. I.: Blends of

Thermotropic Polyester with Poly(phenylene Oxide), 2923A
Lin, C. C. See Chen, J. Y., 1501A
Lin, C.-H.
—; Conner, A. H.; Hill, Jr., C. G.: The Heterogeneous Character of the Dilute Acid Hydrolysis of Crystalline Cellulose. II. Hydrolysis in Sulfuric Acid, 417A
—; See Tsai, J.-S., 3039A, 3045A, 679B
Lin, M.-F. See Wang, H.-H., 259B
Lin, Y.-S.
—; Liu, T.-J.; Chu, N.-J.: A Rheological Model for Iron Oxide Suspensions, 1767A
Lind, A. C. See Morelli, J. J., 601B
Litt, M. H. See Song, C. Q., 2517A
Litvinov, I. A. See Kulichikhin, V. G., 363A
Liu, T. See Zhang, L., 891A
Liu, T.-J. See Kang, Y.-T., 1187B; Lin, Y.-S., 1767A
Liu, X. See Zhao, Q., 19B
Lock, M. R.
—; El-Aasser, M. S.; Klein, A.; Vanderhoff, J. W.: Role of Itaconic Acid in Latex Particle Nucleation, 1065A
Lockhart, T. P.
—; Albonico, P.; Burrafato, G.: Slow-Gelling Cr^{+3}/Polyacrylamide Solutions for Reservoir Profile Modification: Dependence of the Gelation Time on pH, 1527B
Long, F. See Zhao, Q., 19B
Long, S. D.
—; Ward, I. M.: Shrinkage Force Studies of Oriented Polyethylene Terephthalate, 1921A
—; Ward, I. M.: Tensile Drawing Behaviour of Polyethylene Terephthalate, 1911A
Lostritto, R. T. See Meyer, G. A., 2247A
Louai, A.
—; Pollet, G.; Francois, J.; Moreaux, F.: Polymer Aqueous Solutions as Quenching Media. I. Polyvinylpyrrolidone, 2151B
—; Pollet, G.; Francois, J.; Moreaux, F.: Polymer Aqueous Solutions as Quenching Media. II. Ethylene Oxide–Propylene Oxide Copolymers, 2161B
Lu, H.-C. See Chiu, W.-Y., 1335B
Luchian, C. See Feldman, D., 1307A
Lukáš, R. See Mrázek, Z., 977B

Ma, G. See Arai, K., 1125A
Ma, G. H.
—; Fukutomi, T.: Studies on the Preparation and Characterization of Poly(4-vinylpyridine) Microgel. I. Preparation with Polymer Emulsifier, 1451B
Mackay, D. See Lee, S., 3075A
Macosko, C. W. See Ryan, A. J., 1023A
Maecker, N. L.
—; Priddy, D. B.: Photodegradation of Ethylene–Propylene Copolymer and Ethylene–Propylene–Ethylidenenorbornene Terpolymer, 21A
Maeda, H.
Sign Reversal of Piezoelectric Polarization of Hydrated Native Collagenous and Cellulosic Fibers by Addition of Ions, 3013A
—; Egawa, H.: Removal and Recovery of Gallium and Indium Ions in Acidic Solution with Chelating Resin Containing Aminomethylphosphonic Acid Groups, 737A
—; See Kohjiya, S., 2219B; Karakane, H., 3229A
Maekawa, E.
Analysis of Oxidized Moiety of Partially Periodate-Oxidized Cellulose by NMR Spectroscopy, 417B
—; Koshijima, T.: Preparation and Structural Consideration of Nitrogen-Containing Derivatives Obtained from Dialdehyde Celluloses, 169A
Mahajan, S. J.
—; Bhaumik, K.; Deopura, B. L.: Fibers Spun from Blends of Different Molecular Weights of Polypropylene, 49B
Mahalingam, R. See Desai, V. M., 3123A
Mahapatro, P. K. See Maiti, S. N., 3101A
Mahfouz, R. M. See Abd-Alla, M. A., 2255A
Maiti, S. N.
—; Agarwal, V.; Gupta, A. K.: Melt Rheological Behavior of PP–SAN Blend, 1891B
—; Mahapatro, P. K.: Mechanical Properties of i-PP/$CaCO_3$ Composites, 3101A
—; See Joshi, M., 311B
Majmudar, G. H. See Patel, H. S., 2091B
Majumdar, A.
—; Biswas, M.: Synthesis and Thermal Stability, Dielectric, and Conductivity Characteristics of Polymers with Pendant and Backbone Anthracene Sulfonyl Groups, 2489A
Makuuchi, K. See Razzak, M. T., 883B
Maldas, D.
—; Kokta, B. V.: Performance of Treated Hybrid Fiber Reinforced-Thermoplastic Composites under Extreme Conditions. IV. Use of Glass Fiber and Sawdust as Hybrid Fiber, 1443A
Malik, T. M.
—; Carreau, P. J.; Schreiber, H. P.; Rudin, A.; Kale, L.; Tchir, W.: Property Stabilization in Filled, Drawn Polyethylene, 543B
Malone, M. F. See Steppan, D. D., 1009A
Mammone, R. J. See Wade, W. L. Jr., 1589B
Manas-Zloczower, I. See Song, C. Q., 2517A
Manson, J. A. See Tiburcio, A. C., 427A
Mansour, O. Y.
—; Nagieb, Z. A.; Basta, A. H.: Graft Polymerization of Some Vinyl Monomers onto Alkali-Treated Cellulose, 1147B
Mansour, S. H. See Doss, N. L., 2589A
Marcandalli, B. See Seves, A., 1821B
Marcelli, A. M. See Perkins, W. G., 329B
Marshall, W. B.
—; Brewbaker, J. L.; Delaney, M. S.: The Rate of Ethylene Polymerization Initiated by Various Chelating Tertiary Diamine: *n*-Butyllithium Complexes, 533A

Martin, G. C. See Heise, M. S., 1557A
Maruno, T.
—; Nakamura, K.: Fluorine-Containing Optical Adhesives for Optical Communications Systems, 2141A
Mashelkar, R. A. See Shah, S. S., 1879B
Massie, J. M. See Halasa, A. F., 183B
Masuda, T.
—; Kotoura, M.; Tsuchihara, K.; Higashimura, T.: Glow-Discharge-Induced Graft Polymerization of Acrylic Acid onto Poly[1-(trimethylsilyl)-1-propyne] Film, 423B
Masuhara, K. See Mori, K., 221B, 553B
Mateev, M. See Nikolova, M., 201B
Mathias, L. J.
—; Lee, S.; Wright, J. R.; Warren, S. C.: Improvement of Wood Properties by Impregnation with Multifunctional Monomers, 55A
—; See Jensen, E. S., 2681A
Mathisen, T.
—; Lewis, M.; Albertsson, A.-C.: Hydrolytic Degradation of Nonoriented Poly(β-Propiolactone), 2365A
Matrana, B. A. See Halasa, A. F., 183B
Matsui, K. See Nagase, Y., 185A, 1227B
Matsui, T.
—; Kamatani, H.; Arimatsu, Y.; Kaji, A.; Hattori, K.; Suzuki, H.: Side Reactions of Phenylisocyanate in *N,N*-Dimethylacetamide, 2443A
—; See Yamauchi, J., 1197B
Matsumoto, A.
—; Hasegawa, K.; Fukuda, A.; Otsuki, K.: Study on Modified Phenolic Resin. I. Modification with Homopolymer Prepared from *p*-Hydroxyphenylmaleimide, 365B
Matsuura, T. See Feng, X., 1071B; Ito, Y., 409A; Lau, W. W. Y., 3215A; Yoshikawa, M., 1417A
Matthews, A. E. See Barton, S. J., 35A
Matveev, V. V. See Rubtsov, A. E., 729B
Matyjaszewski, K. See Rao, B. S., 925B
McCarthy, J. L.
—; Scholtens, J. R.: Model Esterification of Neopentyl Glycol and Trimethylol Propane with 1,4-*Tert*-Butyl Benzoic Acid, 2223A
—; See Boyle, W. A., 1969A
McGill, W. J. See Kruger, F. W. H., 2643A, 2651A, 2661A, 2669A
McHerron, D. C.
—; Wilkes, G. L.: Formation of Polymeric Microspheres Using Electron Beam Radiation, 1045B
McKay, I. D.
Polystyrene/Polycarbonate/Polystyrene-*block*-Polycaprolactone Blends. Emulsification and Mechanical Performance, 281A
Polystyrene/Polyethylene Terephthalate/Polystyrene-block–Polycaprolactone Blends: Emulsification and Mechanical Performance, 1593B
Meadows, M. D. See De Pooter, M., 399A
Meal, L.
Identification of Styrene Copolymers and a Terpolymer by Second Derivative Ultraviolet Spectroscopy, 1181B
Mehdizadeh, H.
—; Dickson, J. M.: Theoretical Modification of the Finely Porous Model for Reverse Osmosis Transport, 1143A
Mehta, M. H. See Murthy, C. N., 993B
Meira, G. R. See Gugliotta, L. M., 2903A; Vega, J. R., 3181A
Melius, P.
—; Srisomsap, C.: Nonrandom Thermal Polymerization of Amino Acids (Note), 1167A
Mendoza, A. See Wang, C.-S., 1315B
Mendoza, G. A. P. See Larez, C. J., 1605B
Meyer, G. A.
—; Lostritto, R. T.; Johnson, J. F.: Characterization of Hydroxypropylcellulose–Indomethacin Grafts as a Function of Molecular Weight, 2247A
Migliaresi, C.
—; Cohn, D.; De Lollis, A.; Fambri, L.: Dynamic Mechanical and Calorimetric Analysis of Compression-Molded PLLA of Different Molecular Weights: Effect of Thermal Treatments, 83B
Mihailov, M. See Bac, N. V., 2965A
Milczarek, P. See Trznadel, M., 1125B
Miller, C. E.
—; Eichinger, B. E.: Analysis of Reaction-Injection-Molded Polyurethanes by Near-Infrared Diffuse Reflectance Spectroscopy, 2169A
Miller, J. M. See Stack, G. M., 911A
Miltz, J. See Pattanakul, C., 2147B
Minematsu, S. See Ishizu, K., 2107B
Misra A. See Joshi, M., 311B
Misra, B. N.
—; Chauhan, G. S.; Rawat, B. R.: Grafting onto Wool. XXVIII. Effects of Acids on Gamma-Radiation Induced Graft Copolymerization of Ethylmethacrylate onto Wool Fiber, 3223A
Mitra, N. C.
—; Banerjee, R. S.; Sarkar, A.: Studies on Renewable Polyphenol-Based Cation Exchange Resins of Moderately High Capacity, 2499A
Mitra, P. See Biswas, M., 1989A
Mitsuishi, K.
—; Ueno, S.; Kodama, S.; Kawasaki, H.: Crystallization Behavior of Polypropylene Filled with Surface-Modified Calcium Carbonate, 2043B
Mittleman, M. L. See Wilkie, C. A., 901A, 1133A
Miwa, M.
—; Tsushima, E.; Takayasu, J.: Axial Compressive Strength of Carbon Fiber with Tensile Strength Distribution, 1467B
Miyama, H. See Kobayashi, T., 1037B
Miyasaka, K. See Asai, S., 1253B
Mizoguchi, K. See Hirose, T., 891B

Mladenova, S. M. See Nedelcheva, M. P., 985A
Mlsna, T. E. See Mohr, J. M., 2509A
Mohanty, P. K.
—; Lenka, S.: Synthetic Resin. XI. Preparation and Characterization of Resins Derived from Picoline and Lutidine/Aromatic Hydroxy, Amino, and Chloro Compounds/Formaldehyde, 2261A
Moharana, S.
—; Tripathy, S. S.: Chemical Modification of Jute Fibers. II: A Study on the Fe^{2+} H_2O_2-Initiated Graft Copolymerization of Methyl Methacrylate, Acrylonitrile, and Acrylamide onto Jute Fibers, 1001A
Moharram, M. A.
—; Rabie, S. M.; El-Hamouly, W. S.: Spectroscopic Studies on the Effect of Doping with Iodine on Metal Chloride-Treated Poly(vinyl alcohol), 3025A
—; Shabaka, A. A.; Khafagi, M. G.: Spectroscopic Study on Poly(Methyl Methacrylate) Doped with Metal Dithizonates, 2121A
Mohr, J. M.
—; Paul, D. R.: Comparison of Gas Permeation in Vinyl and Vinylidene Polymers, 1711A
—; Paul, D. R.; Taru, Y.; Mlsna, T. E.; Lagow, R. J.: XPS Characterization of Surface Fluorinated Poly(4-Methyl-1-Pentene), 2509A
Molton, P. M. See Nelson, D. A., 1801A
Montheard, J.-P. See Chafi, N., 1837B
Montserrat, S. See Flaqué, C., 3051A, 3205A
Moreaux, F. See Louai, A., 2151B, 2161B
Moreland, J. C.
—; Wilkes, G. L.: Segmental Orientation Behavior of Flexible Water-Blown Polyurethane Foams, 801B
Morelli, J. J.
—; Fry, C. G.; Grayson, M. A.; Lind, A. C.; Wolf, C. J.: The Thermal Oxidative Degradation of an Ethylene–Tetrafluoroethylene-Copolymer-Based Electrical Wire Insulation, 601B
Morgan, L. W. See Jensen, D. P., 2845A
Mori, K.
—; Koshiishi, K.; Masuhara, K.: Electron-Beam Irradiation-Induced Grafting of Acrylonitrile onto Polyethylene, 553B
—; Koshiishi, K.; Masuhara, K.: Thermal Stability in Air of Acrylonitrile-Grafted Polyethylene by Electron Beam Prior Irradiation, 221B
—; See Inagaki, N., 581B
Moriguchi, M. See Kubota, N., 495A
Morini, G. See Occhiello, E., 551A, 2045A
Morita, M. See Sakata, I., 2099A
Morooka, H. See Kimura, K., 1233B
Morra, M. See Occhiello, E., 551A, 2045A
Morris, C. E. M. See Grabovac, I., 2033B
Moschiar, S. M.
—; Riccardi, C. C.; Williems, R. J. J.; Verchere, D.; Sautereau, H.; Pascault, J. P.: Rubber-Modified Epoxies. III. Analysis of Experimental Trends through a Phase Separation Model, 717A
Moschiar, S. M. See Verchere, D., 701A, 293B
Moustafa, A. B. See Abdel-Aziz, M. M., 1073A
Mrázek, Z.
—; Lukáš, R.; Přádová, O.: The Copolymerization of Vinyl Chloride with 1-Olefins. V. Heat Stability of Copolymers of Vinyl Chloride with Propene, 1-Butene, and 1-Pentene, 977B
Mucha, M.
Response Time Measurements of Liquid Crystal Dispersed in Polyester Resin Film, 175B
Mukherjee, B. See Sen, A. K., 1673B
Mukhopadhyay, S.
—; De, P. P.; De, S. K.: A Self-Vulcanizable and Miscible Blend System Based on Hypalon and Carboxylated Nitrile Rubber, 347B
—; De, S. K.: Self-Vulcanizable Rubber Blend Based on Neoprene and Carboxylated Nitrile Rubber: Effect of Blend Ratio on Miscibility and Physical Properties, 2283B
—; De, S. K.: Self-Vulcanizable Rubber Blend Systems Based on Epoxidized Natural Rubber and Chlorosulfonated Polyethylene: Effect of Blend Composition, Epoxy Content of Epoxidized Natural Rubber, and Reinforcing Black Filler on Physical Properties, 2773A
Murase, Y. See Fujimoto, K., 1509A
Murphy, A. P.
Cellulose Acetate: Interactions with Aqueous Phenol and a Transition Temperature of About 20°C, 817B
Murthy, C. N.
—; Patni, M. J.; Deshpande, D. D.; Kudchadker, A. P.; Mehta, M. H.; Ankleshwaria, B. V.: Interpenetrating Polymer Networks of Castor oil Polyester and Poly(methyl methacrylate), 993B
Myers, G. E.
—; Christiansen, A. W.; Geimer, R. L.; Follensbee, R. A.; Koutsky, J. A.: Phenol–Formaldehyde Resin Curing and Bonding in Steam-Injection Pressing. I. Resin Synthesis, Characterization, and Cure Behavior, 237B
—; See Ebewele, R. O., 2997A, 1483B

Nachane, N. D. See Varadarajan, P. V., 2051B
Nagai, A. See Suzuki, M., 305B
Nagai, S. See Agari, Y., 1665A, 1117B
Nagase, Y.
—; Sugimoto, K.; Takamura, Y.; Matsui, K.: Chemical Modification of Poly (substituted-Acetylene). VI. Introduction of Fluoroalkyl Group into Poly(1-/Trimethylsilyl-1-Propyne) and the Improved Ethanol Permselectivity at Pervaporation, 1227B

—; Takamura, Y.; Matsui, K.: Chemical Modification of Poly(substituted-Acetylene). V. Alkylsilylation of Poly(1-Trimethylsilyl-1-Propyne) and Improved Liquid Separating Property at Pervaporation, 185A
Nagieb, Z. A. See Mansour, O. Y., 1147B
Nagura, M. See Tsukada, M., 643B
Nakabayashi, N. See Tsukada, M., 2115B
Nakagawa, T.
—; Naruse, A.; Higuchi, A.: Permeation of Dissolved Carbon Dioxide in Synthetic Membranes, 383A
Nakajima, K. See Lavielle, L., 2825A
Nakamura, A. See Shintani, H., 1979A
Nakamura, K. See Maruno, T., 2141A
Nakamura, N.
Study on Ketalization Reaction of Poly(vinyl Alcohol) by Ketones. IV. Reaction between Poly(vinyl Alcohol) and Aliphatic Ketones and Behavior of Polyvinylketal in Water, 1341A
Nakayama, M.
—; Terahara, T.; Wada, M.; Harada, K.; Sugii, A.; Egawa, H.: Application of a Macromolecular Sn(II) Complex to the Preparation of ^{99m}Tc Radiopharmaceuticals, 2231B
Nam, S. See Strobel, J. M., 159A
Nam, S. W. See Park, Y. H., 1307B
Nando, G. B. See Kutty, S. K. N., 1835A, 1913B
Nanguneri, S. R. See Jensen, E. S., 2681A
Narasimhaswamy, T.
—; Reddy, B. S. R.: Phenyl Acrylates and Divinyl Benzene Cross-Linked Copolymers as Basic Novel Supports: Synthesis and Characterization, 1645B
Narkis, M. See Rosenberg, Y., 535B
Naruse, A. See Nakagawa, T., 383A
Natansohn, A. See Feldman, D., 1537A
Navaratnam, S. See Allen, N. S., 1169A
Nayak, N. C.
—; Das, H. K.; Singh, B. C.: Influence of Glycine on the Kinetics of the Graft Copolymerization of Acrylonitrile onto Jute Fibers Initiated by Ceric Ion, 2391A
Nayak, P. K.
—; Lenka, S.; Nayak, P. L.: Biomedical Polymers. III. Bacteriocidal Property of the Resins Derived from Substituted Acetophenones (Note), 2329B
Nayak, P. L. See Nayak, P. K., 2329B
Nazábal, J. See Remiro, P. M., 1475A, 1639A
Neal, J. A. See Boyle, W. A., 1969A
Nedelcheva, M. P.
—; Mladenova, S. M.; Valcheva, E. T.: Investigation on the Kinetics of the Adsorption Process of Aliphatic Amidpolyamine on Cellulose, 985A
Neff, B. L.
—; Spinelli, H. J.: Acrylic Block Copolymer Analysis by Adsorption Chromatography with Evaporative Light Scattering Detection, 595A
Nelson, C. J. See Rim, P. B., 1807A
Nelson, D. A.
—; Molton, P. M.; Jensen, G. A.: Radioluminescent Polymers: Preparation of Deutero- and Tritopolystyrene, 1801A
Nelson, K. M.
—; Seferis, J. C.; Zachmann, H. G.: Solvent-Induced Crystallization in Polyetherimide Thermoplastics and Their Carbon Fiber Composites, 1289A
Neo, M. K.
—; Lee, S. Y.; Goh, S. H.: Miscibility of Poly(2-Chloroethyl Methacrylate) with Various Polymethacrylates, 1301B
Neoh, K. G.
—; Kang, E. T.; Tan, K. L.: Thermal Degradation Studies of Perchlorate-Doped Conductive Polymers, 573B
Neumann, A. W. See Budziak, C. J., 1959A
Nicolais, L. See Carfagna, C., 839B
Nikolova, M.
—; Mateev, M.: Irradiation of Oriented LDPE Films, 201B
Ninan, K. N. See Latha, A. G., 1159B
Nishimura, S.-I. See Kurita, K., 2885A
Nisizawa, M.
Studies on Irradiation of Agar–Agar in the Solid State: On the Changes of Thermal Property of Agar–Agar Hydrogel Produced by Irradiation, 2713A
Nithianandam, V. S.
—; Chertok, F.; Erhan, S.: Quinone–Amine Polymers. VI. Syntheses and Solubilities of Several Cooligomers (PAQs) Produced by Reacting Two Diamines with *p*-Benzoquinone, 2899A
—; Erhan, S.: Quinone Amine Polymers. IX. Attempts to Synthesize Polyamine–Benzoquinone Polymers Using Air and Oxygen as Oxidizing Agents, 2385A
—; Kaleem, K.; Chertok, F.; Erhan, S.: Quinone–Amine Polymers. V. Syntheses and Solubilities of Several Diamine-*p*-Benzoquinone Oligomers (PAQ), 2893A
Nomura, S. See Shibayama, M., 1451A
Nosaka, Y. See Kobayashi, T., 1037B
Nye, S. A.
—; Swint, S. A.: Polyimides Synthesized from Siloxane-Equilibrated 1,3-Bis(3,4-Dicarboxyphenyl)-1,1,3,3-Tetramethyldisiloxane Dianhydride, 1539B

Obande, O. P.
A Simulation of the Enthalpies of Fusion of Unplasticized Poly(vinyl Chloride), 1433A
Occhiello, E.
—; Morra, M.; Morini, G.; Garbassi, F.; Humphrey, P.: Oxygen-Plasma-Treated Polypropylene Interfaces with Air, Water, and Epoxy Resins: Part I. Air and Water, 551A
—; Morra, M.; Morini, G.; Garbassi, F.; Johnson, D.: On Oxygen

Plasma-Treated Polypropylene Interfaces with Air, Water, and Epoxy Resins. II. Epoxy Resins, 2045A
Ochi, M.
—; Yamashita, K.; Shimbo, M.: The Mechanism for Occurrence of Internal Stress during Curing Epoxide Resins, 2013B
Ochiai, S. See Yoshikawa, M., 2021B
O'Driscoll, K. F. See Suddaby, K. G., 1565B
Ogiwara, Y. See Kubota, H., 1001B
Ohara, S. See Takezawa, Y., 2811A, 3195A
Ohga, K. See Kubota, N., 495A
Ohgushi, S. See Sawada, S., 1041A
Ohkubo, J. See Inagaki, N., 793B
Ohwaki, S. See Fujimoto, K., 1509A
Okubo, M.
—; He, Y.: Preparation of Asymmetric Film by Blending Two Kinds of Polymer Emulsions Having Greatly Different Storage Stabilities, 2205A
Okur, R. S.
Polymer Cation Effect on the Viscosity of Aqueous Dispersions of Acrylatemethacrylates, Water-Insoluble Copolymers (Note), 1391B
Okuro, A. See Hirata, T., 3147A
Onogi, Y. See Fukuda, T., 2201B
Orbey, N. See Bilgin, F., 153A
Orozco, J. A. G.
—; Rego, J. M.; Katime, I.: Dynamic Mechanical Properties of Binary Blends of Different Polyethylenes. I. Nonisothermal Treatment, 1879A
—; Rego, J. M.; Katime, I.: Dynamic Mechanical Properties of Binary Blends of Different Polyethylenes. II. Isothermal Treatment, 1943A
Orzeszko, A.
Amino Acids as Substrates for Preparation of Monomers with Imide Rings, 2349A
—; Application of New Copolyimides as Phases for Gas–Liquid Chromatography, 873A
Osborne, J. L.
—; Hoppenberg, H. B.; Koros, W. J.: The Effect of Sorbed Penetrants on the Aging of Previously Dilated Glassy Polymer Powders. IV, 2317B
Osman, M. B. S. See Kenawy, M. A., 1393B
Otsuki, K. See Matsumoto, A., 365B
Ou, C. F. See Chen, J. Y., 1501A
Overend, R. P. See Vidal, P. F., 1659A
Oya, M. See Hayashi, T., 2223B

Pääkkönen, E. J.
Effect of Thermal Pretreatment on the Fracture Behavior of Polycarbonate in Medium Strain Rate Tensile Tests, 453A
Paauw, M.
—; Pizzi, A.: A FT-IR Analysis Method for Simple Unsaturated Polyesters, 1377A
—; Pizzi, A.: Radical Crosslinking in Saturated Polyesters (Note), 1585B
Packirisamy, S. See Adhinarayanan, K., 783B
Padwa, A. R.
—; Schwier, C. E.: Prediction of Monomer Compositions in Terpolymerization, 2987A
Pal, S. N. See Sheela, M. S., 561A; Tamareselvy, K., 1891A
Palmlöf, M.
—; Hjertberg, T.; Sultan, B.-Å.: Crosslinking Reactions of Ethylene Vinyl Silane Copolymers at Processing Temperatures, 1193A
—; See Hjertberg, T., 1185A
Panagiotou, T.
—; Levendis, Y. A.: Generation of Spherical and Monodisperse Particles of Poly(styrene) and Poly(methyl methacrylate) by Atomization of Monomers and Dissolved Polymer Precursors, 1549B
Panday, M. See Deshpande, D. D., 1701B
Pandey, S. N. See Roy, A. K., 2943A; Saha, S. C., 2767A, 1885B
Panduranga Rao, K. See Jeyanthi, R., 2333B
Pandya, M. V.
—; Lata, K. V.: Low-Pressure Polymerization of Ethylene. II, 637B
—; See Paulmer, R. D. A., 1953B
Papaspyrides, C. D. See Duvis, T., 191A
Papirer, E. See Engel, R., 227B
Park, E. See Wheatley, M. A., 2123B
Park, H.-M.
—; Shim, I.-W.: Preparation of Rh-Containing Cellulose Acetate Films and the Chemistry of Rh in Cellulose Acetate, 1361A
Park, J. K.
—; Bontoux, L.: Effects of Temperature, Repeated Exposure, and Aging on Polybutylene Permeation by Organic Chemicals, 2989A
Park, J. S. See Ruckenstein, E., 925A
Park, J. W. See Choi, K. M., 2129A
Park, S. J. See Kim, B. K., 357B
Park, T. S. See Lee, D. S., 481B
Park, Y. H.
—; Kim, Y. K.; Nam, S. W.: Preparation and Electrostatic Properties of Antistatic Acrylics, 1307B
Parsamyan, I. L. See Kulichikhin, V. G., 363A
Parsons, B. J. See Allen, N. S., 1169A
Pascault, J. P. See Moschiar, S. M., 717A; Verchere, D., 701A, 293B
Pasch, H.
—; Shuhaibar, K. F.; Attari, S.: A Comparative Study on Polymers Containing Different Ultraviolet Stabilizer Moieties, 263A
Patel, G. S.
—; Krishna Iyer, K. R.: Morphological Deformities in Cotton, 915B
Patel, G. S. See Bhama Iyer, P., 2915A
Patel, H. S.
—; Majmudar, G. H.: Polymers Derived from 2-Furaldehyde and Aromatic Diamines. I, 2091B
Patel, R. M.
—; Bheda, J. H.; Spruiell, J. E.: Dynamics and Structure Development During High-Speed Melt Spinning of Nylon

6. II. Mathematical Modeling, 1671A
Patel, S. H. See Gonsalves, K. E., 405B
Patil, N. B. See Bhama Iyer, P., 2915A; Iyer, P. B., 1751A
Patni, M. J. See Murthy, C. N., 993B; Paulmer, R. D. A., 1953B
Pattanakul, C.
—; Selke, S.; Lai, C.; Miltz, J.: Properties of Recycled High Density Polyethylene from Milk Bottles, 2147B
Paul, A. J. See Davies, M. C., 1597A
Paul, D. R. See Chiou, J. S., 279A; Hellums, M. W., 1977B; Mohr, J. M., 1711A, 2509A
Paulmer, R. D. A.
—; Shah, C. S.; Patni, M. J.; Pandya, M. V.: Effect of Crosslinking Agents on the Structure and Properties of Polyurethane Millable Elastomer Composites, 1953B
Pavlova, S. See Velichkova, R., 3083A
Pawlowski, W. P.
—; Coolbaugh, D. D.; Johnson, C. J.: Etch Rate Studies of Base Catalyzed Hydrolysis of Polyimide Film. II, 1379B
Peacock, N. See Ishaq, A., 445B
Pearce, E. M. See Kwei, T. K., 1939A
Pegoraro, M.
—; Zanderighi, L.; Penati, A.; Severini, F.; Bianchi, F.; Cao, N.; Sisto, R.; Valentini, C.: Polyurethane Membranes from Polyether and Polyester Diols for Gas Fractionation, 687B
Pegram, J. E. See Andrady, A. L., 1589A
Pekcan, Ö
—; Demir, Y.: ESR Studies of Solvent Penetration into Polymer-Blend-Like Material: Particles Formed from Poly(methyl Methacrylate) and Polyisobutylene, 2169B
Pelton, R. H. See Wu, X. Y., 2081A
Penati, A. See Pegoraro, M., 687B
Peng, W.-Z. See Zeng, Y.-B., 1905A
Penlidis, A. See Dube, M. A., 2137B
Peppas, N. A. See Bowman, C. N., 2013A; Shieh, L. Y., 1579A; Smith, J. S., 1219B
Pérez-Cárdenas, F. C.
—; Felipe del Castillo, L.; Vera-Graziano, R.: Modified Avrami Expression for Polymer Crystallization Kinetics, 779B
Perkins, W. G.
—; Marcelli, A. M.; Frerking, H. W., Jr.: The Effect of Blending Temperature, Composition, and Shear Rate on PET/Vectra A900 LCP Blend Viscosity and Morphology, 329B
Perng, T.-L. See Hsiue, G.-H., 1899A
Petřík, S.
—; Bohdanecký, M.; Hadobaš, F.; Šimek, L.: A Comparative Study of Sorption of Water Vapor by Oligomeric Triblock Copolymers of Ethylene and Propylene Oxides, 1759A
Petrović, Z. S.
—; Budinski-Simendić, J.; Divjaković, V.: Polyurethane–Polypropylene Blends, 779A
—; Ilavský, M.; Dušek, K.; Vidaković, M.; Javni, I.; Banjanin, B.: The Effect of Crosslinking on Properties of Polyurethane Elastomers, 391A
Piirma, I. See Jialanella, G. L., 1423A, 1577B
Pillai, V. N. R. See Jayakumari, V. G., 583A
Pingsheng, H.
—; Chune, L.: Study on Cure Behavior of Epoxy Resin–BF_3–MEA System by Dynamic Torsional Vibration Method, 1011B
Pinnau, I.
—; Koros, W. J.: Structures and Gas Separation Properties of Asymmetric Polysulfone Membranes Made by Dry, Wet, and Dry/Wet Phase Inversion, 1491B
Pinto, J. C. See Bahr, D., 2795A
Pizzi, A. See Paauw, M., 1377A, 1585B
Platé, N. A. See Kulichikhin, V. G., 363A
Podkościelny, W.
—; Wdowicka, D.: Linear Polyesters. Products of Interfacial Polycondensation of Bis(4-hydroxyphenyl)ether with Isomeric Phthaloyl Chlorides, 2213B
Podzimek, Š.
—; Dobáš, I.; Švestka, Š.; Eichler, J.; Kubín, M.: Epoxy Resins Based on Aromatic Glycidylamines. III. Kinetics of Intramolecular Cyclization of *N,N*-Bis(2-Hydroxy-3-Chloropropyl)-aniline, 791A
—; Dobáš, I.; Švestka, Š.; Tkaczyk, M.; Kubín, M.; Štěrba, V.: Epoxy Resins Based on Aromatic Glycidylamines. IV. Preparation of *N,N,N′,N′*-Tetraglycidyl-4,4′-Diaminodiphenylmethane from Aniline and Analysis of the Product by GPC and HPLC, 795A
Poehlein, G. W. See Shoaf, G. L., 1213A, 1239A
Poh, B. T.
—; Tan, B. K.: Mooney Scorch Time of Epoxidized Natural Rubber, 1407A
Pollet, G. See Louai, A., 2151B, 2161B
Pope, D. S.
—; Koros, W. J.; Jagur-Grodzinski, J.: Transient Length Dilation vs. Transient Increase in Permeability of Natural Rubber Films, 529B
Popoola, A. V.
Mechanism of the Reaction Involving the Formation of Dioxane Byproduct During the Production of Poly(ethylene Terephthalate), 1875B
—; See Johnson, A., 2703A
Porter, R. S. See Kunugi, T., 429B; Wang, L.-H., 1559B
Pradas, M. M. See Ribelles, J. L. G., 1647A
Přádová, O. See Mrázek, Z., 977B
Pranjoto, H.
—; Denton, D. D.: Gravimetric Measurements of Steady-State Moisture Uptake in Spin-Coated Polyimide Films, 75A
Pratap, G.
—; Shantha, K. L.; Rao, D. V. M.; Rao, V. S. B.: Synthesis, Characterization, and Evaluation of Poly[*n*-alkyl(oxy)-*n*-hexyl acrylates], 935A
Prichard, W. H. See Hamid, S. H., 651B

Priddy, D. B. See Maecker, N. L., 21A
Pritchard, G. See Barton, S. J., 35A
Pujol, J. M.
—; Brossas, J.; Catala, J. M.: Synthesis of Telechelic Dithiol Oligomers Containing Sulfur Atoms-Moisture Barrier Properties, 3091A
Puschett, J. B. See Rao, B. S., 925B

Qayyum, M. M.
—; White, J. R.: Effect of Water Absorption and Temperature Gradients on Polycarbonate Injection Moldings, 129B
Qian, B.
—; Wu, Z.; Hu, P.; Qin, J.; Wu, C.; Zhao, J.: Studies of Macromolecular Entanglements. I. Melting Behavior of Swelling Polymers with Macromolecular Entanglements, 1155A
—; See Zhang, A., 1779A
Qian, J. W.
—; Rudin, A.: Melt Spinning of Shear Modified Plasticized Polystyrene, 973A
Qin, J. See Qian, B., 1155A
Qipeng, G.
—; Jinyu, H.; Tianlu, C.: The Phase Behavior of Phenolphthalein Poly(ether Ether Ketone) with Poly(ethylene Oxide), 2851A
Que, Y. T. See Yap, M. G. S., 1999B, 2057B, 2083B

Rabie, S. M. See Moharram, M. A., 3025A
Radhakrishnan, G. See Rajalingam, P., 1385B; Ramaraj, B., 23B; Sivakumar, M., 1789B
Radhakrishnan, T. S. See Rao, M. R., 753A
Raghavan, D.
—; Shaligram, A. M.; Deshpande, D. D.: The Influence of Charge Density and Steric Factor of Aminated Chloromethyl Polystyrene Homologs in Bilirubin Adsorption, 2483A
Rajalingam, P.
—; Radhakrishnan, G.; Francis, J. D.: Thermoset Polyurethanes from Hydroxyl-Terminated Natural Rubber (Note), 1385B
—; See Ramaraj, B., 23B
Raju, K. V. S. N.
—; Yaseen, M.: Influence of Nonsolvents on Dissolution Characteristics of Nylon-6, 1533B
Ramaraj, B.
—; Rajalingam, P.; Radhakrishnan, G.: Crosslinked Latex Blends Based on Gelatin: Synthesis, Morphology, Thermal, and Mechanical Properties, 23B
Ramaswamy, R. See Achary, P. S., 743A; Adhinarayanan, K., 783B
Rånby, B. See Zhang, P. Y., 621B
Rao, A. V. See Joshi, S. V., 1773A
Rao, B. S.
—; Puschett, J. B.; Matyjaszewski, K.: Preparation of pH Sensors by Covalent Linkage of Dye Molecules to the Surface of Polystyrene Optical Fibers, 925B
Rao, D. V. M. See Pratap, G., 935A
Rao, G. V. G. See Shukla, S. R., 2163A
Rao, K. V. C. See Sreenivasan, K., 825B
Rao, M. R.
—; Sebastian, T. V.; Radhakrishnan, T. S.; Ravindran, P. V.: Correlation of Binder Mechanical Properties with Microstructure for Poly(butadiene–Acrylonitrile–Methacrylic Acid) Terpolymer: ^{13}C-NMR and Pyrolysis-GC Studies, 753A
Rao, P. R. See Srinivasulu, B., 1521B
Rao, V. S. B. See Pratap, G., 935A
Rasoul, F. A. See Dairanieh, I. S., 1623A
Ratnam, B. K. See Gupta, A. K., 297A, 2595A
Ravindran, P. V. See Rao, M. R., 753A
Ravindran, T.
—; Gopinathan Nayar, M. R.; Francis, D. J.: Segmented Block Copolymers Based on Liquid Natural Rubber, 325A
Rawat, B. R. See Misra, B. N., 3223A
Ray, P. K. See Saha, S. C., 2767A, 1885B
Ray, W. H. See Hutchinson, R. A., 1271B, 1387B
Razzak, M. T.
—; Yoshii, F.; Makuuchi, K.; Ishigaki, I.: Thermoplastic Elastomer by Radiation Grafting. I. Evaluation of Processability of Natural Rubber Grafted Methyl Methacrylate, 883B
Rebenfeld, L.
—; Desio, G. P.; Wu, J. C.: Effects of Fibers on the Glass Transition Temperature of Polyphenylene Sulfide Composites, 801A
Reddy, B. S. R. See Narasimhaswamy, T., 1645B; Soundararajan, S., 251B
Rees, G. J.
Synthesis of Vinyl Phenyl Acetate and an Evaluation of Vinyl Chloride/Vinyl Phenyl Acetate Copolymers, 341B
Rego, J. M. See Gonzalez Orozco, J. A., 723B; Orozco, J. A. G., 1879A, 1943A
Regola, M.
—; Baer, E.; Hiltner, A.: Atomic Oxygen Effects on the Prefailure Damage Processes in Highly Filled Glass/Mica/Epoxy Composites, 2631A
—; Baer, E.; Hiltner, A.: Prefailure Damage Processes in Highly Filled Glass/Mica/Epoxy Composites, 2563A
Remiro, P. M.
—; Nazábal, J.: Development of Interchange Reactions in Ternary PBT–PC/Phenoxy Blends, 1639A
—; Nazábal, J.: Phase Behavior of Ternary PBT–PC/Phenoxy Blends, 1475A
Remsen, E. E.
Determination of Molecular Weight for Poly(vinyl butaryl) Using Size Exclusion Chromatography/Low-Angle Laser Light Scattering (SEC/LALLS) in Hexafluoroisopropanol, 503A
Renaud, M. C. See Ajji, A., 335A
Renzulli, A. See De Candia, F., 2959A
Ribelles, J. L. G.
—; Sebastià, J. M.; Soler, R. M.;

Pradas, M. M.; Greus, A. R.; Antón, J. J. S.: On the Dynamic Mechanical Behavior of Poly(ethyl Methacrylate) Reinforced with Kevlar Fibers, 1647A

Riccardi, C. C. See Moschiar, S. M., 717A; Verchere, D., 701A, 293B

Riccitiello, S. R. See Hsu, M.-T. S., 851A

Riedl, B.

—; Calvé, L.: Changes in Molecular Weight and Molecular Size with Reaction Time of a Phenol–Formaldehyde Resol, 3271A

—; See Kamdem, D. P., 1901B

Rilling, K. See Dube, M. A., 2137B

Rim, P. B.

—; Nelson, C. J.: Properties of PET Fibers with High Modulus and Low Shrinkage (HMLS). I. Yarn Properties and Morphology, 1807A

Ritschel, W. A. See Kabra, B. G., 2409A

River, B. H. See Ebewele, R. O., 2997A, 1483B

Robeson, L. M. See Kuphal, J. A., 1525A

Rodríguez, A. See González, L., 1327B

Rodriguez, F. See Groele, R. J., 3A

Romaine, J. See Hourston, D. J., 2207B

Romanó, M. See Seves, A., 1821B

Rosenberg, Y.

—; Siegmann, A.; Narkis, M.; Shkolnik, S.: The Sol/Gel Contribution to the Behavior of γ-Irradiated Poly(vinylidene Fluoride), 535B

Rowe, R. C. See Sakellariou, P., 845B

Roy, A. K.

—; Bag, S. C.; Sardar, D.; Sen, S. K.: Infrared Spectra of Jute Stick Bleached with Sodium Chlorite and Hydrogen Peroxide, 2187B

—; Sen, S. K.; Bag, S. C.; Pandey, S. N.: Infrared Spectra of Jute Stick and Alkali-Treated Jute Stick, 2943A

Rŭbtsov, A. E.

—; Matveev, V. V.; Chălykh, A. E.; Smirnova, N. V.; Gabrielyan, G. A.; Gal'Braikh, L. S.: Peculiarities of Phase and Supermolecular Structure of Graft Copolymers of Polycaproamide with Poly(methacrylic Acid), 729B

Ruckenstein, E.

—; Chen, H. H.: Preparation of a Water-Permselective Composite Membrane by the Concentrated Emulsion Method: Its Swelling and Permselectivity Characteristics, 2429A

—; Chen, J.-H.: Effect of a Surface Active Pyrrole on the Conductivity of Polypyrrole Composites, 1209B

—; Park, J. S.: New Method for the Preparation of Thick Conducting Polymer Composites, 925A

Rudin, A. See Bremner, T., 1773B; Lee, S., 3075A; Malik, T. M., 543B; Qian, J. W., 973A; Suddaby, K. G., 1565B

Rustichelli, F. See Carfagna, C., 839B

Rutowska, M.

—; Eisenberg, A.: Blends of Polyurethane Carboxylates with Styrene Vinylpyridinium Copolymers, 1695A

Ryan, A. J.

—; Bergstrom, T. B.; Willkomm, W. R.; Macosko, C. W.: Thermal, Mechanical, and Fracture Properties of Copolyureas Formed by Reaction Injection Molding: Effects of Hard Segment Structure, 1023A

Ryan, M. E. See Chang, S. H., 1293B

Rybnikář, F.

Interactions in the System Isotactic Polypropylene–Calcite, 2727A

Ryttel, A.

Copolymerization of Alkyl Methacrylates with Triallyl Cyanurate. Determination of Monomer Reactivity Ratios, 1485A

Safieddine, A. M.

—; Hester, R. D.: Size-Exclusion Chromatography of High Molecular Weight Water-Soluble Polymers, 1987B

Safy El-Din, N. M.

Ceric Ion-Initiated Grafting of Acrylonitrile onto Hydrolyzed Cotton (Note), 1017B

Sage, T. See Bilgin, F., 153A

Saha, S. C.

—; Das, B. K.; Ray, P. K.; Pandey, S. N.; Goswami, K.: Infrared Spectra of Raw and Chemically Modified Pineapple Leaf Fiber (*Annanus comosus*), 1885B

—; Ray, P. K.; Pandey, S. N.; Goswami, K.: IR and X-Ray Diffraction Studies of Raw and Chemically Treated Pineapple Leaf Fiber (PALF), 2767A

Saharinen, E. See Elomaa, M., 2819A

Saito, M. See Shindo, Y., 767B

Saito, R.

—; Ishizu, K.; Fukutomi, T.: Structural Effect of the Microgels with a Core-Shell Morphology Synthesized from Poly(α-methylstyrene-*b*-methyl methacrylate) on the Swelling Behavior of the Microgel, 1103B

Sakata, I.

—; Morita, M.; Furuichi, H.; Kawaguchi, Y.: Improvement of Plybond Strength of Paperboard by Corona Treatment, 2099A

Sakellariou, P.

—; Rowe, R. C.: Phase Separation and Morphology in Ethylcellulose/Cellulose Acetate Phthalate Blends, 845B

Sakhardande, V. D. See Shukla, S. R., 829A

Sakurai, F. See Udagawa, A., 1861A

Samal, R. K. See Giri, G., 2371A

Sanghi, L. K. See Sen, A. K., 1673B

Sangster, D. F.

—; Barry, D. B.: The Effect of Gamma Ray Irradiation on the Mechanical Properties of Large Cross-Section Oriented Polyethylene Rods, 1385A

Sankholkar, S. C. See Deb, P. C., 1007B

Santacesaria, E.

—; Gelosa, D.; Di Serio, M.; Tesser, R.: Thermal Stability of Nonionic Polyoxyalkylene Surfactants, 2053A

Sardar, D. See Roy, A. K., 2187B

Sarkar, A. See Mitra, N. C., 2499A

Sarraf, T. See Elmidaoui, A., 2551A
Sasaki, H.
—; Honma, Y.; Kidoh, H.; Karasawa, M.: Temperature Dependence of Diffusion of a Disperse Dye in the Multiple Layers of Nylon Fabric, 1745A
Sasaki, N.
—; Atkins, E. D. T.; Fulton, W. S.: Elongational Flow Studies on the Molecular Properties of Collagen and Its Thermal Denaturation, 2975A
Satpute, R. S. See Agrawal, J. P., 373B
Sautereau, H. See Moschiar, S. M., 717A; Verchere, D., 701A, 293B
Sawada, S.
—; Kamiyama, K.; Ohgushi, S.; Yabuki, K.: Degradation Mechanisms of Poly(ethylene Terephthalate) Tire Yarn, 1041A
Saxena, S. See Varma, I. K., 373A
Schadt, R. J.
—; Gilbert, R. D.; Fornes, R. E.: A Study Using ^{13}C CP/MAS NMR of Microstructural Changes in Acrylate Copolymers Due to Photolytic/SO_2 Degradation, 489B
Schätz, M. See Heidingsfeldová, M., 179A
Schellekens, R.
—; Bastiaansen, C.: The Drawing Behavior of Polyvinylalcohol Fibers, 2311B
Schlecht, M. F. See Kwei, T. K., 1939A
Scholtens, J. R. See McCarthy, J. L., 2223A
Schouwenaars, H. P. See De Pooter, M., 399A
Schreiber, H. P. See Malik, T. M., 543B
Schroeder, A. H. See Bacskai, R., 2435A
Schultz, J. See Lavielle, L., 2825A
Schultz, J. M. See Fakirov, S., 575A
Schulz, E. See Hofmann, D., 863A
Schussler, A.
—; Bellucci, F.; Senturia, S. D.; Latanision, R. M.: Na^+ and Cl^- Transport Across Polyimide Films, 1567A
Schwier, C. E. See Padwa, A. R., 2987A
Scola, D. A. See Iroh, J. O., 2237B
Scopazzi, C. See Frisch, H. L., 1067B
Sebastià, J. M. See Ribelles, J. L. G., 1647A
Sebastian, T. V. See Rao, M. R., 753A
Seferis, J. C. See Nelson, K. M., 1289A
Segui, Y. See Asfardjani, K., 271B
Selke, S. See Pattanakul, C., 2147B
Selvamurugan, U. See Subramaniam, V., 1275A
Selvy, K. T. See Sheela, M. S., 561A
Semmelmeyer, M. See Collins, M. J., 2149A
Sen, A. K.
—; Mukherjee, B.; Bhattacharya, A. S.; Sanghi, L. K.; De, P. P.; Bhowmick, A. K.: Preparation and Characterization of Low-Halogen and Nonhalogen Fire-Resistant Low-Smoke (FRLS) Cable Sheathing Compound from Blends of Functionalized Polyolefins and PVC, 1673B
Sen, S. K. See Roy, A. K., 2943A, 2187B
Senogles, E. See Crees, O. L., 837A
Senturia, S. D. See Schussler, A., 1567A
Seo, K. S.
—; Cloyd, J. D.: Kinetics of Hydrolysis and Thermal Degradation of Polyester Melts, 845A
Severini, F. See Pegoraro, M., 687B
Seves, A.
—; Romanó, M.; Dubini-Paglia, E.; Beltrame, P. L.; Marcandalli, B.: Thermal *cis-trans* Isomerization of Azo Dye Chrysophenine in Cellulose Matrices: Effect of Morphology, 1821B
Shabaka, A. A. See Moharram, M. A., 2121A
Shah, C. S. See Paulmer, R. D. A., 1953B
Shah, S. S.
—; Kulkarni, M. G.; Mashelkar, R. A.: Swellable Hydrogel Matrices for the Release of the Pendent Chain-Linked Active Ingredients over Extended Time Periods, 1879B
Shaligram, A. M. See Raghavan, D., 2483A
Shama, S. A.
—; Tortorello, A. J.: Effect of Structure on the Thermal Stability of Photocurable Urethane Acrylate Formulations, 699B
Shantha, K. L. See Pratap, G., 935A
Shaogong, Y. See Jianan, C., 3263A
Sheela, M. S.
—; Selvy, K. T.; Krishnan, V. K.; Pal, S. N.: Studies on the Synthesis of a Methacrylate-Based Dental Restorative Resin, 561A
—; See Tamareselvy, K., 1891A
Shen, W.-P. See Jou, J.-H., 857B
Shen, Z.-R. See Zhu, J.-H., 2099B
Shibayama, M.
—; Imamura, K.-I.; Katoh, K.; Nomura, S.: Transparency of Recycled Polypropylene Film, 1451A
Shieh, L. Y.
—; Peppas, N. A.: Solute and Penetrant Diffusion in Swellable Polymers. XI. The Dynamic Swelling Behavior of Hydrophilic Copolymers Containing Multiethylene Glycol Dimethacrylates, 1579A
Shih, C. Y. See Lai, J. Y., 1431B
Shim, I.-W. See Park, H.-M., 1361A
Shimbo, M. See Ochi, M., 2013B
Shindo, Y.
—; Saito, M.; Iwatsuka, Y.; Hasegawa, H.: Residual Birefringence of Amorphous Polymers for Optical-Disk Substrates, 767B
Shinouda, H. G. See Abdel Moteleb, M. M., 737B
Shintani, H.
—; Nakamura, A.: Mechanism of Degradation and Crosslinking of Polyurethane When Irradiated by Gamma-Rays, 1979A
Shiozaki, H. See Tsukada, M., 643B
Shkolnik, S. See Rosenberg, Y., 535B
Shoaf, G. L.
—; Poehlein, G. W.: Kinetics of Emulsion Copolymerization with Acrylic Acids, 1213A
—; Poehlein, G. W.: Solution and

Emulsion Polymerization with Partially Neutralized Methacrylic Acid, 1239A
Shoemaker, C. F. See Young, S. L., 2405A
Shogren, R. L.
—; Greene, R. V.; Wu, Y. V.: Complexes of Starch Polysaccharides and Poly(Ethylene co-Acrylic Acid): Structure and Stability in Solution, 1701A
—; Thompson, A. R.; Greene, R. V.; Gordon, S. H.; Cote, G.: Complexes of Starch Polysaccharides and Poly(ethylene *co*-acrylic acid): Structural Characterization in the Solid State, 2279A
Shufang, L. See Jianan, C., 3263A
Shuhaibar, K. F. See Pasch, H., 263A
Shukla, S. R.
—; Rao, G. V. G.; Athalye, A. R.: Photoinitiated Graft Copolymerization of Hydroxyethyl Methacrylate onto Cotton Cellulose, 2163A
—; Sakhardande, V. D.: Metal Ion Removal by Dyed Cellulosic Materials, 829A
Shyu, S. S. See Yuan, L. Y., 2525A
Siddaramaiah See Jagadeesh, K. S., 1459B
Sidkey, M. A.
—; Fattah, A. M. Abd el; Yehia, A. A.; All, N. S. Abd el: Ultrasonic Investigation of Some Rubber Blends, 1441B
Siegel, R. A. See Firestone, B. A., 901B
Siegmann, A. See Rosenberg, Y., 535B
Siemon, J. T., Jr. See Bartko, J., 1739A
Sikkema, D. J.
Preparation, Morphology, and Deformation Behavior of Polyoxypropylene-*co*-Nylon 6 Thermoplastic Elastomers, 877B
Silebi, C. A. See Tang, P. L., 1059B
Silverstein, M. S.
—; Hiltner, A.; Baer, E.: Hierarchical Structure in LCP/PET Blends, 157B
Simazaki, Y. See Ikeda, I., 2871A
Šimek, L. See Petřík, S., 1759A
Simha, R. See Hartmann, B., 983B
Singh, B. C. See Nayak, N. C., 2391A
Singh, R. P. See Deshmukh, S. R., 1091B
Singha Konar, R. See Guchhait, S., 757B
Sisto, R. See Pegoraro, M., 687B
Sitaram, M. S. See Varadarajan, P. V., 2051B
Sivakumar, M.
—; Radhakrishnan, P. R. G.; Kothandaraman, H.: Grafting of Glycidyl Methacrylate onto Gelatin, 1789B
Smidsrød, O. See Stokke, B. T., 2063A
Smirnova, N. V. See Rübtsov, A. E., 729B
Smith, A. B.
—; Knowles, C. J.: Investigation of the Relationship Between Conductivity and Protein-Binding Properties of Polypyrrole, 399B
Smith, B. See Carlough, M., 3035A
Smith, C. G. See De Pooter, M., 399A
Smith, G. A. See Stein, J., 2355A
Smith, J. S.
—; Peppas, N. A.: Mathematical Analysis of Transport Properties of Polymer Films for Food Packaging. VII. Moisture Transport through a Polymer Film with Subsequent Adsorption on and Diffusion through Food, 1219B
Smith, P. B. See De Pooter, M., 399A
Snétivy, D. See Vancso, G., 1351A
Snow, A. W.
—; Sprague, L. G.; Soulen, R. L.; Grate, J. W.; Wohltjen, H.: Synthesis and Evaluation of Hexafluorodimethylcarbinol Functionalized Polymers as Microsensor Coatings, 1659B
Soler, R. M. See Ribelles, J. L. G., 1647A
Soloski, E. J. See Stevenson, W. T. K., 679A
Song, C. Q.
—; Litt, M. H.; Manas-Zloczower, I.: Photoinitiated Crosslinking of Hydroxypropyl Cellulose in the Isotropic and Liquid Crystal States, 2517A
Sörvik, E. See Sultan, B.-Å., 1737B, 1747B, 1761B
Soulen, R. L. See Snow, A. W., 1659B
Soundararajan, S.
—; Reddy, B. S. R.: Glycidyl Methacrylate and *N*-Vinyl-2-pyrrolidone Copolymers: Synthesis, Characterization, and Reactivity Ratios, 251B
Sourirajan, S. See Feng, X., 1071B; Wood, H., 213B
Spadgenske, D. See Carlough, M., 3035A
Spathis, G. D.
Polyurethane Elastomers Studied by the Mooney–Rivlin Equation for Rubbers, 613B
Sperling, L. H. See Fay, J. J., 1617B; Kuphal, J. A., 1525A
Spinelli, H. J. See Neff, B. L., 595A
Sprague, L. G. See Snow, A. W., 1659B
Spruiell, J. E. See Patel, R. M., 1671A
Spychaj, T.
—; Hamielec, A. E.: High-Temperature Continuous Bulk Copolymerization of Styrene and Acrylic Acid: Thermal Behavior of the Reactants, 2111A
Sreenivasan, K.
—; Jayabalan, M.; Rao, K. V. C.: Accelerated Degradation of Poly(ester urethane) by Adenosine Triphosphate, 825B
Sreenivasan, S. See Bhama Iyer, P., 2915A; Iyer, P. B., 1751A
Srinivasan, K. R. See Gupta, A. K., 451B
Srinivasulu, B.
—; Rao, P. R.; Sundaram, E. V.: Synthesis and Characterization of Ethyl Methacrylate–Acrylamide Copolymers, 1521B
Srisomsap, C. See Melius, P., 1167A
St. Clair, A. K. See Dorogy, W. E. Jr., 501B
St. John, N. See George, G. A., 643A
Stack, G. M.
—; Miller, J. M.; Chang, E. Y.: Development of Seawater-Resistant Polyurethane Elastomers for Use as Sonar Encapsulants, 911A
Staikos, G.
—; Tsitsilianis, C.: Viscometric Investigation of the

Poly(Acrylic Acid)–Polyacrylamide Interpolymer Association, 867A
Stamenova, R. T.
—; Tsvetanov, C. B.; Vassilev, K. G.; Tanielyan, S. K.; Ivanov, S. K.: Polymer-Supported Molybdenum and Vanadium Catalysts for Epoxidation of Alkenes by Alkyl Hydroperoxides, 807A
Staude, E.
—; Breitbach, L.: Polysulfones and Their Derivatives: Materials for Membranes for Different Separation Operations, 559B
—; See Hinke, E., 2951A
Stein, J.
—; Leonard, T. M.; Smith, G. A.: Application of the Dynamic SIMS Technique to the Study of Silicone Release Coatings, 2355A
Steiner, C. A.
Polymer–Surfactant Interactions in Graft Copolymer Solutions, 1493A
Steller, R.
—; Zuchowska, D.: Free Volume Effects on Rheological and Thermal Properties of Polymers and Polymer Blends, 1411B
Steppan, D. D.
—; Doherty, M. F.; Malone, M. F.: A Simplified Degradation Model for Nylon 6,6 Polymerization, 1009A
Štěrba, V. See Podzimek, Š., 795A
Stern, S. A. See Bhide, B. D., 2403A
Stevenson, W. T. K.
—; Goldfarb, I. J.: Characterization of Acetylene Terminated Sulfone (ATS) Resin. I. Chemical Characterization of the Resin, 665A
—; Goldfarb, I. J.; Soloski, E. J.; Houtz, M. J.: Characterization of Acetylene Terminated Sulfone (ATS) Resin. II. Thermal Analysis of the Resin, 679A
—; See Wen, S., 1399A, 205B
Stokke, B. T.
—; Knudsen, K. D.; Smidsrød, O.; Elgsaeter, A.: Optical Rotation of Dilute Aqueous Xanthan Solutions at Elevated Hydrostatic Pressure, 2063A
Story, B. J.
—; Koros, W. J.: Sorption of CO_2/CH_4 Mixtures in Poly(phenylene Oxide) and a Carboxylated Derivative, 2613A
Strobel, J. M.
—; Nam, S.: Orientation Development in Retensilized, Biaxially Oriented Polypropylene Films, 159A
Subramaniam, V.
—; Selvamurugan, U.; Thambidurai, S.; Krishnasamy, V.: A Study of the Response of Open End and Ring Spun Yarns to Zinc Chloride and Sodium Hydroxide, 1275A
Subramanian, R. V. See Desai, V. M., 3123A
Suddaby, K. G.
—; Amin Sanayei, R.; Rudin, A.; O'Driscoll, K. F.: Catalytic Chain Transfer in Polymerization of Methyl Methacrylate. II. Continuous Synthesis and Purification of Macromer, 1565B
Sudhakar, K. See Deshmukh, S. R., 1091B
Sudol, E. D. See Tang, P. L., 1059B, 2019A
Sugii, A. See Nakayama, M., 2231B
Sugimoto, K. See Nagase, Y., 1227B
Sullivan, E. A.
Thermal Degradation of Epoxy Novolac-Phenol Formaldehyde Novolac Resin Systems, 1815A
Sullivan, J. See Groele, R. J., 3A
Sultan, B.-Å.
—; Sörvik, E.: Thermal Degradation of EVA and EBA—A Comparison. I. Volatile Decomposition Products, 1737B
—; Sörvik, E.: Thermal Degradation of EVA and EBA—A Comparison. II. Changes in Unsaturation and Side Group Structure, 1747B
—; Sörvik, E.: Thermal Degradation of EVA and EBA—A Comparison. III. Molecular Weight Changes, 1761B
—; See Hjertberg, T., 1185A; Palmlöf, M., 1193A
Sumita, M. See Asai, S., 1253B
Sundaram, E. V. See Srinivasulu, B., 1521B
Sundaram, V. See Iyer, P. B., 1751A
Sundararajan, P. R. See Alexandru, L., 2259B
Sundaresan, E. See Bhat, N. V., 1615A
Suwardie, H.
—; Kalyon, D. M.; Kovenklioglu, S.: Thermal Behavior and Curing Kinetics of Poly(carbosilane), 1087A
Suzuki, A. See Kunugi, T., 429B
Suzuki, H. See Matsui, T., 2443A
Suzuki, K. See Ikeda, I., 2871A
Suzuki, M.
—; Nagai, A.; Suzuki, M.; Takahashi, A.: Preparation and Characterization of Biscyanamide Resins Containing *o*-Substituted Groups or Phenyl–Ether Linkage, 305B
—; See Suzuki, M., 305B; Takahashi, A., 943B
Švestka, Š. See Podzimek, Š., 791A, 795A
Swint, S. A. See Nye, S. A., 1539B
Szewczyk, P.
—; Gruszka, M.; Bortel, K.: Solution Process of Suspension Poly(Vinyl Chloride) in Cyclohexanone by Means of a Viscometer, 775B

Tadano, K. See Hirasawa, E., 351A, 621A
Tagoshi, H.
—; Endo, T.: Syntheses and Properties of Polymers That Undergo No Shrinkage on Cross-Linking by Self-Catalyst, 1933B
Tai, H.-J.
—; Chiu, W.-Y.; Chen, L.-W.; Chu, L.-H.: Study on the Crystallization Kinetics of PP/GF Composites, 3111A
—; See Chiu, W.-Y., 521B
Takahashi, A.
—; Suzuki, M.; Suzuki, M.; Wajima, M.: Thermal Behavior and Reactivities of Prepolymers Prepared from Aromatic Biscyanamides and Bismaleimide, 943B
—; See Suzuki, M., 305B
Takahashi, T. See Udagawa, A., 1861A

Takahashi, Y. See Iijima, M., 2197A
Takamura, Y. See Nagase, Y., 185A, 1227B
Takayama, S. See Usami, T., 1859B
Takayasu, J. See Miwa, M., 1467B
Taketani, N. See Takezawa, Y., 2811A, 3195A
Takezawa, Y.
—; Tanno, S.; Taketani, N.; Ohara, S.; Asano, H.: Analysis of Thermal Degradation for Plastic Optical Fibers, 2811A
—; Tanno, S.; Taketani, N.; Ohara, S.; Asano, H.: Plastic Optical Fibers with Fluoroalkyl Methacrylate Copolymer as Their Core, 3195A
Takrouri, F. See Akovali, G., 2717A
Tamareselvy, K.
—; Sheela, M. S.; Kalliyanakrishnan, V.; Pal, S. N.: Evaluation of DGEBA, 1891A
Tan, B. K. See Poh, B. T., 1407A
Tan, K. L. See Neoh, K. G., 573B
Tan, T. L. See Gan, L. M., 225A
Tanaka, R. See Koike, T., 1333A
Tang, P. L.
—; Sudol, E. D.; Adams, M.; El-Aasser, M. S.; Asua, J. M.: Seeded Emulsion Polymerization of *n*-Butyl Acrylate Utilizing Mini-emulsions, 2019A
—; Sudol, E. D.; Silebi, C. A.; El-Aasser, M. S.: Miniemulsion Polymerization—A Comparative Study of Preparative Variables, 1059B
Tanielyan, S. K. See Stamenova, R. T., 807A
Tanigaki, M. See Yoshikawa, M., 2021B
Tanno, S. See Takezawa, Y., 2811A, 3195A
Tant, M. R.
—; Wilkes, G. L.; Kennedy, J. P.: Sulfonated Polyisobutylene Telechelic Ionomers. XIV. Viscoelastic Behavior of Concentrated Solutions in Nonpolar Solvents, 523A
Tanzawa, H. See Kobayashi, T., 1037B; Yamada-Nosaka, A., 1165B
Tanzi, M. C.
—; Levi, M.; Danusso, F.: *N*-Acryloyl-*N'*-Phenylpiperazine as Curing Activator of Unsaturated Resins, 1371A
Tare, V. See Jawed, M., 317A
Taru, Y. See Mohr, J. M., 2509A
Tasaka, S. See Inagaki, N., 581B
Tashiro, T.
Removal of *Escherichia coli* from Water by Systems Based on Insoluble Polystyrene–Poly(ethylene Glycol)s, –Polyethylenimines, and –Polyethylenepolyamines Quaternized, 1369B
Taufer, M. See Destruel, P., 93A
Taylor, T. J. See Khanna, Y. P., 693A
Tchir, W. See Malik, T. M., 543B
Terahara, T. See Nakayama, M., 2231B
Terlemezyan, L. See Bac, N. V., 2965A
Tesser, R. See Santacesaria, E., 2053A
Tezel, H. See Feng, X., 1071B
Thambidurai, S. See Subramaniam, V., 1275A
Theocaris, P. S.
—; Kefalas, V.: Dynamic Mechanical Properties of Polystyrene–Polyurethane Blends, 3059A
Thomas, D. A. See Fay, J. J., 1617B
Thompson, A. R. See Shogren, R. L., 2279A
Thomsen, J. R. See Wilkie, C. A., 901A
Thorstenson, T. A. See Evanson, K. W., 2297A
Throckmorton, M. C.
Butadiene Polymerization with Nickel Compounds: Effect of Cocatalysts, 3019A
Tianlu, C. See Qipeng, G., 2851A
Tiburcio, A. C.
—; Manson, J. A.: Acid–Base Interactions in Filler Characterization by Inverse Gas Chromatography, 427A
Tkaczyk, M. See Podzimek, Š., 795A
Tochimoto, T. See Iijima, T., 463B, 1685B
Tomka, I. See Vancso, G., 1351A
Tomoi, M. See Iijima, T., 463B, 1685B
Toncheva, V. See Velichkova, R., 3083A
Tong, H. M. See Fu, T. Z., 709B
Torikai, A. See Andrady, A. L., 2105A
Tortorello, A. J. See Shama, S. A., 699B
Trask-Morrell, B. J.
—; Andrews, B. A. K.: Thermoanalytical Characteristics of Polycarboxylic Acids Investigated as Durable Press Agents for Cotton Textiles, 511A
—; Kottes Andrews, B. A.; Graves, E. E.: Catalyst Effects Found in Thermal and Mass Spectrometric Analyses of Polycarboxylic Acids Used as Durable Press Reactants for Cotton, 1717B
Tripathy, S. S. See Moharana, S., 1001A
Trochimczuk, W. M. See Wycisk, R., 1727B
Trznadel, M.
—; Milczarek, P.; Kryszewski, M.: Diffusion and Subsequent Polymerization of Styrene in Oriented Polypropylene Matrix, 1125B
Tsai, J.-S.
—; Lin, C.-H.: Effect of Comonomer Composition on the Properties of Polyacrylonitrile Precursor and Resulting Carbon Fiber, 679B
—; Lin, C.-H.: The Effect of Molecular Weight on the Cross Section and Properties of Polyacrylonitrile Precursor and Resulting Carbon Fiber, 3045A
—; Lin, C.-H.: The Effect of the Side Chain of Acrylate Comonomers on the Orientation, Pore-Size Distribution, and Properties of Polyacrylonitrile Precursor and Resulting Carbon Fiber, 3039A
Tsai, S. M. See Lai, J. Y., 1431B
Tse, A.
—; Laakso, R.; Baer, E.; Hiltner, A.: Translucent Blends of Chlorinated Polyethylene with Poly(Vinyl Chloride), 1205A
Tseng, H. C. See Yen, C. L., 1179A
Tsitsilianis, C.
Dynamic Mechanical Properties of Poly(vinyl chloride) After Complicated Thermal Histories, 835B
—; See Staikos, G., 867A

Tsuchihara, K. See Masuda, T., 423B

Tsukada, M.

—; Nagura, M.; Ishikawa, H.; Shiozaki, H.: Structural Characteristics of Silk Fibers Treated with Epoxides, 643B

—; Yamamoto, T.; Nakabayashi, N.; Ishikawa, H.; Freddi, G.: Grafting of Methyl Methacrylate onto Silk Fibers Initiated by Tri-*n*-Butylborane, 2115B

Tsushima, E. See Miwa, M., 1467B

Tsuyumoto, M. See Karakane, H., 3229A

Tsvetanov, C. B. See Stamenova, R. T., 807A

Tu, D. M.

—; Zhuang, G. P.; Kao, K. C.: Electrical Conductivity of Plasma-Treated Poly(*p*-Phenylene Sulfide) Doped with Iodine, 1625B

Tucker, P. A. See Hotter, J. F., 1511B

Twardowski, T. E.

—; Geil, P. H.: A Highly Fluorinated Epoxy Resin. III. Behavior in Composite and Fiber-Coating Applications, 1721A

—; Geil, P. H.: Highly Fluorinated Epoxy Resin. II. Behavior in Blend Applications, 69A

Udagawa, A.

—; Sakurai, F.; Takahashi, T.: *In Situ* Study of Photopolymerization by Fourier Transform Infrared Spectroscopy, 1861A

Ueda, A. See Agari, Y., 1665A, 1117B

Ueda, H. See Iijima, M., 2197A

Ueno, S. See Mitsuishi, K., 2043B

Ueno, T. See Hesp, S. A. M., 877A

Uetsuki, M. See Ito, Y., 409A

Uhlenbroich, Th. See Bozveliev, L. G., 1171B

Ungar, G. See Keller, A., 1683A

Urban, M. W. See Evanson, K. W., 2287A, 2297A, 2309A

Usami, T.

—; Gotoh, Y.; Takayama, S.: Sizes of Long-Chain Branches in a High-Pressure Low-Density Polyethylene as a Function of Molecular Weight, 1859B

Usmani, A. M. See Kennamer, J. E., 3073A

Üstün, G.

—; Civelekoğlu, H.: Copolymerization of Turkish Tall Oil Specimens with Indene–Coumarone. II. Production and Properties of Indene–Coumarone Modified Tall Oil Varnishes, 1969B

Ütstün, G.

—; Civelekoğlu, H.: Copolymerization of Turkish Tall Oil Specimens with Indene–Coumarone. I. Studies on Copolymerization of Tall Oil and Indene-Coumarone, 1961B

Vahdat, N.

Estimation of Diffusion Coefficient for Solute–Polymer Systems, 3165A

Valcheva, E. T. See Nedelcheva, M. P., 985A

Valentini, C. See Pegoraro, M., 687B

Van Eeden, G. S. See Focke, W. W., 591A

Vancso, G.

—; Snétivy, D.; Tomka, I.: Structural Changes during Polystyrene Orientation: A Study of Optical Birefringence and Wide Angle X-Ray Scattering, 1351A

Vanderhoff, J. W. See Lock, M. R., 1065A; Lee, K.-C., 3133A

Varadarajan, P. V.

—; Nachane, N. D.; Sitaram, M. S.: Cross-Linking Decrystallized and Partially Acetylated Cotton Yarn with Dimethylol–Dihydroxy–Ethylene–Urea, 2051B

Vargha-Butler, E. I. See Budziak, C. J., 1959A

Varma, D. S. See Varma, I. K., 373A

Varma, I. K.

—; Kumar, R.; Saxena, S.; Varma, D. S.: Properties of Polypyromellitimides Containing Phosphorus, 373A

Vasil'eva, O. V. See Kulichikhin, V. G., 363A

Vassilev, K. G. See Stamenova, R. T., 807A

Vazquez, A.

—; Bentaleb, D.; Williams, R. J. J.: Curing of Diepoxides with Tertiary Amines: Influence of Temperature and Initiator Concentration on Polymerization Rate and Glass Transition Temperature, 967B

Vega, J. R.

—; Frontini, G. L.; Meira, G. R.: Optimal Periodic Control of a Continuous "Living" Anionic Polymerization. III. Presence of Impurities in the Monomer Feed, 3181A

Velichkova, R.

—; Toncheva, V.; Antonov, C.; Alexandrov, V.; Pavlova, S.; Dubrovina, L.; Gladkova, E.: Styrene–Isoprene Block Copolymers. II. Hydrogenation and Solution Properties, 3083A

Venkateshwaran, L. N.

—; Leir, C. E.; Wilkes, G. L.: Selective Plasticization of the Ionic Domains in a Segmented Thermoplastic Ionene Cationomer, 951B

Vera-Graziano, R. See Pérez-Cárdenas, F. C., 779B

Verchere, D.

—; Pascault, J. P.; Sautereau, H.; Moschiar, S. M.; Riccardi, C. C.; Williams, R. J. J.: Rubber-Modified Epoxies. II. Influence of the Cure Schedule and Rubber Concentration on the Generated Morphology, 701A

—; Pascault, J. P.; Sautereau, H.; Moschiar, S. M.; Riccardi, C. C.; Williams, R. J. J.: Rubber-Modified Epoxies. IV. Influence of Morphology on Mechanical Properties, 293B

—; See Moschiar, S. M., 717A

Vergnaud, J.-M. See Chafi, N., 1837B

Vidaković, M. See Petrović, Z. S., 391A

Vidal, A. See Engel, R., 227B

Vidal, P. F.

—; Basora, N.; Overend, R. P.; Chornet, E.: A Pseudouniversal Calibration Procedure for the Molecular Weight Determination of Cellulose, 1659A

Villalobos, M. A.
—; Hamielec, A. E.; Wood, P. E.: Kinetic Model for Short-Cycle Bulk Styrene Polymerization through Bifunctional Initiators, 629A
Vipulanandan, C. See Dharmarajan, N., 601A
Vittoria, V. See De Candia, F., 2959A
Vosa, R. See Bianchi, R., 1087B
Vrentas, C. M. See Vrentas, J. S., 1931A
Vrentas, J. S.
—; Vrentas, C. M.: Solvent Self-Diffusion in Crosslinked Polymers, 1931A
Vu, C.
—; Cabestany, J.: Characterization of Cationic Water-Soluble Polyacrylamides, 2857A
Vyazovkin, S. V.
—; Bogdanova, V. V.; Klimovtsova, I. A.; Lesnikovich, A. I.: Invariant Kinetic Parameters of Polymer Thermolysis. III. The Influence of a Fire-Retardant Additive on Polypropylene Thermolysis, 2095A

Waage, S. K.
—; Gardner, D. J.; Elder, T. J.: The Effects of Fillers and Extenders on the Cure Properties of Phenol–Formaldehyde Resin as Determined by the Application of Thermal Techniques, 273A
Wada, M. See Nakayama, M., 2231B
Wade, W. L. Jr.
—; Mammone, R. J.; Binder, M.: Surface Properties of Commercial Polymer Films Following Various Gas Plasma Treatments, 1589B
Wajima, M. See Takahashi, A., 943B
Wakino, T. See Fujiyama, M., 9A, 2739A, 2749A, 57B, 97B
Walker, L. L. See Wang, C.-S., 1315B
Wallis, A. F. A. See Evans, R., 813A, 821A
Waly, A. See Khalil, M. I., 2303B
Wang, C. See Chiu, W.-Y., 39B
Wang, C.-S.
—; Berman, J. R.; Walker, L. L.; Mendoza, A.: Meta-Bromobiphenol Epoxy Resins: Applications in Electronic Packaging and Printed Circuit Board, 1315B
Wang, D.
—; Chen, J.: Structure and ESR Investigation of Plasma-Polymerized Film of Hexafluoropropene, 233A
Wang, D.-C. See Chiu, W.-Y., 39B
Wang, G.-M. See Fan, J.-L., 829B
Wang, H.-H.
—; Lin, M.-F.: Modification of Nylon-6 with Wholly Rigid Poly(*m*-phenylene isophthalamide), 259B
Wang, J. See Feldman, D., 1307A, 1537A
Wang, L. See Frisch, H. L., 475B
Wang, L.-H.
—; Porter, R. S.: Rolling and Roll-Drawing of Ultrahigh Molecular Weight Polyethylene Reactor Powders, 1559B
Wang, P.
—; Johnston, T. P.: Kinetics of Sol-to-Gel Transition for Poloxamer Polyols, 283B
Wang, X.
—; Gillham, J. K.: Competitive Primary Amine/Epoxy and Secondary Amine/Epoxy Reactions: Effect on the Isothermal Time-to-Vitrify, 2267B
Wang, Y. Z. See Yen, C. L., 1179A
Warburton, C. E., Jr.
Radiation Curable, Micelle Forming, Block Copolymers as Soil Release Finishes for Polyester Fabrics, 207A
Ward, I. M. See Gallagher, G. A., 1399B; Long, S. D., 1911A, 1921A
Warren, S. C. See Mathias, L. J., 55A
Wathen, G. D. See Halasa, A. F., 183B
Watts, J. F. See Davies, M. C., 1597A
Wdowicka, D. See Podkościelny, W., 2213B
Wearne, R. H. See Evans, R., 813A, 821A
Weibang, Z. See Huiyang, Z., 919B
Wen, S.
—; Yin, X.; Stevenson, W. T. K.: Preparation and Characterization of Polyelectrolyte Copolymers Containing Methyl Methacrylate, and 2-Hydroxyethyl Methacrylate. II. Polymers Based on Dimethylaminoethyl Methacrylate, 205B
—; Yin, X.; Stevenson, W. T. K.: Preparation and Characterization of Polyelectrolyte Copolymers Containing Methyl Methacrylate and 2-Hydroxyethyl Methacrylate. I. Polymers Based on Methacrylic Acid, 1399A
Whayman, E. See Crees, O. L., 837A
Wheatley, M. A.
—; Chang, M.; Park, E.; Langer, R.: Coated Alginate Microspheres: Factors Influencing the Controlled Delivery of Macromolecules, 2123B
White, J. R. See Qayyum, M. M., 129B
Wilkes, G. L. See Kim, H.-C., 1107A; McHerron, D. C., 1045B; Moreland, J. C., 801B; Tant, M. R., 523A; Venkateshwaran, L. N., 951B
Wilkie, C. A.
—; Leone, J. T.; Mittleman, M. L.: Interaction of Poly(methyl Methacrylate) and Manganese Chloride, 1133A
—; Thomsen, J. R.; Mittleman, M. L.: Interaction of Poly(Methyl Methacrylate) and Nafions, 901A
Williams, H. L. See Han, K., 1845A; Liang, Z., 379B
Williams, R. J. J. See Moschiar, S. M., 717A; Vazquez, A., 967B; Verchere, D., 701A, 293B
Willkomm, W. R. See Ryan, A. J., 1023A
Wisanrakkit, G.
—; Gillham, J. K.: Continuous Heating Transformation (CHT) Cure Diagram of an Aromatic Amine/Epoxy System at Constant Heating Rates, 2453A
—; Gillham, J. K.: Effect of Physical Annealing on the Dynamic Mechanical Properties of a

High-T_g Amine-Cured Epoxy System, 2465A
Wohltjen, H. See Snow, A. W., 1659B
Wolf, C. J. See Grayson, M. A., 543A; Morelli, J. J., 601B
Wolf, D. See Allen, N. S., 1169A
Wood, H.
—; Sourirajan, S.: The Effect of Additives, Solvent Type, and Polymer Concentration on Macromolecule Dimensions, 213B
Wood, P. E. See Villalobos, M. A., 629A; Xie, T. Y., 1259B
Woods, D. R. See Wu, X. Y., 2081A; Xie, T. Y., 1259B
Wool, R. P. See Goheen, S. M., 2691A
Wright, J. R. See Mathias, L. J., 55A
Wu, C. See Qian, B., 1155A; Zhang, A., 1779A
Wu, C.-S.
Effect of Stirring on Morphology and Properties in a Catalyst Cured Epoxy System, 1421B
Wu, G. See Chen, R., 2073A
Wu, J. C. See Rebenfeld, L., 801A
Wu, L.-T. See Zhu, J.-H., 2099B
Wu, M. See Hsieh, Y.-L., 2067B
Wu, X. Y.
—; Hunkeler, D.; Hamielec, A. E.; Pelton, R. H.; Woods, D. R.: Molecular Weight Characterization of Poly-(Acrylamide-*co*-Sodium Acrylate). I. Viscometry, 2081A
Wu, Y. V. See Shogren, R. L., 1701A
Wu, Z. See Qian, B., 1155A; Zhang, A., 1779A
Wycisk, R.
—; Trochimczuk, W. M.: Polyethylene–Poly(Methacrylic Acid-co-Divinylbenzene) Interpolymer-Type Carboxylic Membranes, 1727B

Xiao, H. X. See Frisch, H. L., 475B
Xie, H.-Q.
—; Zhou, S.-B.: Ionomers Made from Terpolymers with Uniform Poly(methyl Methacrylate) Grafts, 199A
Xie, T. Y.
—; Hamielec, A. E.; Wood, P. E.; Woods, D. R.: Experimental Investigation of Vinyl Chloride Polymerization at High Conversion—Reactor Dynamics, 1259B
Xue, G. See Ding, J., 1459A

Yabuki, K. See Sawada, S., 1041A
Yamada-Nosaka, A.
—; Tanzawa, H.: ^{1}H-NMR Studies on Water in Methacrylate Hydrogels. II, 1165B
Yamamoto, T. See Tsukada, M., 2115B
Yamamoto, Y. See Hirasawa, E., 351A
Yamaoka, A. See Yamauchi, J., 1197B
Yamashita, K. See Ochi, M., 2013B
Yamashita, S. See Kohjiya, S., 2219B
Yamauchi, J.
—; Yamaoka, A.; Ikemoto, K.; Matsui, T.: Graft Copolymerization of Methyl Methacrylate onto Polypropylene Oxidized with Ozone, 1197B
Yang, B. See Allen, N. S., 1169A; Carfagna, C., 839B
Yang, C. Q.
—; Andrews, B. A. K.: Infrared Spectroscopic Studies of the Nonformaldehyde Durable Press Finishing of Cotton Fabrics by Use of Polycarboxylic Acids, 1609B
Yang, C.-P.
—; Chen, Y.-H.: Syntheses and Properties of Cationic Amine–Epoxy Adducts and Their Use in Electrodeposition: I. Diethanolamine/Diethylamine Terminated Cationic Epoxy with Pendant 2-Ethylhexanol-Blocked TDI Groups, 1097A
—; Lee, L.-T.; Yu, W.-T.: Synthesis and Properties of Cationic Resins Derived from Aniline-Modified Epoxy Resins and Various Amines, 1465A
Yang, J.-M. See Hsiue, G.-H., 1899A
Yang, S.-L. See Zhu, J.-H., 2099B
Yano, S. See Hirasawa, E., 351A, 621A
Yap, M. G. S.
—; Que, Y. T.; Chia, L. H. L.: Dynamic Mechanical Analysis of Tropical Wood–Polymer Composites, 1999B
—; Que, Y. T.; Chia, L. H. L.: FTIR Characterization of Tropical Wood–Polymer Composites, 2083B
—; Que, Y. T.; Chia, L. H. L.; Chan, H. S. O.: Thermal Properties of Tropical Wood–Polymer Composites, 2057B
Yaseen, M. See Raju, K. V. S. N., 1533B
Yee, A. F. See Jin, S., 1849B, 1865B
Yehia, A. A. See Sidkey, M. A., 1441B
Yen, C. L.
—; Tseng, H. C.; Wang, Y. Z.; Hsieh, K. H.: Thermal Conductivity of Glass Fiber Reinforced Polypropylene under High Pressure, 1179A
Yen, C.-C.
—; Huang, C.-J.; Chang, T.-C.: Studies on the Preparation and Properties of Conductive Polymers. Part II. Novel Method to Prepare Metallized Plastics from Metal Chelates of Polyamides, 439A
—; See Huang, C.-J., 2237A, 2267A
Yen, H.-R.
—; Andrade, J. D.; Kopeček, J.: Optically Controlled Ligand Delivery. II. Copolymers Containing α-Methylphenacyl Bonds, 1241B
Yeoh, K. W. See Gan, L. M., 225A
Yifang, H. See Jianan, C., 3263A
Yilmazer, U.
Effects of the Processing Conditions and Blending with Linear Low-Density Polyethylene on the Properties of Low-Density Polyethylene Films, 2379A
Yin, X. See Wen, S., 1399A, 205B
Yokoyama, M. See Kimura, K., 1233B
Yoneyama, Y. See Kunugi, T., 429B
Yoshii, F. See Razzak, M. T., 883B
Yoshikawa, M.
—; Matsuura, T.; Cooney, D.: Studies on the State of Permeant in the Membrane and Its Effect on Pervaporation Phenomena, 1417A
—; Ochiai, S.; Tanigaki, M.; Eguchi, W.: Application and Development of Synthetic Polymer Membranes. VI. Pervaporation of Aqueous

Ethanol Solution through Quaternized Poly[3-(*N'*,*N'*-dimethyl)aminopropylacrylamide-*co*-acrylonitrile] Membranes, 2021B

Younan, A. F. See Aziz, A. W., 1357B

Young, D. C. See Bacskai, R., 2435A

Young, S. L.

—; Shoemaker, C. F.: Measurement of Shear-Dependent Intrinsic Viscosities of Carboxymethyl Cellulose and Xanthan Gum Suspensions, 2405A

Yu, Q. See Zeng, Y.-B., 1905A

Yu, W.-T. See Yang, C.-P., 1465A

Yu, X.-H. See Homan, J. G., 2249B

Yuan, L. Y.

—; Shyu, S. S.; Lai, J. Y.: Plasma Surface Treatments on Carbon Fibers. II. Mechanical Property and Interfacial Shear Strength, 2525A

Zachmann, H. G. See Nelson, K. M., 1289A

Zamin, J. See Alexandru, L., 2259B

Zanderighi, L. See Pegoraro, M., 687B

Zang, Y.-H.

—; Carreau, P. J.: A Correlation between Critical End-to-End Distance for Entanglements and Molecular Chain Diameter of Polymers, 1965A

Zeng, Y.-B.

—; Zhang, L.-Z.; Peng, W.-Z.; Yu, Q.: Microstructure, Mechanical Properties, and Fracture Behavior of Liquid Rubber Toughened Thermosets, 1905A

Zeronian, S. H. See Collins, M. J., 2149A

Zhang, A.

—; Jiang, H.; Wu, Z.; Wu, C.; Qian, B.: Internal Stress, Lattice Deformation, and Modulus of Polymers, 1779A

Zhang, L.

—; Li, X.; Liu, T.: Study of the Synthesis and Properties of PBA/PS/PMMA Latex Interpenetrating Polymer Networks, 891A

Zhang, L.-Z. See Zeng, Y.-B., 1905A

Zhang, P. Y.

—; Rånby, B.: Surface Modification by Continuous Graft Copolymerization. II. Photoinitiated Graft Copolymerization onto Polypropylene Film Surface, 621B

Zhao, J. See Qian, B., 1155A

Zhao, Q.

—; Long, F.; Liu, X.: Structural Changes on Plasma Irradiation of Ethyl–Cyanethyl Cellulose as Revealed by Infrared Spectroscopic Technique, 19B

Zhou, J. Y. See Huang, Y., 1693B

Zhou, S.-B. See Xie, H.-Q., 199A

Zhu, J.-H.

—; Shen, Z.-R.; Wu, L.-T.; Yang, S.-L.: *In Vitro* Degradation of Polylactide and Poly(lactide-*co*-glycolide) Microspheres, 2099B

Zhuang, G. P. See Tu, D. M., 1625B

Zhuomei, L. See Huiyang, Z., 919B

Zuchowska, D. See Steller, R., 1411B

Zurek, W.

—; Jasińska, A.; Frydrych, I.; Jakubczyk, J.: Mechanical Properties of Multifilaments in Different Measurement Conditions, 1343B